

The Road to Excellence Starts with Safety

| | | | | | | | |
|-------------------------------------------------------------|--|----------------------------|----------------------------------------|-----------------------------------------------------------------|--|--------------------------------|--|
| Sold To #: 343492 | | Ship To #: 2916270 | | Quote #: | | Sales Order #: 9373817 | |
| Customer: BILL BARRETT CORPORATION E-BILL | | | | Customer Rep: Lauer, Casey | | | |
| Well Name: DIXON FED | | | Well #: 12A-23-692 | | | API/UWI #: 05-045-21103 | |
| Field: MAMM CREEK | | City (SAP): UNKNOWN | | County/Parish: Garfield | | State: Colorado | |
| Lat: N 39.516 deg. OR N 39 deg. 30 min. 56.624 secs. | | | | Long: W 107.643 deg. OR W -108 deg. 21 min. 26.986 secs. | | | |
| Contractor: ProPetro Services Inc. | | | Rig/Platform Name/Num: ProPetro | | | | |
| Job Purpose: Cement Surface Casing | | | | | | | |
| Well Type: Development Well | | | | Job Type: Cement Surface Casing | | | |
| Sales Person: METLI, MARSHALL | | | | Srvc Supervisor: MAGERS, MICHAEL | | MBU ID Emp #: 339439 | |

Job Personnel

| HES Emp Name | Exp Hrs | Emp # | HES Emp Name | Exp Hrs | Emp # | HES Emp Name | Exp Hrs | Emp # |
|-------------------------|---------|--------|----------------------------|---------|--------|---------------------------|---------|--------|
| DEUSSEN, EDWARD Eric | 10.0 | 485182 | EICKHOFF, ROBERT Edward | 10.0 | 495311 | MAGERS, MICHAEL Gerard | 10.0 | 339439 |

Equipment

| HES Unit # | Distance-1 way | HES Unit # | Distance-1 way | HES Unit # | Distance-1 way | HES Unit # | Distance-1 way |
|------------|----------------|------------|----------------|------------|----------------|------------|----------------|
| 10567589C | 120 mile | 11259885 | 120 mile | 11808829 | 120 mile | 11071463 | 120 MILES |

Job Hours

| Date | On Location Hours | Operating Hours | Date | On Location Hours | Operating Hours | Date | On Location Hours | Operating Hours |
|------------|-------------------|-----------------|------------|-------------------|-----------------|------|-------------------|-----------------|
| 03/29/2012 | 5 | 0 | 03/30/2012 | 5 | 1.10 | | | |

| | | | | | | | | |
|--------------|--------------------------------------------|--|--|--|--|--|--|--|
| TOTAL | Total is the sum of each column separately | | | | | | | |
|--------------|--------------------------------------------|--|--|--|--|--|--|--|

Job

| Formation Name | Formation Depth (MD) | Top | Bottom | Form Type | Job depth MD | Job Depth TVD | Water Depth | Perforation Depth (MD) | From | To | Deparated Loc |
|----------------|----------------------|-----|--------|-----------|--------------|---------------|-------------------|------------------------|------|-------|---------------|
| | | | | BHST | 800. ft | 800. ft | | | | | |
| | | | | | | | Wk Ht Above Floor | | | 2. ft | |

Job Times

| Date | Time | Time Zone |
|-----------------|-------|-----------|
| 29 - Mar - 2012 | 17:00 | MST |
| 29 - Mar - 2012 | 17:00 | MST |
| 30 - Mar - 2012 | 03:13 | MST |
| 30 - Mar - 2012 | 04:21 | MST |

Well Data

| Description | New / Used | Max pressure psig | Size in | ID in | Weight lbm/ft | Thread | Grade | Top MD ft | Bottom MD ft | Top TVD ft | Bottom TVD ft |
|-----------------------|------------|-------------------|---------|-------|---------------|--------|-------|-----------|--------------|------------|---------------|
| 12 1/4" Open Hole | | | | 12.25 | | | | . | 830. | | |
| 9 5/8" Surface Casing | New | | 9.625 | 8.921 | 36. | | J-55 | . | 813.2 | | |

Sales/Rental/3rd Party (HES)

| Description | Qty | Qty uom | Depth | Supplier |
|------------------------------------------|-----|---------|-------|----------|
| R/A DENSOMETER W/CHART RECORDER,/JOB,ZI | 1 | JOB | | |
| ADC (AUTO DENSITY CTRL) SYS, /JOB,ZI | 1 | JOB | | |
| PORT. DATA ACQUIS. W/OPTICEM RT W/HES | 1 | EA | | |
| PLUG,CMTG,TOP,9 5/8,HWE,8.16 MIN/9.06 MA | 1 | EA | | |

Tools and Accessories

| Type | Size | Qty | Make | Depth | Type | Size | Qty | Make | Depth | Type | Size | Qty | Make |
|--------------|------|-----|------|-------|-------------|------|-----|------|-------|--------------|-------|-----|------|
| Guide Shoe | | | | | Packer | | | | | Top Plug | 9 5/8 | 1 | HES |
| Float Shoe | | | | | Bridge Plug | | | | | Bottom Plug | | | |
| Float Collar | | | | | Retainer | | | | | SSR plug set | | | |
| Insert Float | | | | | | | | | | SWEDGE | 9 5/8 | 1 | HES |
| Stage Tool | | | | | | | | | | Centralizers | | | |

Miscellaneous Materials

| Gelling Agt | Conc | Surfactant | Conc | Acid Type | Qty | Conc | % |
|---------------|------|------------|------|-----------|------|------|---|
| Treatment Fld | Conc | Inhibitor | Conc | Sand Type | Size | Qty | |

Fluid Data

| Stage/Plug #: 1 | | | | | | | | | |
|------------------------------------------|--------------------------|-------------------------------|--------|-----------------------------------|------------------------|---------------------------|------------------|--------------|------------------------|
| Fluid # | Stage Type | Fluid Name | Qty | Qty uom | Mixing Density lbm/gal | Yield ft ³ /sk | Mix Fluid Gal/sk | Rate bbl/min | Total Mix Fluid Gal/sk |
| 1 | Water Spacer | | 20.00 | bbl | 8.33 | .0 | .0 | .0 | |
| 2 | VersaCem Lead Cement | VERSACEM (TM) SYSTEM (452010) | 120.0 | sacks | 12.3 | 2.38 | 13.77 | .0 | 13.77 |
| 13.77 Gal | | FRESH WATER | | | | | | | |
| 3 | SwiftCem Tail Cement | SWIFTCEM (TM) SYSTEM (452990) | 120.0 | sacks | 14.2 | 1.43 | 6.85 | .0 | 6.85 |
| 6.85 Gal | | FRESH WATER | | | | | | | |
| 4 | Fresh Water Displacement | | 57.00 | bbl | 8.33 | .0 | .0 | .0 | |
| Calculated Values | | Pressures | | Volumes | | | | | |
| Displacement | 57 | Shut In: Instant | | Lost Returns | 0 | Cement Slurry | 82 | Pad | |
| Top Of Cement | SURFACE | 5 Min | | Cement Returns | 21 | Actual Displacement | 57 | Treatment | |
| Frac Gradient | | 15 Min | | Spacers | 20 | Load and Breakdown | | Total Job | 159 |
| Rates | | | | | | | | | |
| Circulating | NONE | Mixing | 5 | Displacement | 5/2 | Avg. Job | 5 | | |
| Cement Left In Pipe | Amount | 44.7 ft | Reason | Shoe Joint | | | | | |
| Frac Ring # 1 @ | ID | Frac ring # 2 @ | ID | Frac Ring # 3 @ | ID | Frac Ring # 4 @ | ID | | |
| The Information Stated Herein Is Correct | | | | Customer Representative Signature | | | | | |

The Road to Excellence Starts with Safety

| | | | |
|-------------------------------------------------------------|----------------------------|-----------------------------------------------------------------|-------------------------------|
| Sold To #: 343492 | Ship To #: 2916270 | Quote #: | Sales Order #: 9373817 |
| Customer: BILL BARRETT CORPORATION E-BILL | | Customer Rep: Lauer, Casey | |
| Well Name: DIXON FED | Well #: 12A-23-692 | API/UWI #: 05-045-21103 | |
| Field: MAMM CREEK | City (SAP): UNKNOWN | County/Parish: Garfield | State: Colorado |
| Legal Description: | | | |
| Lat: N 39.516 deg. OR N 39 deg. 30 min. 56.624 secs. | | Long: W 107.643 deg. OR W -108 deg. 21 min. 26.986 secs. | |
| Contractor: ProPetro Services Inc. | | Rig/Platform Name/Num: ProPetro | |
| Job Purpose: Cement Surface Casing | | | Ticket Amount: |
| Well Type: Development Well | | Job Type: Cement Surface Casing | |
| Sales Person: METLI, MARSHALL | | Srv Supervisor: MAGERS, MICHAEL | MBU ID Emp #: 339439 |

| Activity Description | Date/Time | Cht # | Rate bbl/ min | Volume bbl | | Pressure psig | | Comments |
|---------------------------|---------------------|----------|---------------------|---------------|-------|------------------|--------|----------------------------------------------------------------------------|
| | | | | Stage | Total | Tubing | Casing | |
| Call Out | 03/29/2012 05:00 | | | | | | | |
| Arrive At Loc | 03/29/2012 17:00 | | | | | | | HES ALREADY ON LOCATION/WAITING FOR NEXT HOLE COMPLETION |
| Pre-Rig Up Safety Meeting | 03/30/2012 02:55 | | | | | | | JSA ON RIGGING UP |
| Rig-Up Equipment | 03/30/2012 03:00 | | | | | | | 1 PICKUP 1 ELITE 1 BULK TRUCK |
| Safety Huddle | 03/30/2012 03:10 | | | | | | | RIG CREW AND HES ALL PRESENT |
| Start Job | 03/30/2012 03:13 | | | | | | | TD-803 TP-782.6 SHOE-44.7 MUD WT. 8.33 CASING 9 5/8 36 LB OPEN HOLE 12 1/4 |
| Other | 03/30/2012 03:14 | | 2 | 2 | | | 5.0 | FILL LINES |
| Pressure Test | 03/30/2012 03:15 | | 0.5 | 0.5 | | | 3776.0 | PSI TEST OK |
| Pump Spacer 1 | 03/30/2012 03:23 | | 3 | 20 | | | 64.0 | FRESH WATER |
| Pump Lead Cement | 03/30/2012 03:34 | | 5 | 51 | | | 164.0 | VERSACEM 120 SKS 12.3 PPG 2.38 FT3/SK 13.77 GAL/SK |
| Pump Tail Cement | 03/30/2012 03:45 | | 5 | 30.6 | | | 188.0 | SWIFTCM 120 SKS 14.2 PPG 1.43 FT3/SK 6.85 GAL/SK |
| Shutdown | 03/30/2012 03:51 | | | | | | | |
| Drop Top Plug | 03/30/2012 03:57 | | | | | | | PLUG AWAY NO PROBLEMS/USED 9 5/8" SWAGE |
| Pump Displacement | 03/30/2012 03:58 | | 5 | 47 | | | 251.0 | FRESH WATER |

Cementing Job Log

| Activity Description | Date/Time | Cht # | Rate bbl/min | Volume bbl | | Pressure psig | | Comments |
|----------------------|---------------------|-------|--------------|------------|-------|---------------|--------|-------------------------------------------------|
| | | | | Stage | Total | Tubing | Casing | |
| Slow Rate | 03/30/2012 04:09 | | 2 | 10 | | | 192.0 | GOT 21 BBLS CEMENT TO SURFACE |
| Bump Plug | 03/30/2012 04:14 | | 2 | 57 | | | 235.0 | BUMPED PLUG/USED 20 LBS SUGAR |
| Check Floats | 03/30/2012 04:19 | | | 57 | | | 1224.0 | FLOATS HELD/GOT 1/2 BBL BACK |
| End Job | 03/30/2012 04:21 | | | | | | | THANKS FOR USING HES AND THE CREW OF ED DEUSSEN |
| Comment | 03/30/2012 04:30 | | | | | | | WAITING FOR NEXT HOLE COMPLETION |