



**Krabacher, Jay**

---

**From:** Krabacher, Jay  
**Sent:** Wednesday, May 09, 2012 10:04 AM  
**To:** 'Neifert-Kraiser, Angela'  
**Cc:** Andrews, David; Trahan, Kristin; Barber, Matt; King, Kevin  
**Subject:** RE: CBL deferment on the Jolley KP 11-17 (045-20998)


Angela:

WPX can defer the CBL on the subject well.

A couple minor comments: (1) thanks for also providing a table of the bradenhead-pressure/ fluid volume needed to fill the annular. Which is to say: in your "information pertaining" section in your email, no mention is/was made of the bradenhead pressure status up until now (but that is chronicled in the table you sent). (2) In the afore-mentioned "information" section, the volume to fill annular is noted as "hole remained full." The table noted that 3 bbls total were needed to "top it off."

Regards,

Jay Krabacher



---

**From:** Neifert-Kraiser, Angela [<mailto:Angela.Neifert-Kraiser@wpxenergy.com>]  
**Sent:** Tuesday, May 08, 2012 3:02 PM  
**To:** King, Kevin  
**Cc:** Andrews, David; Krabacher, Jay; Trahan, Kristin; Barber, Matt  
**Subject:** CBL deferment on the Jolley KP 11-17

Kevin, Dave, & Jay:

WPX Energy Rocky Mountain, LLC is requesting a CBL deferment on the Jolley KP 11-17 located in the SESW, Section 8, T6S-R91W. Attached is a temperature survey that was performed after cementing the 4 ½" production casing on the subject well.

Information pertaining to the request is as follows:

|                             |   |
|-----------------------------|---|
| Well:                       | Jolley KP 11-17                                   |
| API:                        | 05-045-20998-00                                   |
| Location:                   | Section 8 T6S-R91W                                |
| Surface Csg:                | 9 5/8" set and cemented at 1348.9'                |
| Production Csg Cement Date: | 4 ½" @ 7753.0 – cemented 05/01/12                 |
| Cement:                     | 1125 sks  |
| Cement top from survey:     | 2350' Estimated                                   |
| Estimated top of gas:       | 4862  |
| Temp Survey:                | Attached  |
| Volume to fill annular:     | Hole remained full following cementing operations |

Please let me know if you need additional information to approve this deferment. After deferment is received, Williams will continue to monitor the bradenhead pressure until the CBL has been performed and notify if pressure exceeds 150 psig.


Angela Neifert-Kraiser  
Regulatory Specialist  
303-606-4398

If You Are InSpired, You Can Do Anything!! :)

Please note NEW EMAIL Address & Company Name  
[Angela.Neifert-Kraiser@WPXEenergy.com](mailto:Angela.Neifert-Kraiser@WPXEenergy.com)

**WPX Energy Rocky Mountain, LLC**

## Bradenhead Pressure Summary



WELL: Jolley KP 11-17

LOCATION: SE/4SW/4 SEC. 8 T6S-R91W 6<sup>TH</sup> PM

API#: 05-045-20998-00

TEMP. LOG RUN DATE: 05/03/12

TOP OF CEMENT: 2350' (Est.)

TOP OF GAS: 4862'

### BRADENHEAD PRESSURES (psig)

|          |       |       |      |       |
|----------|-------|-------|------|-------|
| 5/3/2012 | 20:00 | 6HR   | 2BBL | 0 PSI |
| 5/4/2012 | 02:00 | 12 HR | 1BBL | 0 PSI |
| 5/4/2012 | 14:00 | 24 HR | 0GL  | 0 PSI |
| 5/5/2012 | 14:00 | 48 HR | 0 GL | 0 PSI |
| 5/6/2012 | 14:00 | 72 HR | 0GL  | 0 PSI |