

CEMENT JOB REPORT



Shoe Test (Update Original Treatment Report for Primary Job)

Depth Drilled out of Shoe: 0 FT	Target EMW: 0 LBS/GAL Actual EMW: 0 LBS/GAL
Number of Times Tests Conducted: 0	Mud Weight When Test was Conducted: 0 LBS/GAL
Problems Before Job (I.E. Running Casing, Circulating Well, ETC) BULK PLANT BROKE DOWN LATE TO LOCATION	
Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC) NONE	
Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC) NONE	

PRESSURE/RATE DETAIL						EXPLANATION	
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>	
	PIPE	ANNULUS				TEST LINES	3696 PSI
						CIRCULATING WELL - RIG <input checked="" type="checkbox"/> BJ <input type="checkbox"/>	
15:30	0	0	0	0	NA	ARRIVE ON LOCATION RTS ASAP RIG WAITING ON US	
15:45	0	0	0	0	NA	SPOT TRUCKS	
16:35	0	0	0	0	NA	SAFETY MEETING	
17:11	2354	0	0	0	H2O	LOW PSI TEST	
17:12	3696	0	0	0	H2O	HIGH PSI TEST	
17:14	93	0	5	10	H2O	H2O SPACER	
17:17	90	0	5	10	H2O	DYE SPACER	
17:20	200	0	5	60	CMT	BATCH/WEIGH/PUMP CMT @14.5PPG	
17:50	0	0	0	0	H2O	SHUT DOWN DROP PLUG	
17:54	138	0	5	0	H2O	DISPLACEMENT	
17:59	105	0	2.5	17	H2O	SLOWED RATE	
18:03	615	0	0	27	H2O	BUMPED PLUG LEFT 250 PSI ON CSG	
19:00	0	0	0	0	NA	LEAVE LOCATION	

BUMPED PLUG	PSI TO BUMP PLUG	TEST FLOAT EQUIP.	BBL.CMT RETURNS/ REVERSED	TOTAL BBL. PUMPED	PSI LEFT ON CSG	SPOT TOP OUT CEMENT	Service Supervisor Signature:
<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	150	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	17	107	250	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	



BJ Services JobMaster Program Version 3.50
Job Number: 1001872753
Customer: PETERSON ENERGY
Well Name: 392 VENTURES 22ND

