



80	CCL	-4
0	Gamma Ray (GAPI)	150
340	TT3 (usec)	240

0	Amplified Amplitude (mV)	30
0	Amplitude (mV)	100

Variable Density	1200
------------------	------








250

300

350

400







450


500


550


600

650











1100


1150

1200

1250

1300







1350


1400

1450

1500

Estimated Cement Top







1550


1600

1650

1700

1750








1800

1850

1900

1950








2000

2050

2100

2150







2200


2250

2300

2350

2400








2450

2500

2550

2600







2650


2700

2750

2800

2850








2900

2950

3000

3050








3100

3150

3200

3250







3300


3350

3400

3450

3500








3550

3600

3650

3700







3750


3800

3850

3900

3950








4000

4050

4100

4150






4200

4250

4300

4350





4400


4450

4500

4550

4600







4650


4700

4750

Flag Joint

4800







4850


4900

4950

5000

5050





Calibration Report

Database File: cblzarlengo 14-4.db
 Dataset Pathname: pass2
 Dataset Creation: Tue Mar 20 09:49:35 2012 by Log SCH 111116

Gamma Ray Calibration Report

Type / Serial: Probe275dig / 101010

SHOP CALIBRATION

Tue Mar 20 08:20:14 2012

		Counts/Sec.	Gain	Offset	Jig	Units
Background		0.0				cps
Calibrator		1.0				cps
			0.6000			GAPI/cps
PRIMARY VERIFICATION						
Background		0.0				cps
Calibrator		0.0				cps
Difference					0.0	GAPI
BEFORE SURVEY VERIFICATION						
Background		0.0				cps
Calibrator		0.0				cps
Difference					0.0	GAPI
AFTER SURVEY VERIFICATION						
Background		0.0				cps
Calibrator		0.0				cps
Difference					0.0	GAPI

Cement Bond Log Calibration Report

Serial Number:	110802				
Tool Model:	Probe275Digital				
Performed:	Sat Mar 17 13:22:32 2012				
Depth:	246.458	ft			
Casing Diameter:	4.5	in			
	3' Spacing		5' Spacing		
Signal Zero:	0.7		0		mV
Calibrated Amplitude:	81.1961		81.1961		mV
Reading at Signal Zero:	0.0137451		0.013623		V
Reading in Free Pipe:	2.49871		2.38418		V
Gain:	32.3933		34.2519		
Offset:	0.25475		-0.466615		