



<<< Fold Here >>>


Comments

Database File: cblutz e25-30d.db
Dataset Pathname: pass4
Presentation Format: noble en
Dataset Creation: Thu Feb 02 11:02:11 2012 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

85	CCL	-4.3
30	Gamma Ray (GAPI)	130
340	TT3 (usec)	240

0	Amplified Amplitude (mV)	30	200
0	Amplitude (mV)	100	

Variable Density	1200
------------------	------






50

100

150

200








250

300

350

400







450


500

550

600

650








700

750

800

850







900


950

1000



1050


1100





1100
1150
1200
1250
1300








1350

1400

1450

1500







1550


1600

1650

1700

1750








1800

1850

1900

1950







2000


2050

2100

2150

2200







2200


2250

2300

2350

2400








2450

2500

2550

2600







2650


2700

2750

2800

2850








2900

2950

3000

3050







3100


3150

3200

3250

3300







3300


3350

3400

3450

3500








3550

3600

3650

3700







3750


3800

3850

3900

3950








4000

4050

4100

4150







4200


4250

4300

4350

4400







4400


4450

4500



4550


4600





Database File: cblutz e25-30d.db
 Dataset Pathname: pass2
 Presentation Format: noble en
 Dataset Creation: Thu Feb 02 10:40:31 2012 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240








4800

4850

4900

4950







5000


5050

5100

5150

5200








5250

5300

5350

5400







5450


5500

5550

5600

5650








5700

5750

5800

5850








5900

5950

6000

6050







6100


6150

6200

6250

6300








6350

6400

6450

6500







6550


6600

6650

6700

6750







6800


Flag Joint

6850

6900

6950





7000



7050


7100

Flag Joint

7150

Travel Time





Calibration Report

Database File: cblutz e25-30d.db
 Dataset Pathname: pass4
 Dataset Creation: Thu Feb 02 11:02:11 2012 by Log SCH 111116

Gamma Ray Calibration Report

Type / Serial: Probe275dig / 101010

SHOP CALIBRATION

Thu Feb 02 09:29:21 2012

	Counts/Sec.	Gain	Offset	Jig	Units
Background	0.0				cps
Calibrator	1.0				cps
		0.5800			GAPI/cps

PRIMARY VERIFICATION

	Counts/Sec.	Offset	Jig	Units
Background	0.0			cps
Calibrator	0.0			cps
Difference			0.0	GAPI

BEFORE SURVEY VERIFICATION

	Counts/Sec.	Offset	Jig	Units
Background	0.0			cps
Calibrator	0.0			cps
Difference			0.0	GAPI

AFTER SURVEY VERIFICATION

Background	0.0		cps
Calibrator	0.0		cps
Difference		0.0	GAPI

Cement Bond Log Calibration Report

Serial Number:	110802		
Tool Model:	Probe275Digital		
Performed:	Thu Feb 02 09:14:37 2012		
Depth:	971.475	ft	
Casing Diameter:	4.5	in	
	3' Spacing	5' Spacing	
Signal Zero:	0.9	0	mV
Calibrated Amplitude:	81.1961	81.1961	mV
Reading at Signal Zero:	0.0133789	0.0133545	V
Reading in Free Pipe:	2.48728	2.31978	V
Gain:	32.4573	35.2044	
Offset:	0.465757	-0.470137	