

From: [Eckman, Annie](#)
To: ["Greg Garrison"](#)
Cc: [Axelson, John](#); [Scan, OGCC](#)
Subject: RE: NFA granted for State 36-9-66, SESE 36 T9N R66W, Weld County, API#05-123-31447, Spill#2221806
Date: Thursday, June 14, 2012 4:23:15 PM
Attachments: [image003.png](#)

State 36-9-66, SESE 36 T9N R66W, Weld County, API#05-123-31447, Spill#2221806

Based on review of information presented in the Form 19, it appears that no further action is necessary at this time. The release (SPILL #2221806) has been changed to closed status in the Colorado Oil & Gas Information System. Please retain a copy of this email as verification of COGCC concurrence with the closure request. However, should future conditions at the site indicate contaminant concentrations in soils exceeding COGCC standards or if ground water is found to be significantly impacted, further investigation and/or remediation activities may be required at the site.

Thank you,

Ann Clements Eckman, PG for

John Axelson, PG
Environmental Protection Specialist, Northeast Region



1120 Lincoln Street, Suite 801

Denver, CO 80203

john.axelson@state.co.us

www.cogcc.state.co.us

Office: 303.637.7178

Cell: 303.877.9964

Fax: 303.637.7179

CC- NFA correspondence

From: Greg Garrison [<mailto:greg.garrison@chk.com>]
Sent: Thursday, June 14, 2012 2:10 PM
To: Eckman, Annie
Cc: Axelson, John; Scan, OGCC
Subject: RE: 1. Spill#2221872, State 7-62-16 tank battery, SESE 16 T7N R62W, Weld County, API#05-123-32489

Annie,

All stained soil was removed at time of incident. After removal of the stained soil, no impacts were observed.

From: Eckman, Annie [<mailto:Annie.Eckman@state.co.us>]
Sent: Thursday, June 14, 2012 2:07 PM
To: Greg Garrison
Cc: Axelson, John; Scan, OGCC
Subject: RE: 1. Spill#2221872, State 7-62-16 tank battery, SESE 16 T7N R62W, Weld County, API#05-123-32489

Spill#2221872, State 7-62-16 tank battery, SESE 16 T7N R62W, Weld County, API#05-123-32489

Greg,

Was there visual evidence of impact to soils below the gravel in the secondary containment observed during the cleanup? If not, please respond with an email to that effect and the spill can be closed. If visual impacts *were* observed, confirmation soil sampling should have been done and the results of such should be submitted with an additional Form 27.

Please call me if you have any questions,

Ann Clements Eckman, PG



1120 Lincoln Street, Suite 801

Denver, CO 80203

Annie.Eckman@state.co.us

www.cogcc.state.co.us

303.894.2100 x5149 (o)

719.209.3102 (c)

CC – email correspondence

From: Greg Garrison [<mailto:greg.garrison@chk.com>]
Sent: Thursday, June 14, 2012 9:32 AM
To: Eckman, Annie
Cc: Axelson, John
Subject: Spill # 2221872 State 7-62-16

Annie,

Attached is the disposal information for the contaminated soil. A total of 18 yards of contaminated soil was take to the North Weld disposal facility on 4/6/12. Please advise if this will close out the spill report. Thank you

Thank you,
Greg Garrison
EHS Field Specialist
Chesapeake Energy Corporation
Office: (307) 234-9045
Mobile: (307) 315-1317
Fax: (307) 234-6627
E-mail: greg.garrison@chk.com

DECLARE YOUR ENERGY INDEPENDENCE!

chk.com/independence

See the plan. Spread the word.

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is confidential or privileged and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is confidential or privileged and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).