

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400308039

Date Received: 07/23/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322 4. Contact Name: Tania McNutt
2. Name of Operator: NOBLE ENERGY INC Phone: (303) 228-4392
3. Address: 1625 BROADWAY STE 2200 Fax: (303) 228-4286
City: DENVER State: CO Zip: 80202

5. API Number 05-123-32953-00 6. County: WELD
7. Well Name: STARKE Y Well Number: 20-03
8. Location: QtrQtr: NENW Section: 20 Township: 2N Range: 64W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/25/2012 End Date: 02/25/2012 Date of First Production this formation: 02/29/2012

Perforations Top: 7100 Bottom: 7112 No. Holes: 48 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: []

Pumped 206,000 lbs of Ottawa Proppant and 117,040 gallons of 15% HCL, Slick Water and Silverstim.

This formation is commingled with another formation: [X] Yes [] No

Total fluid used in treatment (bbl): 3009 Max pressure during treatment (psi): 4810

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Max frac gradient (psi/ft): 0.90

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 206000 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [] Yes [] No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 6868 Bottom: 7600 No. Holes: 160 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 03/07/2012 Hours: 24 Bbl oil: 74 Mcf Gas: 165 Bbl H2O: 21

Calculated 24 hour rate: Bbl oil: 74 Mcf Gas: 165 Bbl H2O: 21 GOR: 2230

Test Method: FLOWING Casing PSI: 250 Tubing PSI: _____ Choke Size: 12/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1164 API Gravity Oil: 45

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: J SAND Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/25/2012 End Date: 02/25/2012 Date of First Production this formation: 02/29/2012
Perforations Top: 7568 Bottom: 7600 No. Holes: 64 Hole size: 0.4

Provide a brief summary of the formation treatment: _____ Open Hole:

Pumped 246,653 lbs of Ottawa Proppant, 11,501 lbs of SB Excel Proppant and 156,384 gallons of Silverstim.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 4018 Max pressure during treatment (psi): 2854

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: _____ Max frac gradient (psi/ft): 0.58

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: RECYCLE

Total proppant used (lbs): 258154 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: 02/29/2012

Perforations Top: 6880 Bottom: 7112 No. Holes: 96 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/25/2012 End Date: 02/25/2012 Date of First Production this formation: 02/29/2012
Perforations Top: 6868 Bottom: 6975 No. Holes: 48 Hole size: 0.69

Provide a brief summary of the formation treatment: Open Hole:

Pumped 224,969 lbs of Ottawa Proppant and 154,557 gallons of 15% HCL, Slick Water and Silverstim.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 3923 Max pressure during treatment (psi): 4566

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Max frac gradient (psi/ft): 0.90

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 224969 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.
Signed: Print Name: Tania McNutt
Title: Regulatory Analyst Date: 7/23/2012 Email: tmcnutt@nobleenergyinc.com

Attachment Check List

Att Doc Num	Name
400308039	FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)