

From: [Eckman, Annie](#)
To: ["RBruner@nobleenergyinc.com"](mailto:RBruner@nobleenergyinc.com)
Cc: [Axelson, John](#); [Scan, OGCC](#)
Subject: NFA granted for Lorenz F22-1 NENE Sec 22, T5N R65W, API #05-123-15139 Remediation #5465
Date: Monday, July 23, 2012 3:01:12 PM
Attachments: [Lorenz F 22-1 GW monitoring NFA 7-5-12.pdf](#)

Lorenz F22-1 NENE Sec 22, T5N R65W, API #05-123-15139 Remediation #5465

COGCC has reviewed the groundwater monitoring report submitted by Noble and concurs that no further action appears to be necessary at this time. However, should future conditions at the site indicate contaminant concentrations in soils exceeding COGCC standards or if ground water is found to be significantly impacted, further investigation and/or remediation activities may be required at the site. The Remediation Number has been closed in the COGIS database.

The monitoring wells can be properly plugged and abandoned per Division of Water Resources standards (<http://water.state.co.us/DWRIPub/Documents/gws-09.pdf>).

Please retain a copy of this email for your records.

Thank you,

Ann Clements Eckman, PG *for*

John Axelson, PG
Environmental Protection Specialist, Northeast Region



1120 Lincoln Street, Suite 801
Denver, CO 80203
john.axelson@state.co.us
www.cogcc.state.co.us
Office: 303.637.7178
Cell: 303.877.9964
Fax: 303.637.7179

CC: Remediation #5465 with attached Quarterly Groundwater Monitoring Report and Request for NFA


From: RBruner@nobleenergyinc.com [<mailto:RBruner@nobleenergyinc.com>]
Sent: Thursday, July 05, 2012 9:41 AM
To: Axelson, John
Cc: tcullum@nobleenergyinc.com
Subject: Lorenz F22-1 GW monitoring & NFA request, Remediation #5465

John,

Please review attached groundwater monitoring report and NFA request for the Lorenz F 22-1, Remediation #5465, API#05-23-15139. Let me know if you have any questions.

Thanks

Ryan Bruner
Environmental and
Regulatory Supervisor
direct: 303.228.4158
cell: 303.552.6763
fax: 303.228.4286
nobleenergyinc.com



The information contained in this e-mail and any attachments may be confidential. If you are not the intended recipient, please understand that dissemination, copying, or using such information is prohibited. If you have received this e-mail in error, please immediately advise the sender by reply e-mail and delete this e-mail and its attachments from your system.