





UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

1" = 40'
 X-Section
 Scale
 1" = 100'
 DATE: 04-25-12
 DRAWN BY: J.J.
 REVISED: 05-17-12

GREAT WESTERN OIL & GAS COMPANY
 CONSTRUCTION LAYOUT CROSS SECTIONS FOR
 FRITZLER #17-23-18, #6-6-17,
 #17-32-12, #43-17 & #17-42-11
 SECTION 17, T6N, R66W, 6th P.M.
 SE 1/4 SE 1/4

FIGURE #2



NOTE:

Topsoil should not be
 Stripped Below Finished
 Grade on Substructure Area.

APPROXIMATE ACREAGES
 WELL SITE DISTURBANCE = ± 2.515 ACRES

* NOTE:
 FILL QUANTITY INCLUDES
 5% FOR COMPACTION

APPROXIMATE YARDAGES

(6") Topsoil Stripping = 1,920 Cu. Yds.
 Remaining Location = 1,190 Cu. Yds.
 TOTAL CUT = 3,110 CU. YDS.
 FILL = 1,190 CU. YDS.

EXCESS MATERIAL = 1,920 Cu. Yds.
 Topsoil = 1,920 Cu. Yds.
 EXCESS UNBALANCE = 0 Cu. Yds.
 (After Interim Rehabilitation)

UTAH ENGINEERING & LAND SURVEYING
 85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

GREAT WESTERN OIL & GAS COMPANY

TYPICAL RIG LAYOUT FOR

FRITZLER #17-23-18, #6-6-17,
#17-32-12, #43-17 & #17-42-11
SECTION 17, T6N, R66W, 6th P.M.
SE 1/4 SE 1/4

FIGURE #3

SCALE: 1" = 60'
DATE: 04-25-12
DRAWN BY: J.J.
REVISED: 05-17-12

