

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400302615

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322

2. Name of Operator: NOBLE ENERGY INC

3. Address: 1625 BROADWAY STE 2200

City: DENVER State: CO Zip: 80202

4. Contact Name: Sarah Finnegan

Phone: (720) 587-2265

Fax: (303) 228-4286

5. API Number 05-123-34289-00

7. Well Name: Dechant

8. Location: QtrQtr: NWSE Section: 8 Township: 2N Range: 65W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: X08-10X

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>09/21/2011</u>		End Date: <u>09/21/2011</u>		Date of First Production this formation: <u>09/23/2011</u>	
Perforations	Top: <u>7266</u>	Bottom: <u>7280</u>	No. Holes: <u>56</u>	Hole size: <u>0.44</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☒

Pumped 248,045 lbs of Ottawa Proppant and 116,775 gallons of 15% HCL, Slick Water, and Silverstim.
 The Codell is producing through a composite flow through plug.
 Commingle the Niobrara and Codell.

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>2780</u>	Max pressure during treatment (psi): <u>3760</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.87</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>8</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>248045</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

** Bridge Plug Depth: _____
 ** Sacks cement on top: _____
 ** Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/30/2011 End Date: 09/21/2011 Date of First Production this formation: 09/23/2011

Perforations Top: 7049 Bottom: 7758 No. Holes: 208 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole: ☒

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 10/07/2011 Hours: 24 Bbl oil: 39 Mcf Gas: 304 Bbl H2O: 10

Calculated 24 hour rate: Bbl oil: 39 Mcf Gas: 304 Bbl H2O: 10 GOR: 7795

Test Method: Flowing Casing PSI: 280 Tubing PSI: 0 Choke Size: 16/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1263 API Gravity Oil: 50

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7695 Tbg setting date: 11/01/2011 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>08/30/2011</u>		End Date: <u>09/21/2011</u>		Date of First Production this formation: <u>09/23/2011</u>	
Perforations	Top: <u>7718</u>	Bottom: <u>758</u>	No. Holes: <u>104</u>	Hole size: <u>0.41</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☒

Pumped 266,322 lbs of Ottawa Proppant, 15,827 lbs of SB Excel Proppant and 150,345 gallons of Slick Water and Silverstim. The J-Sand is producing through a composite flow through plug.

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>3580</u>	Max pressure during treatment (psi): <u>3159</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.60</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>10</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>282149</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>
Reason why green completion not utilized: _____	

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

** Bridge Plug Depth: _____
 ** Sacks cement on top: _____
 ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/21/2011 End Date: 09/21/2011 Date of First Production this formation: 09/23/2011

Perforations Top: 7049 Bottom: 7280 No. Holes: 104 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole: ☒

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 09/21/2011 End Date: 09/21/2011 Date of First Production this formation: 09/23/2011
Perforations Top: 7049 Bottom: 7147 No. Holes: 48 Hole size: 0.69

Provide a brief summary of the formation treatment:

Open Hole: ☒

Pumped 267,445 lbs of Ottawa Proppant and 158,103 gallons of Slick Water and Silverstim.
Commingling the Niobrara and Codell.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3764

Max pressure during treatment (psi): 4671

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment:

Max frac gradient (psi/ft): 0.91

Total acid used in treatment (bbl):

Number of staged intervals: 7

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 267445

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Sarah Finnegan
Title: Regulatory Analyst Date: Email: sfinnegan@nobleenergyinc.com

Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

User Group **Comment** **Comment Date**

--	--	--

Total: 0 comment(s)