



		TARGET DETAILS						
Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
Surface	0.00	0.00	0.00	1522108.94	3391371.77	40°45'28.836N	104°05'14.178W	Point
600' entry	6433.48	341.93	395.74	1522450.87	3391767.51	40°45'32.152N	104°05'08.965W	Point
BHL	6462.33	4369.33	298.46	1526478.27	3391670.23	40°46'11.957N	104°05'09.395W	Point
PBHL	6476.00	4370.81	301.40	1526479.75	3391673.17	40°46'11.971N	104°05'09.356W	Point

Company: CARRIZO OIL & GAS, INC.	Date: 05/10/2012	Time: 09:36:06	Page: 1
Field: Niobrara CONZ'83	Co-ordinate(NE) Reference: Well: 10-14-9-60, Grid North		
Site: Dietzler 10-14-9-60	Vertical (TVD) Reference: 5090'GL+17'KB 5107.0		
Well: 10-14-9-60	Section (VS) Reference: Well (0.00N,0.00E,358.86Azi)		
Wellpath: Original Hole	Survey Calculation Method: Minimum Curvature	Db: Adapti	

Field: Niobrara CONZ'83
Weld County, CO

Map System: US State Plane Coordinate System 1983
Geo Datum: GRS 1980
Sys Datum: Mean Sea Level

Map Zone: Colorado, Northern Zone
Coordinate System: Well Centre
Geomagnetic Model: IGRF2010

Site: Dietzler 10-14-9-60
S:10,T:9N,R:60W
Weld County, CO

Site Position:	Northing: 1522108.94 ft	Latitude: 40 45 28.836 N	
From: Map	Easting: 3391371.77 ft	Longitude: 104 5 14.178 W	
Position Uncertainty: 0.00 ft		North Reference: Grid	
Ground Level: 5090.00 ft		Grid Convergence: 0.91 deg	

Well: 10-14-9-60

Slot Name:

Well Position: +N/-S 0.00 ft	Northing: 1522108.94 ft	Latitude: 40 45 28.836 N	
+E/-W 0.00 ft	Easting : 3391371.77 ft	Longitude: 104 5 14.178 W	
Position Uncertainty: 0.00 ft			

Wellpath: Original Hole

Drilled From: Surface
Tie-on Depth: 0.00 ft
Above System Datum: Mean Sea Level
Declination: 8.41 deg
Mag Dip Angle: 67.42 deg
+E/-W **Direction**
ft deg

Current Datum: 5090'GL+17'KB
Magnetic Data: 05/04/2012
Field Strength: 53335 nT
Vertical Section: Depth From (TVD) ft

	+N/-S ft		
0.00	0.00	0.00	358.86

Survey Program for Definitive Wellpath

Date: 05/09/2012	Validated: No	Version: 0	
Actual From To	Survey	Toolcode	Tool Name
ft ft			
1420.00 10663.00	Survey #1 (1420.00-10663.00)	MWD	Std MWD
10743.00 10743.00	Survey #2 (10743.00-10743.00)	Project	Projection

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
1420.00	0.00	0.00	1420.00	0.00	0.00	0.00	0.00	0.00	0.00	TIE LINE
1422.00	0.10	264.50	1422.00	0.00	0.00	0.00	5.00	5.00	0.00	MWD
1514.00	0.30	356.40	1514.00	0.23	-0.10	0.23	0.35	0.22	99.89	MWD
1606.00	0.90	97.80	1606.00	0.37	0.60	0.36	1.09	0.65	110.22	MWD
1697.00	2.30	104.00	1696.96	-0.16	3.08	-0.23	1.55	1.54	6.81	MWD
1783.00	3.50	109.30	1782.85	-1.45	7.24	-1.59	1.43	1.40	6.16	MWD
1868.00	4.50	109.30	1867.64	-3.41	12.83	-3.66	1.18	1.18	0.00	MWD
1953.00	5.60	110.30	1952.31	-5.95	19.87	-6.34	1.30	1.29	1.18	MWD
2038.00	5.70	120.20	2036.90	-9.51	27.41	-10.06	1.15	0.12	11.65	MWD
2124.00	5.30	121.40	2122.50	-13.73	34.49	-14.41	0.48	-0.47	1.40	MWD
2209.00	4.90	119.80	2207.16	-17.58	40.99	-18.39	0.50	-0.47	-1.88	MWD
2294.00	4.40	119.60	2291.88	-20.99	46.97	-21.92	0.59	-0.59	-0.24	MWD
2379.00	5.70	119.60	2376.55	-24.69	53.48	-25.75	1.53	1.53	0.00	MWD
2464.00	5.50	119.80	2461.15	-28.80	60.69	-30.00	0.24	-0.24	0.24	MWD
2550.00	5.50	117.00	2546.75	-32.72	67.93	-34.06	0.31	0.00	-3.26	MWD
2635.00	4.90	118.20	2631.40	-36.28	74.76	-37.76	0.72	-0.71	1.41	MWD
2720.00	6.00	115.40	2716.01	-39.90	81.98	-41.53	1.33	1.29	-3.29	MWD
2805.00	5.70	114.70	2800.57	-43.57	89.82	-45.35	0.36	-0.35	-0.82	MWD
2890.00	5.50	113.70	2885.17	-46.97	97.39	-48.90	0.26	-0.24	-1.18	MWD
2976.00	5.70	117.50	2970.76	-50.60	104.95	-52.68	0.49	0.23	4.42	MWD
3061.00	5.50	116.50	3055.35	-54.37	112.34	-56.59	0.26	-0.24	-1.18	MWD
3146.00	5.50	117.70	3139.96	-58.08	119.59	-60.45	0.14	0.00	1.41	MWD

Company: CARRIZO OIL & GAS, INC.
Field: Niobrara CONZ'83
Site: Dietzler 10-14-9-60
Well: 10-14-9-60
Wellpath: Original Hole

Date: 05/10/2012 **Time:** 09:36:06 **Page:** 2
Co-ordinate(NE) Reference: Well: 10-14-9-60, Grid North
Vertical (TVD) Reference: 5090'GL+17'KB 5107.0
Section (VS) Reference: Well (0.00N,0.00E,358.86Azi)
Survey Calculation Method: Minimum Curvature **Db:** Adapti

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
3231.00	5.20	115.80	3224.59	-61.65	126.67	-64.16	0.41	-0.35	-2.24	MWD
3317.00	4.70	115.10	3310.27	-64.84	133.37	-67.48	0.59	-0.58	-0.81	MWD
3402.00	4.30	117.40	3395.01	-67.79	139.35	-70.54	0.52	-0.47	2.71	MWD
3487.00	4.30	115.90	3479.77	-70.64	145.04	-73.52	0.13	0.00	-1.76	MWD
3572.00	5.70	121.70	3564.44	-74.25	151.50	-77.25	1.75	1.65	6.82	MWD
3657.00	6.00	121.70	3649.00	-78.81	158.87	-81.95	0.35	0.35	0.00	MWD
3741.00	6.10	116.50	3732.53	-83.10	166.60	-86.40	0.66	0.12	-6.19	MWD
3826.00	6.30	115.20	3817.03	-87.11	174.86	-90.57	0.29	0.24	-1.53	MWD
3911.00	6.50	115.60	3901.50	-91.17	183.42	-94.80	0.24	0.24	0.47	MWD
3997.00	5.80	113.10	3987.01	-94.98	191.81	-98.78	0.87	-0.81	-2.91	MWD
4082.00	5.60	113.10	4071.59	-98.29	199.58	-102.24	0.24	-0.24	0.00	MWD
4167.00	4.20	115.60	4156.28	-101.26	206.20	-105.35	1.67	-1.65	2.94	MWD
4251.00	4.10	120.00	4240.06	-104.09	211.57	-108.28	0.40	-0.12	5.24	MWD
4337.00	5.30	117.50	4325.77	-107.46	217.76	-111.78	1.42	1.40	-2.91	MWD
4422.00	4.60	121.60	4410.45	-111.06	224.14	-115.50	0.92	-0.82	4.82	MWD
4507.00	5.20	115.80	4495.14	-114.53	230.51	-119.09	0.91	0.71	-6.82	MWD
4592.00	6.00	119.30	4579.73	-118.38	237.86	-123.09	1.02	0.94	4.12	MWD
4677.00	5.40	120.50	4664.31	-122.58	245.18	-127.43	0.72	-0.71	1.41	MWD
4763.00	4.30	123.50	4750.00	-126.41	251.35	-131.39	1.31	-1.28	3.49	MWD
4848.00	4.00	120.20	4834.78	-129.66	256.57	-134.74	0.45	-0.35	-3.88	MWD
4933.00	4.70	106.50	4919.54	-132.14	262.47	-137.34	1.47	0.82	-16.12	MWD
5018.00	5.10	102.80	5004.23	-133.97	269.50	-139.31	0.60	0.47	-4.35	MWD
5103.00	6.00	107.70	5088.83	-136.16	277.41	-141.65	1.20	1.06	5.76	MWD
5188.00	5.80	107.50	5173.38	-138.80	285.74	-144.46	0.24	-0.24	-0.24	MWD
5273.00	5.40	110.10	5257.97	-141.47	293.59	-147.28	0.56	-0.47	3.06	MWD
5358.00	4.80	113.10	5342.63	-144.24	300.62	-150.19	0.77	-0.71	3.53	MWD
5443.00	4.80	102.80	5427.34	-146.42	307.36	-152.51	1.01	0.00	-12.12	MWD
5527.00	4.30	99.20	5511.07	-147.70	313.90	-153.92	0.69	-0.60	-4.29	MWD
5612.00	4.90	110.00	5595.80	-149.45	320.45	-155.80	1.24	0.71	12.71	MWD
5698.00	5.20	110.00	5681.47	-152.04	327.57	-158.53	0.35	0.35	0.00	MWD
5783.00	5.50	116.30	5766.10	-155.16	334.84	-161.80	0.78	0.35	7.41	MWD
5849.00	5.00	114.90	5831.82	-157.78	340.28	-164.52	0.78	-0.76	-2.12	MWD
5892.00	4.90	94.30	5874.66	-158.70	343.81	-165.51	4.12	-0.23	-47.91	MWD
5934.00	7.60	53.50	5916.43	-157.18	347.84	-164.07	11.98	6.43	-97.14	MWD
5977.00	10.70	26.70	5958.89	-151.92	351.92	-158.90	12.07	7.21	-62.33	MWD
6020.00	14.20	14.70	6000.88	-143.25	355.05	-150.29	10.08	8.14	-27.91	MWD
6062.00	17.90	9.40	6041.24	-131.90	357.42	-138.98	9.47	8.81	-12.62	MWD
6105.00	21.90	6.30	6081.67	-117.40	359.38	-124.53	9.62	9.30	-7.21	MWD
6147.00	26.60	6.80	6119.95	-100.27	361.35	-107.44	11.20	11.19	1.19	MWD
6190.00	31.00	8.50	6157.62	-79.75	364.13	-86.98	10.41	10.23	3.95	MWD
6233.00	35.50	11.90	6193.58	-56.56	368.34	-63.88	11.32	10.47	7.91	MWD
6275.00	40.40	10.80	6226.69	-31.25	373.41	-38.67	11.78	11.67	-2.62	MWD
6318.00	46.50	9.40	6257.89	-2.14	378.57	-9.68	14.36	14.19	-3.26	MWD
6360.00	52.30	7.00	6285.21	29.41	383.09	21.78	14.47	13.81	-5.71	MWD
6403.00	57.20	5.20	6310.02	64.31	386.80	56.60	11.90	11.40	-4.19	MWD
6446.00	61.20	4.30	6332.04	101.11	389.86	93.34	9.47	9.30	-2.09	MWD
6488.00	63.30	3.40	6351.59	138.19	392.35	130.36	5.35	5.00	-2.14	MWD
6531.00	64.90	2.20	6370.37	176.83	394.23	168.95	4.49	3.72	-2.79	MWD
6618.00	68.10	0.30	6405.06	256.58	395.96	248.65	4.19	3.68	-2.18	MWD
6661.00	71.80	359.60	6419.80	296.96	395.92	289.03	8.74	8.60	-1.63	MWD
6703.00	74.10	359.90	6432.12	337.12	395.75	329.17	5.52	5.48	0.71	MWD
6708.00	74.34	359.89	6433.48	341.93	395.74	333.99	4.89	4.88	-0.23	600' entry
6746.00	76.20	359.80	6443.14	378.68	395.64	370.73	4.89	4.88	-0.23	MWD

Company: CARRIZO OIL & GAS, INC.
Field: Niobrara CONZ'83
Site: Dietzler 10-14-9-60
Well: 10-14-9-60
Wellpath: Original Hole

Date: 05/10/2012 **Time:** 09:36:06 **Page:** 3
Co-ordinate(NE) Reference: Well: 10-14-9-60, Grid North
Vertical (TVD) Reference: 5090'GL+17"KB 5107.0
Section (VS) Reference: Well (0.00N,0.00E,358.86Azi)
Survey Calculation Method: Minimum Curvature **Db:** Adapti

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
6789.00	76.80	359.40	6453.18	420.49	395.35	412.54	1.66	1.40	-0.93	MWD
6831.00	77.70	359.60	6462.44	461.45	394.99	453.50	2.19	2.14	0.48	MWD
6874.00	80.20	359.90	6470.69	503.65	394.80	495.69	5.85	5.81	0.70	MWD
6917.00	83.70	359.40	6476.71	546.22	394.54	538.26	8.22	8.14	-1.16	MWD
6959.00	88.50	358.30	6479.56	588.10	393.70	580.15	11.72	11.43	-2.62	MWD
7002.00	90.40	358.70	6479.97	631.08	392.58	623.14	4.52	4.42	0.93	MWD
7045.00	91.50	359.40	6479.26	674.07	391.86	666.14	3.03	2.56	1.63	MWD
7087.00	92.00	359.10	6477.98	716.04	391.31	708.12	1.39	1.19	-0.71	MWD
7130.00	91.60	358.50	6476.63	759.01	390.41	751.10	1.68	-0.93	-1.40	MWD
7172.00	89.30	358.20	6476.30	800.99	389.20	793.09	5.52	-5.48	-0.71	MWD
7214.00	89.30	358.70	6476.81	842.97	388.07	835.08	1.19	0.00	1.19	MWD
7257.00	91.70	359.40	6476.44	885.96	387.36	878.08	5.81	5.58	1.63	MWD
7299.00	91.80	358.50	6475.15	927.93	386.59	920.06	2.16	0.24	-2.14	MWD
7341.00	92.00	358.50	6473.76	969.90	385.49	962.04	0.48	0.48	0.00	MWD
7384.00	90.70	358.90	6472.75	1012.87	384.51	1005.02	3.16	-3.02	0.93	MWD
7426.00	90.90	357.80	6472.16	1054.85	383.30	1047.02	2.66	0.48	-2.62	MWD
7469.00	91.80	358.30	6471.15	1097.81	381.84	1090.00	2.39	2.09	1.16	MWD
7511.00	92.30	0.60	6469.65	1139.78	381.44	1131.97	5.60	1.19	5.48	MWD
7554.00	90.40	359.10	6468.63	1182.77	381.32	1174.95	5.63	-4.42	-3.49	MWD
7597.00	89.30	357.50	6468.75	1225.75	380.05	1217.94	4.52	-2.56	-3.72	MWD
7639.00	89.20	357.30	6469.30	1267.70	378.14	1259.92	0.53	-0.24	-0.48	MWD
7682.00	89.30	356.80	6469.86	1310.64	375.93	1302.90	1.19	0.23	-1.16	MWD
7725.00	90.30	357.60	6470.01	1353.59	373.83	1345.88	2.98	2.33	1.86	MWD
7767.00	90.80	357.30	6469.61	1395.54	371.96	1387.86	1.39	1.19	-0.71	MWD
7810.00	90.10	357.80	6469.27	1438.50	370.12	1430.85	2.00	-1.63	1.16	MWD
7852.00	89.30	359.40	6469.49	1480.49	369.10	1472.85	4.26	-1.90	3.81	MWD
7895.00	89.40	358.90	6469.98	1523.48	368.46	1515.85	1.19	0.23	-1.16	MWD
7938.00	89.60	358.90	6470.35	1566.47	367.63	1558.84	0.47	0.47	0.00	MWD
7980.00	87.80	0.50	6471.30	1608.45	367.41	1600.83	5.73	-4.29	3.81	MWD
8023.00	87.40	0.80	6473.10	1651.41	367.90	1643.77	1.16	-0.93	0.70	MWD
8065.00	87.00	0.10	6475.16	1693.36	368.23	1685.70	1.92	-0.95	-1.67	MWD
8108.00	88.80	358.50	6476.73	1736.33	367.71	1728.67	5.60	4.19	-3.72	MWD
8151.00	89.20	358.00	6477.48	1779.30	366.39	1771.66	1.49	0.93	-1.16	MWD
8193.00	89.10	357.50	6478.10	1821.26	364.74	1813.65	1.21	-0.24	-1.19	MWD
8236.00	89.20	356.60	6478.74	1864.20	362.53	1856.62	2.11	0.23	-2.09	MWD
8278.00	92.20	358.30	6478.23	1906.15	360.66	1898.60	8.21	7.14	4.05	MWD
8321.00	92.40	358.30	6476.50	1949.10	359.39	1941.56	0.47	0.47	0.00	MWD
8364.00	92.30	358.50	6474.74	1992.04	358.19	1984.52	0.52	-0.23	0.47	MWD
8406.00	91.70	357.50	6473.28	2033.99	356.72	2026.49	2.78	-1.43	-2.38	MWD
8449.00	91.70	357.30	6472.00	2076.93	354.77	2069.46	0.46	0.00	-0.47	MWD
8492.00	90.50	358.30	6471.17	2119.89	353.12	2112.44	3.63	-2.79	2.33	MWD
8534.00	90.90	358.00	6470.66	2161.86	351.77	2154.43	1.19	0.95	-0.71	MWD
8577.00	90.70	358.20	6470.06	2204.83	350.34	2197.43	0.66	-0.47	0.47	MWD
8620.00	90.80	358.70	6469.50	2247.81	349.18	2240.42	1.19	0.23	1.16	MWD
8662.00	91.20	358.70	6468.76	2289.80	348.23	2282.42	0.95	0.95	0.00	MWD
8702.00	89.50	359.20	6468.52	2329.79	347.49	2322.41	4.43	-4.25	1.25	MWD
8747.00	89.80	359.80	6468.80	2374.78	347.10	2367.41	1.49	0.67	1.33	MWD
8790.00	90.60	359.60	6468.65	2417.78	346.88	2410.40	1.92	1.86	-0.47	MWD
8833.00	89.70	358.70	6468.53	2460.78	346.24	2453.40	2.96	-2.09	-2.09	MWD
8875.00	88.90	359.60	6469.05	2502.77	345.62	2495.40	2.87	-1.90	2.14	MWD
8918.00	88.80	358.50	6469.91	2545.75	344.90	2538.39	2.57	-0.23	-2.56	MWD
8960.00	89.40	359.60	6470.57	2587.74	344.21	2580.38	2.98	1.43	2.62	MWD
9003.00	90.00	359.20	6470.79	2630.74	343.76	2623.38	1.68	1.40	-0.93	MWD
9046.00	91.20	358.50	6470.34	2673.73	342.89	2666.38	3.23	2.79	-1.63	MWD

Company: CARRIZO OIL & GAS, INC.
Field: Niobrara CONZ'83
Site: Dietzler 10-14-9-60
Well: 10-14-9-60
Wellpath: Original Hole

Date: 05/10/2012 **Time:** 09:36:06 **Page:** 4
Co-ordinate(NE) Reference: Well: 10-14-9-60, Grid North
Vertical (TVD) Reference: 5090'GL+17"KB 5107.0
Section (VS) Reference: Well (0.00N,0.00E,358.86Azi)
Survey Calculation Method: Minimum Curvature **Db:** Adapti

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
9088.00	92.00	358.20	6469.17	2715.69	341.68	2708.36	2.03	1.90	-0.71	MWD
9131.00	92.30	358.20	6467.56	2758.64	340.33	2751.32	0.70	0.70	0.00	MWD
9173.00	92.80	357.80	6465.69	2800.57	338.87	2793.28	1.52	1.19	-0.95	MWD
9216.00	91.70	357.30	6464.00	2843.50	337.03	2836.23	2.81	-2.56	-1.16	MWD
9259.00	90.40	358.70	6463.21	2886.47	335.53	2879.22	4.44	-3.02	3.26	MWD
9301.00	89.30	357.80	6463.32	2928.44	334.25	2921.21	3.38	-2.62	-2.14	MWD
9344.00	88.60	356.90	6464.11	2971.39	332.26	2964.19	2.65	-1.63	-2.09	MWD
9387.00	88.90	357.80	6465.05	3014.33	330.28	3007.17	2.21	0.70	2.09	MWD
9429.00	89.30	358.00	6465.71	3056.30	328.74	3049.16	1.06	0.95	0.48	MWD
9472.00	91.50	359.10	6465.41	3099.28	327.65	3092.15	5.72	5.12	2.56	MWD
9514.00	92.60	359.80	6463.91	3141.25	327.25	3134.12	3.10	2.62	1.67	MWD
9556.00	92.90	359.80	6461.89	3183.20	327.10	3176.07	0.71	0.71	0.00	MWD
9598.00	92.40	359.80	6459.95	3225.16	326.95	3218.02	1.19	-1.19	0.00	MWD
9641.00	90.70	359.20	6458.79	3268.14	326.58	3261.00	4.19	-3.95	-1.40	MWD
9684.00	89.00	359.40	6458.90	3311.13	326.05	3303.99	3.98	-3.95	0.47	MWD
9726.00	88.70	358.90	6459.74	3353.12	325.43	3345.98	1.39	-0.71	-1.19	MWD
9769.00	88.70	358.30	6460.72	3396.10	324.38	3388.97	1.39	0.00	-1.40	MWD
9812.00	88.40	357.80	6461.80	3439.06	322.92	3431.95	1.36	-0.70	-1.16	MWD
9854.00	88.80	357.50	6462.83	3481.01	321.19	3473.93	1.19	0.95	-0.71	MWD
9897.00	87.60	358.90	6464.18	3523.97	319.84	3516.90	4.29	-2.79	3.26	MWD
9939.00	87.20	358.70	6466.09	3565.91	318.97	3558.86	1.06	-0.95	-0.48	MWD
9981.00	87.10	358.00	6468.18	3607.84	317.76	3600.81	1.68	-0.24	-1.67	MWD
10023.00	89.30	359.60	6469.49	3649.81	316.88	3642.78	6.48	5.24	3.81	MWD
10066.00	91.10	0.50	6469.34	3692.81	316.92	3685.77	4.68	4.19	2.09	MWD
10109.00	91.10	0.10	6468.52	3735.80	317.14	3728.75	0.93	0.00	-0.93	MWD
10151.00	90.80	359.10	6467.82	3777.79	316.85	3770.74	2.49	-0.71	-2.38	MWD
10194.00	90.50	358.70	6467.33	3820.78	316.02	3813.74	1.16	-0.70	-0.93	MWD
10237.00	90.20	359.90	6467.07	3863.78	315.50	3856.73	2.88	-0.70	2.79	MWD
10279.00	90.00	359.20	6467.00	3905.77	315.17	3898.73	1.73	-0.48	-1.67	MWD
10322.00	91.40	359.60	6466.47	3948.77	314.72	3941.72	3.39	3.26	0.93	MWD
10364.00	91.60	358.70	6465.37	3990.75	314.09	3983.71	2.19	0.48	-2.14	MWD
10407.00	91.60	358.50	6464.17	4033.72	313.04	4026.69	0.46	0.00	-0.47	MWD
10450.00	90.70	359.60	6463.31	4076.70	312.33	4069.68	3.30	-2.09	2.56	MWD
10492.00	90.00	358.30	6463.05	4118.69	311.56	4111.68	3.52	-1.67	-3.10	MWD
10535.00	90.00	357.80	6463.05	4161.67	310.10	4154.68	1.16	0.00	-1.16	MWD
10577.00	90.60	357.60	6462.83	4203.63	308.41	4196.67	1.51	1.43	-0.48	MWD
10620.00	89.90	356.90	6462.65	4246.58	306.35	4239.65	2.30	-1.63	-1.63	MWD
10663.00	90.20	356.20	6462.61	4289.51	303.76	4282.61	1.77	0.70	-1.63	MWD
10743.00	90.20	356.20	6462.33	4369.33	298.46	4362.53	0.00	0.00	0.00	Project

Annotation

MD ft	TVD ft	
6708.00	6433.48	600' entry