

FORM 5A

Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400315203

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322
2. Name of Operator: NOBLE ENERGY INC
3. Address: 1625 BROADWAY STE 2200
City: DENVER State: CO Zip: 80202
4. Contact Name: Andrea Rawson
Phone: (303) 228-4253
Fax: (303) 228-4286

5. API Number 05-123-17496-00
6. County: WELD
7. Well Name: HANSCOME
Well Number: 28-6
8. Location: QtrQtr: SENW Section: 28 Township: 4N Range: 64W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/03/2012 End Date: 03/03/2012 Date of First Production this formation: 11/14/1993
Perforations Top: 6936 Bottom: 6948 No. Holes: 48 Hole size: 0.34

Provide a brief summary of the formation treatment: Open Hole: [ ]

Tri-Frac'd codell w/ 141441 gals of Slick water, vistar, and 15% HCl with 245482#'s of Ottawa sand.

This formation is commingled with another formation: [X] Yes [ ] No

Total fluid used in treatment (bbl): 3368 Max pressure during treatment (psi): 4983
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal):
Type of gas used in treatment: Max frac gradient (psi/ft): 0.96
Total acid used in treatment (bbl): Number of staged intervals: 7
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE
Total proppant used (lbs): 245482 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: 03/03/2012 End Date: 03/03/2012 Date of First Production this formation: \_\_\_\_\_

Perforations Top: 6674 Bottom: 6948 No. Holes: 54 Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Max frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 03/09/2012 Hours: 24 Bbl oil: 35 Mcf Gas: 136 Bbl H2O: 64

Calculated 24 hour rate: Bbl oil: 35 Mcf Gas: 136 Bbl H2O: 64 GOR: 3886

Test Method: Flowing Casing PSI: 550 Tubing PSI: \_\_\_\_\_ Choke Size: 10

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1258 API Gravity Oil: 56

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/03/2012 End Date: 03/03/2012 Date of First Production this formation: 11/14/1993  
Perforations Top: 6674 Bottom: 6756 No. Holes: 6 Hole size:

Provide a brief summary of the formation treatment: Open Hole:

Re-Frac'd Niobrara w/ 159102 gals of Slick water and Vistar with 249019#'s of Ottawa sand.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 3788 Max pressure during treatment (psi): 6267

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Max frac gradient (psi/ft): 1.00

Total acid used in treatment (bbl): Number of staged intervals: 7

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 249019 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

**Test Information:**

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.  
Signed: Print Name: Andrea Rawson  
Title: Regulatory Specialist Date: Email arawson@nobleenergyinc.com

**Attachment Check List**

Att Doc Num	Name
400315212	WELLBORE DIAGRAM

Total Attach: 1 Files

**General Comments**

User Group	Comment	Comment Date

Total: 0 comment(s)