

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400302382

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185
2. Name of Operator: ENCANA OIL & GAS (USA) INC
3. Address: 370 17TH ST STE 1700
City: DENVER State: CO Zip: 80202-
4. Contact Name: Sheilla Reed-High
Phone: (720) 876-3678
Fax: (720) 876-4678

5. API Number 05-123-34580-00
6. County: WELD
7. Well Name: MELBON RANCH
Well Number: 8-8-17
8. Location: QtrQtr: NESE Section: 17 Township: 2N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/14/2012</u>		End Date: <u>07/28/2012</u>		Date of First Production this formation: <u>05/06/2012</u>	
Perforations	Top: <u>7585</u>	Bottom: <u>7599</u>	No. Holes: <u>42</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Set CFP @7650'. 05-24-12
 Frac'd the Codell 7585' – 7599', (42 holes) w/ 90,930 gal 22 # pHaserFrac Hybrid cross linked gel containing 250,280 # 30/50 sand. 05-31-12

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>2814</u>	Max pressure during treatment (psi): <u>4733</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.82</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): <u>2814</u>	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>250280</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

** Bridge Plug Depth: _____
 ** Sacks cement on top: _____
 ** Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: _____
Treatment Date: _____ End Date: _____ Date of First Production this formation: 05/06/2012
Perforations Top: 7357 Bottom: 8072 No. Holes: 138 Hole size: 0.42
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Set CBP @ 7230'. 07-24-12
Drilled out CBP @ 7230', CFP @ 7650', 7410' to commingle the JSND-NBRR-CDL. 07-28-12

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 08/08/2012 Hours: 24 Bbl oil: 46 Mcf Gas: 150 Bbl H2O: 24
Calculated 24 hour rate: Bbl oil: 46 Mcf Gas: 150 Bbl H2O: 24 GOR: 3261
Test Method: FLOWING Casing PSI: 1160 Tubing PSI: 527 Choke Size: 12/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1205 API Gravity Oil: 48
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7992 Tbg setting date: 08/02/2012 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>03/14/2012</u>		End Date: <u>07/28/2012</u>		Date of First Production this formation: <u>05/06/2012</u>	
Perforations	Top: <u>8031</u>	Bottom: <u>8072</u>	No. Holes: <u>48</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Frac'd the J-Sand 8031' - 8072', (48 holes)w/ 68,838 gal 18 # FlexD Hybrid cross linked gel containing 250,060 # 20/40 Sand. 03-19-12

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>3946</u>	Max pressure during treatment (psi): <u>4188</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Max frac gradient (psi/ft): <u>0.58</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): <u>3946</u>	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>250060</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/14/2012 End Date: 07/28/2012 Date of First Production this formation: 05/06/2012

Perforations Top: 7357 Bottom: 7599 No. Holes: 90 Hole size: 0.42

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Max frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 03/14/2012 End Date: 07/28/2012 Date of First Production this formation: 05/06/2012
Perforations Top: 7357 Bottom: 7369 No. Holes: 48 Hole size: 0.42
Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @ 7410'. 05-31-12
Frac'd the Niobrara 7357' - 7369' (48 holes), w/ 101,346 gals 18 # pHaserFrac Hybrid cross linked gel containing 254,380 # 30/50 sand. 05-31-12

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): 3337 Max pressure during treatment (psi): 4862
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: Max frac gradient (psi/ft): 0.84
Total acid used in treatment (bbl): Number of staged intervals: 1
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): 3337 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 254380 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: SHEILLA REED-HIGH
Title: DRILLING AND COMPL. TECH Date: Email sheilla.reedhigh@Encana.com

Attachment Check List

Att Doc Num	Name
400317689	WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)