

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400325416

Date Received:

09/19/2012

Oil and Gas Location Assessment

☐ New Location

☒ Amend Existing Location Location#: 334983

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

334983

Expiration Date:

10/22/2015

☒ This location assessment is included as part of a permit application.

1. CONSULTATION

☐ This location is included in a Comprehensive Drilling Plan. CDP # _____

☒ This location is in a sensitive wildlife habitat area.

☐ This location is in a wildlife restricted surface occupancy area.

☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 100185

Name: ENCANA OIL & GAS (USA) INC

Address: 370 17TH ST STE 1700

City: DENVER State: CO Zip: 80202-5632

3. Contact Information

Name: Jevin Croteau

Phone: (720) 876-5339

Fax: (720) 876-6339

email: jevin.croteau@encana.com

4. Location Identification:

Name: Federal Multi Well

Number: 28-5BB (PA-29)

County: GARFIELD

QuarterQuarter: LOT 1 Section: 29 Township: 7S Range: 95W Meridian: 6 Ground Elevation: 6193

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1123 feet FNL, from North or South section line, and 1087 feet FEL, from East or West section line.

Latitude: 39.412673 Longitude: -108.015459 PDOP Reading: 0.0 Date of Measurement: 04/06/2010

Instrument Operator's Name: Ted Taggart

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

| | | | | |
|--|--|---|--|---|
| Special Purpose Pits: <input type="checkbox"/> | Drilling Pits: <input type="checkbox"/> | Wells: <input type="text" value="11"/> | Production Pits: <input type="checkbox"/> | Dehydrator Units: <input type="checkbox"/> |
| Condensate Tanks: <input type="checkbox"/> | Water Tanks: <input type="text" value="8"/> | Separators: <input type="text" value="11"/> | Electric Motors: <input type="checkbox"/> | Multi-Well Pits: <input type="checkbox"/> |
| Gas or Diesel Motors: <input type="checkbox"/> | Cavity Pumps: <input type="checkbox"/> | LACT Unit: <input type="checkbox"/> | Pump Jacks: <input type="checkbox"/> | Pigging Station: <input type="text" value="1"/> |
| Electric Generators: <input type="checkbox"/> | Gas Pipeline: <input type="text" value="1"/> | Oil Pipeline: <input type="checkbox"/> | Water Pipeline: <input type="text" value="1"/> | Flare: <input type="checkbox"/> |
| Gas Compressors: <input type="checkbox"/> | VOC Combustor: <input type="checkbox"/> | Oil Tanks: <input type="checkbox"/> | Fuel Tanks: <input type="checkbox"/> | |

Other: There are four existing wells and we plan to drill seven new wells on this pad.

6. Construction:

Date planned to commence construction: 09/01/2013 Size of disturbed area during construction in acres: 4.69
Estimated date that interim reclamation will begin: 05/01/2014 Size of location after interim reclamation in acres: 3.11
Estimated post-construction ground elevation: 6192 Will a closed loop system be used for drilling fluids: Yes ☒
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒
Mud disposal: Offsite ☒ Onsite ☐ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☒
Other: _____

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: _____
Surface Owner: ☐ Fee ☐ State ☒ Federal ☐ Indian
Mineral Owner: ☐ Fee ☐ State ☒ Federal ☐ Indian
The surface owner is: ☒ the mineral owner ☒ committed to an oil and gas lease
☒ is the executer of the oil and gas lease ☐ the applicant
The right to construct the location is granted by: ☒ oil and gas lease ☐ Surface Use Agreement ☐ Right of Way
☐ applicant is owner
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID _____

8. Reclamation Financial Assurance:

☐ Well Surety ID: 20100017 ☐ Gas Facility Surety ID: _____ ☐ Waste Mgmt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒
Distance, in feet, to nearest building: 6200, public road: 6100, above ground utilit: 3500
, railroad: 16500, property line: 1087

10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 34 - Ildefonso stony loam, 25 to 45 percent slopes.

NRCS Map Unit Name: _____
NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☒ No ☐
Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 09/11/2012
List individual species: Pinyon, Juniper, Musk thistle, hounds tongue and mullin.

Check all plant communities that exist in the disturbed area.

- ☒ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☒ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☒ No ☐ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes
Distance (in feet) to nearest surface water: 423, water well: 1480, depth to ground water: 90
Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes
Is the location within a Rule 317B Surface Water Supply Area buffer zone:
☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

15. Comments:

According to the CO DWR website the nearest water well, permit #119549-A is located 1501' NW of this location as shown on the Hydrology Map. However this well is actually located in the NWNE of Sec. 20. Not the SWSE of Sec. 20. The nearest water well, permit #57701-F, is located 6115' to the NW and has a static water level of 118'. The reference area for this location will be adjacent to the south side of the pad on undisturbed land. All distances and the single point as a location reference for this location are measured from the proposed Federal 28-5BB well stake.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 09/19/2012 Email: jevin.croteau@encana.com
Print Name: Jevin Croteau Title: Regulatory Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 10/23/2012

**CONDITIONS OF
APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

SITE SPECIFIC COAs:

Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.

Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

The moisture content of any cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Attachment Check List

| Att Doc Num | Name |
|-------------|------|
| | |

Total Attach: 0 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|--------------------------|---|----------------------------|
| Permit | Amended 2A to add wells to existing pad. No LGD or public comments. Final Review--passed. | 10/23/2012 8:51:38 AM |
| OGLA | Initiated/Completed OGLA Form 2A review on 10-16-12 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, moisture content cuttings, and flowback to tanks COAs from operator on 10-16-12; received acknowledgement of COAs from operator on 10-16-12; changed distance to SW to 423'; changed distance to water well to 1480'; changed depth to GW to 90' bgs; passed by CPW on 09-21-12 with BLM COAs and stipulations acceptable; passed OGLA Form 2A review on 10-17-12 by Dave Kubeczko; fluid containment, spill/release BMPs, moisture content cuttings, and flowback to tanks COAs. | 10/16/2012 3:48:52 PM |
| LGD | Passed DB | 9/25/2012 3:06:18 PM |
| DOW | The stipulations placed on this well pad by the BLM adequately address wildlife concerns. By:Jim Komatinsky 9-21-2012 | 9/21/2012 2:45:04 PM |

Total: 4 comment(s)

BMP

Type

Comment

| | |
|--|--|
| | |
|--|--|

Total: 0 comment(s)