



Allison, Rick <rick.allison@state.co.us>

---

## Noble Form 2As pending Groundwater Quality Sampling BMP/COA

1 message

---

**SMiller@nobleenergyinc.com** <SMiller@nobleenergyinc.com>

Fri, Nov 2, 2012 at 7:51 AM

To: "Allison, Rick" <rick.allison@state.co.us>

Hi Rick,

Pursuant to your e-mail below, Noble will comply with the COGA voluntary baseline sampling program for the two 2A's noted below.

Doc 400322355 Timbro Federal LD18-74HN

Doc 400326888 Timbro Federal LD29-78HN

Thank you.

Susan Miller  
Regulatory Analyst III  
EHS&R

direct: 303-228-4246  
cell: 303-946-1657  
fax: 303-228-4286  
smiller@nobleenergyinc.com



---

From: "Allison, Rick" <rick.allison@state.co.us>

To: jkajiwara@nobleenergyinc.com, Susan Miller <smiller@nobleenergyinc.com>, Mari Clark <MClark@nobleenergyinc.com>

Cc: Ryan Bruner <rbruner@nobleenergyinc.com>

Date: 10/19/2012 12:50 PM

Subject: Noble Form 2As pending Groundwater Quality Sampling BMP/COA

---

All,

The following Form 2As are currently under review. The review of each Form 2A is complete pending the resolution of placing an operator proposed BMP or COA by COGCC for collection baseline and followup groundwater quality sampling. Note that the public comment period is open on several of the locations, and COGCC review is pending any received comment for those locations.

Doc 400323575 Castor Federal LG 17-62HN

Doc 400322355 Timbro Federal LD18-74HN

Doc 400315300 Shable LF 07-68HN

Doc 400326888 Timbro Federal LD29-78HN

Doc 400329284 Castor LD 11-75HN

Please contact me with any questions.

Regards

Rick Allison  
Oil and Gas Location Specialist - Northeast Colorado  
Colorado Oil and Gas Conservation Commission  
303-894-2100 x5102

The information contained in this e-mail and any attachments may be confidential. If you are not the intended recipient, please understand that dissemination, copying, or using such information is prohibited. If you have received this e-mail in error, please immediately advise the sender by reply e-mail and delete this e-mail and its attachments from your system.