

FORM  
2A

Rev  
04/01

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
400246626

Date Received:

## Oil and Gas Location Assessment

New Location       Amend Existing Location      Location#: \_\_\_\_\_

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

Expiration Date:

This location assessment is included as part of a permit application.

### 1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

### 2. Operator

Operator Number: 96850  
 Name: WPX ENERGY ROCKY MOUNTAIN LLC  
 Address: 1001 17TH STREET - SUITE #1200  
 City: DENVER      State: CO      Zip: 80202

### 3. Contact Information

Name: Greg Davis  
 Phone: (303) 606-4071  
 Fax: (303) 629-8268  
 email: greg.j.davis@wpxenergy.com

### 4. Location Identification:

Name: Savage      Number: RWF 11-35  
 County: GARFIELD  
 Quarter: NWNW Section: 35 Township: 6S Range: 94W Meridian: 6 Ground Elevation: 5473

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1138 feet FNL, from North or South section line, and 1178 feet FWL, from East or West section line.  
 Latitude: 39.485880      Longitude: -107.860600      PDOP Reading: 2.1      Date of Measurement: 07/24/2008  
 Instrument Operator's Name: J. Kirkpatrick

### 5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text" value="6"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text"/>	Water Tanks: <input type="text" value="1"/>	Separators: <input type="text" value="6"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text" value="1"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text" value="1"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: \_\_\_\_\_

### 6. Construction:

Date planned to commence construction: 05/01/2013 Size of disturbed area during construction in acres: 3.38  
Estimated date that interim reclamation will begin: 08/01/2013 Size of location after interim reclamation in acres: 0.60  
Estimated post-construction ground elevation: 5473 Will a closed loop system be used for drilling fluids: Yes   
Will salt sections be encountered during drilling: Yes  No  Is H2S anticipated? Yes  No   
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes  No   
Mud disposal: Offsite  Onsite  Method: Land Farming  Land Spreading  Disposal Facility   
Other: Re-use and evaporation

### 7. Surface Owner:

Name: Joan L. Savage Phone: \_\_\_\_\_  
Address: 5953 County Road 320 Fax: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_  
City: Rifle State: CO Zip: 81650 Date of Rule 306 surface owner consultation: 08/20/2007

Surface Owner:  Fee  State  Federal  Indian  
Mineral Owner:  Fee  State  Federal  Indian

The surface owner is:  the mineral owner  committed to an oil and gas lease  
 is the executer of the oil and gas lease  the applicant

The right to construct the location is granted by:  oil and gas lease  Surface Use Agreement  Right of Way  
 applicant is owner

Surface damage assurance if no agreement is in place:  \$2000  \$5000  Blanket Surety ID \_\_\_\_\_

### 8. Reclamation Financial Assurance:

Well Surety ID: 20030107  Gas Facility Surety ID: \_\_\_\_\_  Waste Mgmt. Surety ID: \_\_\_\_\_

### 9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes  No   
Distance, in feet, to nearest building: 1543, public road: 2706, above ground utilit: 457  
, railroad: 8224, property line: 1178

### 10. Current Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP  
Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_  
Subdivided:  Industrial  Commercial  Residential

### 11. Future Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP  
Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_  
Subdivided:  Industrial  Commercial  Residential

### 12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 46 Nihill channery loam, 1 to 6% slopes  
NRCS Map Unit Name: \_\_\_\_\_  
NRCS Map Unit Name: \_\_\_\_\_

### 13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes  No   
Plant species from:  NRCS or,  field observation Date of observation: 08/23/2010  
List individual species: Cheatgrass, Sage

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): \_\_\_\_\_

### 14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area:  No  Yes Was a Rule 901.e. Sensitive Areas Determination performed:  No  Yes  
Distance (in feet) to nearest surface water: 231, water well: 1614, depth to ground water: 171  
Is the location in a riparian area:  No  Yes Was an Army Corps of Engineers Section 404 permit filed  No  Yes  
Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  
 No  0-300 ft. zone  301-500 ft. zone  501-2640 ft. zone  
If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:  No  Yes

### 15. Comments:

Although this location is located within 500 ft. of perennial, ephemeral, or intermittent surface water according to USGS mapped surface waters, the attached Sensitive Area Determination concludes that the location is not within a sensitive area due to the low potential for impacts to surface water in the case of a facility release. However, in order to satisfy COGCC guidance requiring that all locations within 500 ft. of mapped surface water incorporate BMPs to protect that surface water, Williams will employ the following BMPs at this location: • Williams will ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. • Williams will implement best management practices to contain any unintentional release of fluids. • Either a lined drilling pit or closed loop system will be implemented.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: \_\_\_\_\_ Email: greg.j.davis@wpenergy.com  
Print Name: Greg Davis Title: Supervisor Permits

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

**CONDITIONS OF  
APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

**Attachment Check List**

Att Doc Num	Name
400246973	LOCATION DRAWING
400246977	HYDROLOGY MAP
400246980	ACCESS ROAD MAP
400246982	REFERENCE AREA MAP
400246984	REFERENCE AREA PICTURES
400246985	CONST. LAYOUT DRAWINGS
400246992	PROPOSED BMPs
400246993	SENSITIVE AREA DATA
400246998	NRCS MAP UNIT DESC
400247046	LOCATION PICTURES
400247049	SURFACE AGRMT/SURETY
400247453	OTHER
400345682	MULTI-WELL PLAN

Total Attach: 13 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)

## BMP

<u>Type</u>	<u>Comment</u>
Interim Reclamation	<p>PRODUCTION/RECLAMATION BMP's</p> <p>Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements</p> <p>Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife</p> <p>WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas.</p> <p>Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</p> <p>Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.</p>
Drilling/Completion Operations	<p>DRILLING/COMPLETIONS BMP's</p> <p>Use centralized hydraulic fracturing operations.</p> <p>Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures).</p> <p>Conduct well completions with drilling operations to limit the number of rig moves and traffic.</p>
Planning	<p>PLANNING BMP's</p> <p>Share/consolidate corridors for pipeline ROWs to the maximum extent possible.</p> <p>Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas.</p> <p>Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river.</p> <p>Locate roads outside of drainages where possible and outside of riparian habitat.</p> <p>Avoid constructing any road segment in the channel of an intermittent or perennial stream</p> <p>Maximize the use of directional drilling to minimize habitat loss/fragmentation</p> <p>Maximize use of remote completion/frac operations to minimize traffic</p> <p>Maximize use of remote telemetry for well monitoring to minimize traffic</p>

Total: 3 comment(s)