

FORM
6Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

2237644

Date Received:

09/21/2012

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 95750

Contact Name: W. JAMES TRUETTNER III

Name of Operator: WESTERN INTERIOR ENERGY INC.

Phone: (970) 349-5883

Address: P O BOX 247

Fax: (970) 349-5883

City: CRESTED BUTTE State: CO Zip: 81224

Email: WIEWJT@MSN.COM

For "Intent" 24 hour notice required,

Name: PRECUP, JIM

Tel: (303) 726-3822

COGCC contact:

Email: james.precup@state.co.us

API Number 05-001-07393-00

Well Name: HILTON

Well Number: 1

Location: QtrQtr: SESE Section: 18 Township: 3S Range: 62W Meridian: 6

County: ADAMS

Federal, Indian or State Lease Number:

Field Name: ZENITH

Field Number: 98940

☒ Notice of Intent to Abandon☐ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.784049

Longitude: -104.360626

GPS Data:

Date of Measurement: 05/15/2012

PDOP Reading: 1.2

GPS Instrument Operator's Name: Harold Ponserella

Reason for Abandonment: ☐ Dry☒ Production for Sub-economic☐ Mechanical Problems☐ OtherCasing to be pulled: ☒ Yes☐ No

Estimated Depth: 1300

Fish in Hole: ☐ Yes☒ No

If yes, explain details below

Wellbore has Uncemented Casing leaks: ☐ Yes☒ No

If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
D SAND	7296	7318			
J SAND	7400	7410	08/09/1979	BRIDGE PLUG	7347

Total: 2 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	20	128	50	128	0	VISU
1ST	7+7/8	4+1/2	10.5	7,475	200	7,475	6,500	CALC

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 7250 with 2 sacks cmt on top. CIPB #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIPB #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set <u>10</u> sks cmt from <u>7250</u> ft. to <u>7150</u> ft.	Plug Type: <u>CASING</u>	Plug Tagged: <input checked="" type="checkbox"/>
Set <u>40</u> sks cmt from <u>1300</u> ft. to <u>1150</u> ft.	Plug Type: <u>OPEN HOLE</u>	Plug Tagged: <input checked="" type="checkbox"/>
Set <u>40</u> sks cmt from <u>850</u> ft. to <u>700</u> ft.	Plug Type: <u>OPEN HOLE</u>	Plug Tagged: <input checked="" type="checkbox"/>
Set <u>40</u> sks cmt from <u>600</u> ft. to <u>450</u> ft.	Plug Type: <u>OPEN HOLE</u>	Plug Tagged: <input checked="" type="checkbox"/>
Set _____ sks cmt from _____ ft. to _____ ft.	Plug Type: _____	Plug Tagged: <input checked="" type="checkbox"/>

Perforate and squeeze at 6350 ft. with 40 sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 60 sacks half in. half out surface casing from 270 ft. to 35 ft. Plug Tagged: ☒

Set 10 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Plugging Date: _____

*Wireline Contractor: _____ *Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No *ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: W.JAMES TRUETTNER III

Title: PERSIDENT Date: 9/18/2012 Email: WIEWJT@MSN.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: BURN, DIANA Date: 11/20/2012

CONDITIONS OF APPROVAL, IF ANY:

Expiration Date: 5/19/2013

1) Provide 24 hour notice of MIRU to Jim Precup at 303-726-3822 or e-mail at james.precup@state.co.us. 2) If unable to pull casing below Fox Hills, run cement bond log to determine existing cement and then contact COGCC for verification of appropriate plugging procedures. (current orders based on calculated cement top of 6500' and no cement uphole) 3) For 1300' and 600' plugs: pump plug and displace, shut-in, WOC 4 hours and tag plug. Leave at least 100' cement in the casing for each plug. If 270' plug not circulated to surface, tag plug and place 10 sx at surface. 3) Properly abandon flowlines as per Rule 1103.

Attachment Check List

Att Doc Num	Name
2237644	FORM 6 INTENT SUBMITTED
2237645	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	paperwork evaluated and re-scanned to appropriate files with annotation	9/28/2012 9:30:58 AM
Permit	The mis-labeling or mis-identification of previously submitted forms and NOAV's requires the re-indexing of several pieces of paperwork.	9/27/2012 8:26:46 AM

Total: 2 comment(s)