

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400349416

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185

2. Name of Operator: ENCANA OIL & GAS (USA) INC

3. Address: 370 17TH ST STE 1700

City: DENVER State: CO Zip: 80202-

4. Contact Name: Sheilla Reed-High

Phone: (720) 876-3678

Fax: (720) 876-4678

5. API Number 05-123-32430-00

7. Well Name: PRATT

8. Location: QtrQtr: NWNW Section: 29 Township: 1N Range: 68W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 4-2-29

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>05/19/2012</u>		End Date: <u>06/12/2012</u>		Date of First Production this formation: <u>07/16/2012</u>	
Perforations	Top: <u>8465</u>	Bottom: <u>8482</u>	No. Holes: <u>51</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @ 8532'. 05-17-12  
 Frac'd the Codell 8,465' – 8,482' (51 holes) w/ 135,408 gal Slickwater containing 154,000 # 30/50 sand. 05-19-12

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>5008</u>	Max pressure during treatment (psi): <u>4998</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.70</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): <u>5008</u>	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>154000</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

\*\* Bridge Plug Depth: \_\_\_\_\_     
 \*\* Sacks cement on top: \_\_\_\_\_     
 \*\* Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_  
Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 07/16/2012  
Perforations Top: 8102 Bottom: 8929 No. Holes: 119 Hole size: 0.42  
Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Set CBP @ 8000'. 06-11-12  
Drilled out CBP @ 8000', CFP @ 8386', 8532' to commingle the JSND-NBRR-CDL. 06-12-12

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_  
Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_  
Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_  
Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_  
Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_  
Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_  
Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐  
Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 08/17/2012 Hours: 24 Bbl oil: 83 Mcf Gas: 261 Bbl H2O: 66  
Calculated 24 hour rate: Bbl oil: 83 Mcf Gas: 261 Bbl H2O: 66 GOR: 3145  
Test Method: FLOWING Casing PSI: 1729 Tubing PSI: 891 Choke Size: 12/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1279 API Gravity Oil: 50  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8890 Tbg setting date: 06/12/2012 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: J SAND		Status: PRODUCING		Treatment Type: FRACTURE STIMULATION	
Treatment Date: 05/17/2012		End Date: 06/12/2012		Date of First Production this formation: 07/16/2012	
Perforations	Top: 8909	Bottom: 8929	No. Holes: 40	Hole size: 0.42	

Provide a brief summary of the formation treatment: Open Hole: ☐

Frac'd the J-Sand 8909' – 8929', (40 holes)w/ 60,312 gal 18 # Vistar Hybrid cross linked gel containing 250,140 # 20/40 Sand. 05-17-12

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): 3722	Max pressure during treatment (psi): 4033
Total gas used in treatment (mcf):	Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment:	Min frac gradient (psi/ft): 0.58
Total acid used in treatment (bbl):	Number of staged intervals: 1
Recycled water used in treatment (bbl): 3722	Flowback volume recovered (bbl):
Fresh water used in treatment (bbl):	Disposition method for flowback:
Total proppant used (lbs): 250140	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate:	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

\*\* Bridge Plug Depth: \_\_\_\_\_     
 \*\* Sacks cement on top: \_\_\_\_\_     
 \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 07/16/2012

Perforations Top: 8102 Bottom: 8482 No. Holes: 79 Hole size: 0.42

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION  
Treatment Date: 05/20/2012 End Date: 06/12/2012 Date of First Production this formation: 07/16/2012  
Perforations Top: 8102 Bottom: 8336 No. Holes: 28 Hole size: 0.42  
Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @ 8386'. 05-19-12  
Frac'd the Niobrara 8,102' - 8,336' (28 holes), w/ 198,954 gals Slickwater with 122,365 #  
30/50 sand. 05-20-12

This formation is commingled with another formation: ☒ Yes ☐ No  
Total fluid used in treatment (bbl): 4611 Max pressure during treatment (psi): 6243  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.76  
Total acid used in treatment (bbl): Number of staged intervals: 1  
Recycled water used in treatment (bbl): 4611 Flowback volume recovered (bbl):  
Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE  
Total proppant used (lbs): 161000 Rule 805 green completion techniques were utilized: ☒  
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

**Test Information:**

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:  
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:  
Test Method: Casing PSI: Tubing PSI: Choke Size:  
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:  
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:  
Reason for Non-Production:  
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt  
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Sheilla Reed-High  
Title: Drilling and Compl. Tech. Date: Email: sheilla.reedhigh@Encana.com

**Attachment Check List**

Att Doc Num	Name
400349424	WELLBORE DIAGRAM

Total Attach: 1 Files

**General Comments**

User Group	Comment	Comment Date

Total: 0 comment(s)