





			SDSCENT Centralizer for testing	3.00	3.25	20.00
WVF3	10.92					
WVF5	9.92		CBL-Probe (050215) 2.75 digital probe	8.75	2.75	106.50
			SDSCENT Centralizer for testing	3.00	3.25	20.00
GR	1.13		GR-probe 2.75 (51013)	3.67	2.75	100.00
Dataset: baldridge 1-1.db: field/well/run1/pass3 Total Length: 20.33 ft Total Weight: 246.50 lb O.D. 3.25 in						

9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0 (lb)2000	0	Amplitude (mV)	100			
324	TT3 (usec)	225							







250

300

350

400







450

500


550

600

650










700

750

800

850







900


950

1000

1050









1100

1150


1200

1250

1300









1350


1400

1450

1500









1550

1600


1650

1700

1750









1800


1850

1900

1950









2000


2050

2100

2150









2200

2250


2300

2350

2400









2450


2500

2550

2600









2650

2700


2750

2800

2850









2900


2950

3000

3050









3100


3150

3200

3250









3300

3350


3400

3450

3500









3550


3600

3650

3700









3750

3800


3850

3900

3950









4000


4050

4100

4150









4200


4250

4300

4350









4400

4450


4500

4550

4600









4650


4700

4750

4800











Database File: baldridge 1-1.db  
Dataset Pathname: pass2  
Presentation Format: cbl\_dr  
Dataset Creation: Mon Oct 22 11:55:07 2012 by Log SCH 120126  
Charted by: Depth in Feet scaled 1:240

9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0	(lb)2000	0	Amplitude (mV)	100		
324	TT3 (usec)	225							








5200

5250


5300

5350

5400









5450


5500

5550

5600









5650


5700

5750

5800









5850

5900


5950

6000

6050









6100


6150

6200

6250









6300

6350


6400

6450

6500









6550


6600

6650

6700









6750


6800

6850

6900







6950



7000

7050


7100

7150

← Marker Joint







7200

7250

7300

7350

