

**Weatherford**[®]**PHOTO DENSITY
COMPENSATED NEUTRON
LOGS**

COMPANY **EAST CHEYENNE GAS STORAGE LLC**
WELL **ECGS No 31-7 WPD005-1**
FIELD **PEETZ WEST**
PROVINCE/COUNTY **LOGAN**
COUNTRY/STATE **US/COLORADO**
LOCATION **1065' FSL & 2185' FEL**

SEC **31** TWP **12N** RGE **52W** Other Services
API Number **05-075-09410** MAI
Permit Number **CMI**

Permanent Datum GL, Elevation 4543 feet
Log Measured From KB
Drilling Measured From KB

Elevations:
KB 4557.00
DF 4556.00
GL 4543.00

| | | |
|------------------------|-------------|---------------|
| Date | 16-OCT-2012 | |
| Run Number | ONE | |
| Depth Driller | 5260.00 | feet |
| Depth Logger | 5254.00 | feet |
| First Reading | 5199.00 | feet |
| Last Reading | 4200.00 | feet |
| Casing Driller | 1212.00 | feet |
| Casing Logger | 1212.00 | feet |
| Bit Size | 8.750 | inches |
| Hole Fluid Type | WBM | |
| Density / Viscosity | 9.80 g/cc | 48.00 CP |
| PH / Fluid Loss | 9.00 | 7.40 ml/30Min |
| Sample Source | FLOWLINE | |
| Rm @ Measured Temp | 6.46 @ 54.2 | ohm-m |
| Rmf @ Measured Temp | 5.17 @ 54.2 | ohm-m |
| Rmc @ Measured Temp | 7.75 @ 54.2 | ohm-m |
| Source Rmf / Rmc | CALC | CALC |
| Rm @ BHT | 2.42 @148.0 | ohm-m |
| Time Since Circulation | 4 HOURS | |
| Max Recorded Temp | 148.00 | deg F |
| Equipment Name | COMPACT | |
| Equipment / Base | 13037 | RK SPR |
| Recorded By | B. ROSSER | |
| Witnessed By | J. ASHBY | |

BOREHOLE RECORD

Last Edited: 16-OCT-2012 14:49

| Bit Size inches | Depth From feet | Depth To feet |
|--------------------|--------------------|------------------|
| 8.750 | 1212.00 | 5260.00 |

CASING RECORD

| Type | Size inches | Depth From feet | Shoe Depth feet | Weight pounds/ft |
|---------|----------------|--------------------|--------------------|---------------------|
| SURFACE | 9.625 | 0.00 | 1212.00 | 36.00 |

REMARKS

SOFTWARE VERSION 13.03.6600

TOOLS RUN: SHA, MCG, MDN, MPD, MIS-A, SKJ, MIS-E, SKJ, SHA, MIM, MIE, SKJ, MFE, MAI RUN IN COMBINATION.

HARDWARE: MPD: 8" PROFILE PLATE USED.
MAI: TWO 1 INCH STANDOFFS USED.
MDN: DUAL BOWSPRING USED.
MIM: ONE NONMETALIC CENTRALIZING BASKET USED.
MIE: ONE 1 INCH STANDOFF USED

2.65 G/CC DENSITY MATRIX USED TO CALCULATE POROSITY FROM TD TO BOTTOM OF FORT HAYES FORMATION(5254FT TO 4700FT)

7/001 1/.

2.71 G/CC DENSITY MATRIX USED TO CALCULATE POROSITY IN FORT HAYES FORMATION (4700 FT TO 4200 FT).

TIGHT PULLS, BOREHOLE SIZE AND RUGOSITY WILL AFFECT REPEATABILITY AND DATA QUALITY.

ALL INTERVALS LOGGED AND SCALED PER CUSTOMER'S REQUEST.

LAT/ LONG: 40.966620 / -103.221030

TOTAL HOLE VOLUME FROM TD TO SURFACE CASING =1026 CUBIC FEET

ANNULAR VOLUME WITH 7 INCH PRODUCTION CASING FROM TD TO SURFACE CASING = 655 CUBIC FEET


TOTAL VOLUME FROM TD TO 4200 FT = 410 CUBIC FEET



ANNULAR VOLUME WITH 7 INCH PRODUCTION CASING FROM TD TO 4200 FT = 140 CUBIC FEET


SERVICE ORDER: 3535300



RIG: CADE 22


All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or wilful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions in our price schedule.


















Depth Based Data - Maximum Sampling Increment 10.0cm

Plotted on 16-OCT-2012 16:13

Filename: C:\Minimus\Logs\ECGS\ECGS 31-7 WPD005-1\ECGS 31-7 WPD005-1 MainPass.dta

Recorded on 16-OCT-2012 13:54

System Versions: Logged with 13.02.6600 Plotted with 13.02.6600

↑ 5 INCH MAIN LOG ↑

↓ OVERLAY SECTION ↓

Depth Based Data - Maximum Sampling Increment 10.0cm

Plotted on 16-OCT-2012 16:13


Filename: C:\Minimus\Logs\ECGS\ECGS 31-7 WPD005-1\ECGS 31-7 WPD005-1 MainPass.dta



Recorded on 16-OCT-2012 13:54



Filename: C:\Minimus\Logs\ECGS\ECGS 31-7 WPD005-1\ECGS 31-7 WPD005-1 Repeat.dta


Recorded on 16-OCT-2012 13:36


System Versions: Logged with 13.02.6600 Plotted with 13.02.6600

























156°

5200

156°

5250
TD

← FR

Depth
In
Feet

Timing Marks
every 60.0 sec

DST Uphole Tension

pounds

10000 5000 0

0 -5000 -10000

Gamma Ray

API

0 75 150

150 225 300

Density Caliper


inches

6 11 16

Borehole
Temp in
deg F

HVI
every
10 cu ft

Annular
Integral
every
10 cu ft



Compensated Density

grams/cc

2 2.25 2.50 2.75 3

1 1.25 1.50 1.75 2

SS Density Por.

percent

30 20 10 0 -10

PE

barns/electron

0 5 10 -0.25 0 0.25

Density Correction

grams/cc

| | | | |
|---|--|--|--|
| <div> <div>Bit Size</div> <div>inches</div> <div>61116</div> </div> | | | <div> <div>Replay</div> <div>Scale</div> <div>1:240</div> </div> |
| <div> <div>Depth Based Data - Maximum Sampling Increment 10.0cm</div> <div>Plotted on 16-OCT-2012 16:13</div> <div>Filename: C:\Minimus\Logs\ECGS\ECGS 31-7 WPD005-1\ECGS 31-7 WPD005-1 MainPass.dta</div> <div>Recorded on 16-OCT-2012 13:54</div> <div>System Versions: Logged with 13.02.6600 Plotted with 13.02.6600</div> </div> | | | |
| <div> <div>↑</div> <div>5 INCH MAIN LOG</div> <div>↑</div> </div> | | | |

| BEFORE SURVEY CALIBRATION | | | |
|---|-----------------------|-------------------|--|
| C:\Minimus\Logs\ECGS\ECGS 31-7 WPD005-1\ECGS 31-7 WPD005-1 Repeat.dta | | | |
| Down-hole Tension Calibration All 000 | | | Field Calibration on 24-OCT-2010 03:34 |
| Reading No | Measured | 0 | |
| 1 | 15659.85 | 0.00 | |
| 2 | 15734.68 | 370.00 | |
| General Constants All 000 | | | Last Edited on 16-OCT-2012,09:44 |
| General Parameters | | | |
| Mud Resistivity | 6.420 | ohm-metres | |
| Mud Resistivity Temperature | 54.200 | degrees F | |
| Water Level | 0.000 | feet | |
| Density/Neutron Processing | Wet Hole | | |
| Hole/Annular Volume and Differential Caliper Parameters | | | |
| HVOL Method | Single Caliper | | |
| HVOL Caliper 1 | Density Caliper | | |
| HVOL Caliper 2 | N/A | | |
| Annular Volume Diameter | 7.000 | inches | |
| Caliper for Differential Caliper | Density Caliper | | |
| Rwa Parameters | | | |
| Porosity used | Base Density Porosity | | |
| Resistivity used | Deep Induction | | |
| RWA Constant A | 0.610 | | |
| RWA Constant M | 2.150 | | |
| Down-hole Tension Calibration SMS 0 | | | Field Calibration on 16-OCT-2012 12:47 |
| Reading No | Measured | Calibrated (lbs) | |
| 1 | 15175.17 | 0.00 | |
| 2 | 16394.83 | 500.00 | |
| High Resolution Temperature Calibration MCG-D.K 483 | | | Field Calibration on 06-JUL-2012 14:06 |
| | Measured | Calibrated(Deg F) | |
| Lower | 0.00 | 0.00 | |
| Upper | 0.00 | 0.00 | |
| High Resolution Temperature Constants MCG-D.K 483 | | | Last Edited on |
| Pre-filter Length | 11 | | |
| SP Calibration MCG-D.K 483 | | | Field Calibration on 06-JUL-2012 14:06 |
| | Measured | Calibrated (mV) | |
| Reference 1 | 100.6 | 100.1 | |
| Reference 2 | -98.9 | -100.1 | |
| Gamma Calibration MCG-D.K 483 | | | |

| | | | | | | | | | | | |
|---------------------------------|--|-----------------|-----|------------------|------|---|--|-------------|--|----------------------|--|
| | | Measured | | Calibrated (API) | | Field Calibration on 15-OCT-2012 14:49 | | | | | |
| Background | | 60 | | 40 | | | | | | | |
| Calibrator (Gross) | | 788 | | 520 | | | | | | | |
| Calibrator (Net) | | 728 | | 480 | | | | | | | |
| Gamma Constants MCG-D.K 483 | | | | | | Last Edited on 16-OCT-2012,09:37 | | | | | |
| Gamma Calibrator Number | | GRCC-112 | | | | | | | | | |
| Mud Density | | 1.00 | | gm/cc | | | | | | | |
| Caliper Source for Processing | | Density Caliper | | | | | | | | | |
| Tool Position | | Eccentred | | | | | | | | | |
| Concentration of KCl | | 0.00 | | kppm | | | | | | | |
| Neutron Calibration MDN-B.A 227 | | | | | | Base Calibration on 15-OCT-2012 15:48 Field Check on 15-OCT-2012 15:57 | | | | | |
| Base Calibration | | | | | | | | | | | |
| | | Measured | | Calibrated (cps) | | | | | | | |
| | | Near | Far | Near | Far | | | | | | |
| | | 2896 | 90 | 3714 | 110 | | | | | | |
| Ratio | | 32.069 | | 33.764 | | | | | | | |
| Field Calibrator at Base | | | | Calibrated (cps) | | | | | | | |
| | | | | 1658 | 2365 | | | | | | |
| Ratio | | | | 0.701 | | | | | | | |
| Field Check | | | | Calibrated (cps) | | | | | | | |
| | | | | 1664 | 2383 | | | | | | |
| Ratio | | | | 0.698 | | | | | | | |
| Neutron Constants MDN-B.A 227 | | | | | | Last Edited on 16-OCT-2012,13:17 | | | | | |
| Neutron Source Id | | P44382B | | | | | | | | | |
| Neutron Jig Number | | NEC43 | | | | | | | | | |
| Epithermal Neutron | | No | | | | | | | | | |
| Caliper Source for Processing | | Density Caliper | | | | | | | | | |
| Stand-off | | 0.00 | | inches | | | | | | | |
| Mud Density | | 1.00 | | gm/cc | | | | | | | |
| Limestone Sigma | | 7.10 | | cu | | | | | | | |
| Sandstone Sigma | | 7.00 | | cu | | | | | | | |
| Dolomite Sigma | | 4.70 | | cu | | | | | | | |
| Formation Pressure Source | | None | | | | | | | | | |
| Formation Pressure | | N/A | | kpsi | | | | | | | |
| Temperature Source | | None | | | | | | | | | |
| Temperature | | N/A | | degrees F | | | | | | | |
| Mud Salinity | | 0.00 | | kppm | | | | | | | |
| Salinity Correction | | Not Applied | | | | | | | | | |
| Formation Fluid Salinity Source | | None | | | | | | | | | |
| Formation Fluid Salinity | | N/A | | kppm | | | | | | | |
| Barite Mud Correction | | Not Applied | | | | | | | | | |
| Caliper Calibration MIE-A.J 244 | | | | | | Base Calibration on 15-OCT-2012 14:34 Field Calibration on 15-OCT-2012 14:37 | | | | | |
| Base Calibration | | | | | | | | | | | |
| Reading No | | Pads 1-5 Meas. | | Pads 3-7 Meas. | | Calibrator Size (in) | | | | | |
| 1 | | 26843 | | 27657 | | 5.96 | | | | | |
| 2 | | 37134 | | 38542 | | 7.99 | | | | | |
| 3 | | 46830 | | 48303 | | 9.86 | | | | | |
| 4 | | 58657 | | 60137 | | 11.93 | | | | | |
| 5 | | 0 | | 0 | | 0.00 | | | | | |
| Reading No | | Pad 2 Meas. | | Pad 4 Meas. | | Pad 6 Meas. | | Pad 8 Meas. | | Calibrator Size (in) | |
| 1 | | 25364 | | 25860 | | 23860 | | 25685 | | 5.96 | |
| 2 | | 34515 | | 34810 | | 32509 | | 34263 | | 7.99 | |
| 3 | | 42698 | | 43019 | | 40815 | | 42625 | | 9.86 | |
| 4 | | 52715 | | 53061 | | 50670 | | 52203 | | 11.93 | |

| | | | | | |
|--|--------------|--|---------------|---------------------------------------|------|
| 5 | 0 | 0 | 0 | 0 | 0.00 |
| Field Calibration | | | | | |
| Measured Pads 1-5 Caliper(in) 7.99 | | Measured Pads 3-7 Caliper(in) 8.00 | | Actual Caliper(in) 7.99 | |
| Measured Pad 2 Caliper(in) 4.00 | | Measured Pad 4 Caliper(in) 4.00 | | Measured Pad 6 Caliper(in) 4.00 | |
| | | | | Measured Pad 8 Caliper(in) 4.00 | |
| | | | | Actual Caliper(in) 7.99 | |
| Caliper Constants MIE-A.J 244 | | | | Last Edited on 15-OCT-2012,14:26 | |
| Caliper Difference for BRKT | | 0.120 | | inches | |
| Accelerometer Parameters MIE-A.J 244 | | | | | |
| Date Of Last Accelerometer Calibration | | 8-FEB-2012,10:33 | | | |
| X Accelerometer | | Y Accelerometer | | Z Accelerometer | |
| Slope | -1.101858 | -1.105662 | | -1.102074 | |
| Offset | -0.006691 | 0.007176 | | -0.004341 | |
| Accelerometer Constants MIE-A.J 244 | | | | Last Edited on 15-OCT-2012,14:38 | |
| Accelerometer Calibrator Number | | 000 | | | |
| Accelerometer Temperature Characterisation | | | | | |
| X Accelerometer | | | | | |
| Serial Number | | 1016 | | | |
| Calibration Date | | 12-Apr-2011 | | | |
| | B0 | B1 | B2 | B3 | |
| Bias(g) | 0.00000e+000 | 1.93698e-005 | -7.60293e-010 | 6.54727e-011 | |
| | SF0 | SF1 | SF2 | SF3 | |
| Scale Factor(mA/g) | 3.00000e+000 | 2.59257e-004 | 6.13375e-007 | -3.90888e-010 | |
| Y Accelerometer | | | | | |
| Serial Number | | 973 | | | |
| Calibration Date | | 19-Jan-2011 | | | |
| | B0 | B1 | B2 | B3 | |
| Bias(g) | 0.00000e+000 | 1.95276e-005 | -1.88058e-008 | 2.74122e-010 | |
| | SF0 | SF1 | SF2 | SF3 | |
| Scale Factor(mA/g) | 3.00000e+000 | 2.75268e-004 | 3.53140e-007 | 7.52116e-010 | |
| Z Accelerometer | | | | | |
| Serial Number | | 1032 | | | |
| Calibration Date | | 18-Apr-2011 | | | |
| | B0 | B1 | B2 | B3 | |
| Bias(g) | 0.00000e+000 | -1.14960e-005 | 3.94288e-009 | 8.97135e-011 | |
| | SF0 | SF1 | SF2 | SF3 | |
| Scale Factor(mA/g) | 3.00000e+000 | 2.88058e-004 | 2.44833e-007 | 8.38007e-010 | |
| Magnetometer Parameters MIE-A.J 244 | | | | | |
| Date Of Last Magnetometer Calibration | | 16-FEB-2012,10:58 | | | |
| X Magnetometer | | Y Magnetometer | | Z Magnetometer | |
| Slope | -1.000000 | -1.002948 | | -0.976095 | |
| Offset | -0.005483 | -0.018155 | | -0.000073 | |
| Magnetometer Constants MIE-A.J 244 | | | | Last Edited on 15-OCT-2012,14:39 | |
| Magnetometer Calibrator Number | | 000 | | | |
| Navigation Constants MIE-A.J 244 | | | | | |
| Navigation Constants MIE-A.J 244 | | | | Last Edited on 15-OCT-2012,14:39 | |
| Magnetic Declination | | 0.00 | | degrees East | |

| | | | |
|---|--------------------------|--------------------|---|
| Imager Pad Check MIE-A.J 244 | | | Field Check on |
| Pad 1 | Pad Not Tested | Pad 5 | Pad Not Tested |
| Pad 2 | Pad Not Tested | Pad 6 | Pad Not Tested |
| Pad 3 | Pad Not Tested | Pad 7 | Pad Not Tested |
| Pad 4 | Pad Not Tested | Pad 8 | Pad Not Tested |
| Compact Micro Imager Constants MIE-A.J 244 | | | Last Edited on 15-OCT-2012,14:39 |
| Sonde Configuration | Imager Mode | degrees | |
| Arm-Pad Kit | Normal Pads (12.25 in) | | |
| Centre Pad 1 Rotational Offset | 0.00 | | |
| Image/Borehole Ovality Reference | Azimuth of Pad 1 | degrees | |
| Non Active Buttons | Omit | feet | |
| Search Angle | 0.00 | feet | |
| Correlation Interval | 3.28 | mAmp | |
| Correlation Step | 1.64 | mAmp | |
| Current Offset | 0.0000 | | |
| Squasher Start | N/A | | |
| Image Processing | Enabled | | |
| FE Calibration MFE-A.A 66 | | | Base Calibration on 15-OCT-2012 13:42 Field Check on 15-OCT-2012 13:46 |
| Base Calibration | Measured | Calibrated (ohm-m) | |
| Reference 1 | 0.0 | 0.0 | |
| Reference 2 | 997.0 | 126.8 | |
| Base Check | | 272.6 | |
| Field Check | | 272.7 | |
| FE Constants MFE-A.A 66 | | | Last Edited on 16-OCT-2012,09:34 |
| Running Mode | No Sleeve | | |
| MFE K Factor | 0.1268 | | |
| Caliper Source for FE correction | Density Caliper | | |
| Caliper Value for FE correction | N/A | inches | |
| Rm Source for FE correction | Temperature Corr | | |
| Temp. for Rm Corr. | MCG External Temperature | | |
| Stand-off | 1.0 | inches | |
| FE Calibration MAI-A.A 165 | | | Base Calibration on 12-FEB-2009 10:30 Field Check on 04-APR-2009 14:52 |
| Base Calibration | Measured | Calibrated (ohm-m) | |
| Reference 1 | 0.0 | 0.0 | |
| Reference 2 | 976.9 | 126.8 | |
| Base Check | | 277.9 | |
| Field Check | | 278.3 | |
| FE Constants MAI-A.A 165 | | | Last Edited on 04-APR-2009,15:12 |
| Running Mode | 0 | | |
| MFE K Factor | 0.0000 | | |
| Caliper Source for FE correction | Density Caliper | | |
| Caliper Value for FE correction | N/A | inches | |
| Rm Source for FE correction | Temperature Corr | | |
| Temp. for Rm Corr. | MCG External Temperature | | |
| Stand-off | 1.0 | inches | |
| High Resolution Temperature Calibration MAI-A.A 165 | | | Field Calibration on 10-OCT-2011,15:43 |
| | Measured | Calibrated(Deq F) | |

| | | |
|---|---------------------|---|
| Lower | 50.00 | 50.00 |
| Upper | 75.00 | 75.00 |
| High Resolution Temperature Constants MAI-A.A 165 | | Last Edited on 15-OCT-2012,13:33 |
| Pre-filter Length | 11 | |
| Induction Calibration MAI-A.A 165 | | Base Calibration on 15-OCT-2012,13:08 Field Check on 15-OCT-2012 13:32 |
| Base Calibration | | |
| Test Loop Calibration | | Measured |
| Channel | Low | High |
| 1 | 17.2 | 469.6 |
| 2 | 6.7 | 392.8 |
| 3 | 4.2 | 262.3 |
| 4 | 1.6 | 136.6 |
| Array Temperature | 75.0 Deg F | |
| Calibrated (mmho/m) | | |
| Channel | Low | High |
| 1 | 9.3 | 966.2 |
| 2 | 7.6 | 821.4 |
| 3 | 5.2 | 566.0 |
| 4 | 2.6 | 279.2 |
| Base Calibration | | |
| Channel | Base Check (mmho/m) | |
| | Low | High |
| 1 | 12.9 | 3869.0 |
| 2 | 28.4 | 3433.8 |
| 3 | 26.7 | 3021.4 |
| 4 | 19.7 | 2016.0 |
| Deep | 17.3 | 2011.3 |
| Medium | 37.6 | 3970.8 |
| Shallow | 41.2 | 5011.9 |
| Array Temperature | 69.2 | 70.6 Deg F |
| Induction Constants MAI-A.A 165 | | Last Edited on 16-OCT-2012,09:33 |
| Induction Model | | RtAP-WBM |
| Caliper for Borehole Corr. | | Density Caliper |
| Hole Size for Borehole Correction | | N/A inches |
| Tool Centred | | No |
| Stand-off Type | | Fins |
| Stand-off | | 1.00 inches |
| Number of Fins on Stand-off | | 6.0000 |
| Stand-off Fin Angle | | 60.00 degrees |
| Stand-off Fin Width | | 0.0500 inches |
| Borehole Corr. Rm Source | | Temperature Corr |
| Temp. for Rm Corr. | | MCG External Temperature |
| Squasher Start | | 0.0020 mhos/metre |
| Squasher Offset | | N/A mhos/metre |
| Borehole Normalisation | | |
| DRM1 | 0.0000 | DRC1 0.0000 |
| DRM2 | 0.0000 | DRC2 0.0000 |
| MRM1 | 0.0000 | MRC1 0.0000 |
| MRM2 | 0.0000 | MRC2 0.0000 |
| SRM1 | 0.0000 | SRC1 0.0000 |
| SRM2 | 0.0000 | SRC2 0.0000 |
| Calibration Site Corrections | | |
| Channel 1 | 0.00 | mmhos/metre |
| Channel 2 | 0.00 | mmhos/metre |
| Channel 3 | 0.00 | mmhos/metre |
| Channel 4 | 0.00 | mmhos/metre |
| Apparent Porosity and Water Saturation Constants | | |
| Archie Constant (A) | 1.00 | |
| Cementation Exponent (M) | 2.00 | |
| Saturation Exponent (N) | 2.00 | |

| | | |
|--------------------------------------|--------|---------|
| Saturation Exponent (n) | 2.00 | |
| Saturation of Water for Apor | 100.00 | percent |
| Resistivity of Water for Apor and Sw | 0.05 | ohm-m |
| Resistivity of Mud Filtrate for Sw | 0.00 | ohm-m |
| Source for Rt | 0.00 | |
| Source for Rxo | 0.00 | |

| | | | | |
|---------------------------------|-----------------------|----------------------|--|--|
| Caliper Calibration MPD-C.A 195 | | | Base Calibration on 15-OCT-2012 13:53 | |
| | | | Field Calibration on 15-OCT-2012 13:54 | |
| Base Calibration | | | | |
| Reading No | Measured | Calibrator Size (in) | | |
| 1 | 15007 | 4.00 | | |
| 2 | 23645 | 5.96 | | |
| 3 | 32400 | 7.99 | | |
| 4 | 40464 | 9.86 | | |
| 5 | 49760 | 11.93 | | |
| 6 | N/A | N/A | | |
| Field Calibration | | | | |
| | Measured Caliper (in) | Actual Caliper (in) | | |
| | 7.95 | 7.99 | | |


| | | | | |
|---------------------------------------|-------|----------|---------------------------------------|-------|
| Photo Density Calibration MPD-C.A 195 | | | Base Calibration on 15-OCT-2012 14:12 | |
| | | | Field Check on 15-OCT-2012 14:18 | |
| Density Calibration | | | | |
| Base Calibration | | Measured | Calibrated (sdu) | |
| | Near | Far | Near | Far |
| Reference 1 | 38135 | 13267 | 52994 | 19128 |
| Reference 2 | 18092 | 1824 | 25188 | 2558 |
| Field Check at Base | | | | |
| | 670.1 | 775.1 | | |
| Field Check | | | | |
| | 667.4 | 773.4 | | |
| PE Calibration | | | | |
| Base Calibration | | Measured | Calibrated | |
| | WS | WH | Ratio | Ratio |
| Background | 122 | 602 | | |
| Reference 1 | 13157 | 38045 | 0.348 | 0.309 |
| Reference 2 | 5216 | 18018 | 0.292 | 0.274 |
| Field Check at Base | | | | |
| | 122.4 | 602.2 | | |
| Field Check | | | | |
| | 122.5 | 598.0 | | |

| | | | | |
|-------------------------------|--|-----------------|----------------------------------|--|
| Density Constants MPD-C.A 195 | | | Last Edited on 16-OCT-2012,13:16 | |
| Density Source Id | | | | |
| | | 2859GW | | |
| Nylon Calibrator Number | | | | |
| | | 535 | | |
| Aluminium Calibrator Number | | | | |
| | | 535 | | |
| Density Shoe Profile | | | | |
| | | 8 inch | | |
| Caliper Source for Processing | | | | |
| | | Density Caliper | | |
| PE Correction to Density | | | | |
| | | Not Applied | | |
| Mud Density | | 1.17 | gm/cc | |
| Mud Density Z/A Multiplier | | 1.11 | | |
| Mud Filtrate Density | | 1.00 | gm/cc | |
| Dry Hole Mud Filtrate Density | | 1.00 | gm/cc | |
| DNCT | | 0.00 | gm/cc | |
| CRCT | | 0.00 | gm/cc | |
| Density Z/A Correction | | Hybrid | | |

Compact Focussed Electric
MFE-A.A 66 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in

Compact Induction
MAI-A.A 165 LG: 10.81 ft WT: 48.5 lb OD: 2.24 in

Total Length: 80.12 ft Weight: 617.3 lb



| | |
|-----------------|-------------------------------|
| COMPANY | EAST CHEYENNE GAS STORAGE LLC |
| WELL | ECGS No 31-7 WPD005-1 |
| FIELD | PEETZ WEST |
| PROVINCE/COUNTY | LOGAN |
| COUNTRY/STATE | USA/COLORADO |

| | | | | | |
|-------------------------|---------|------|---------------|---------|------|
| Elevation Kelly Bushing | 4557.00 | feet | First Reading | 5199.00 | feet |
| Elevation Drill Floor | 4556.00 | feet | Depth Driller | 5260.00 | feet |
| Elevation Ground Level | 4543.00 | feet | Depth Logger | 5254.00 | feet |



Weatherford®

PHOTO DENSITY
COMPENSATED NEUTRON
LOGS