

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400311047

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850 4. Contact Name: Howard Harris
2. Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC Phone: (303) 606-4086
3. Address: 1001 17TH STREET - SUITE #1200 City: DENVER State: CO Zip: 80202 Fax: (303) 629-8268

5. API Number 05-045-20774-00 6. County: GARFIELD
7. Well Name: Hoeppli Well Number: RWF 411-36
8. Location: QtrQtr: SENW Section: 36 Township: 6S Range: 94W Meridian: 6
9. Field Name: RULISON Field Code: 75400

Completed Interval

FORMATION: CAMEO SANDS-MESAVERDE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/27/2012 End Date: 03/31/2012 Date of First Production this formation: 03/29/2012

Perforations Top: 6833 Bottom: 8570 No. Holes: 132 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: [ ]

3000 Gal 7 1/2% HCL; 24033 BBL Slickwater; 20220# 100 Mesh Sand and 637700# 30/50 Mesh Sand

This formation is commingled with another formation: [ ] Yes [X] No

Total fluid used in treatment (bbl): 24104 Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.83

Total acid used in treatment (bbl): 71 Number of staged intervals: 6

Recycled water used in treatment (bbl): 24104 Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 657220 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/23/2012 Hours: 24 Bbl oil: 0 Mcf Gas: 933 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 933 Bbl H2O: 0 GOR: 0

Test Method: Flowing Casing PSI: 1329 Tubing PSI: 1014 Choke Size: 20/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1105 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 8520 Tbg setting date: 04/05/2012 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

Treated with 3000 gal 7 1/2% HCL; 24037 BBL slickwater; 657220# 100 Mesh and 30/50 Sand

Please note: the as drilled GPS information provided is actual data of the existing well conductor location prior to surface spud.

All flowback watr entries are total estimates based on commingled volumes

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Howard Harris

Title: Sr. Regulatory Specialist Date: \_\_\_\_\_ Email howard.harris@wpenergy.com

### **Attachment Check List**

Att Doc Num	Name
400357800	WELLBORE DIAGRAM

Total Attach: 1 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)