



Technical Data:
Filter Settings: LFF 1 Hz HFF 70 Hz Notch On
Montage: Longitudinal Bipolar
Sensitivity: 7 uV/mm

Clinical Information:
Medications: Levetiracetam
Clinical Diagnosis: Epilepsy

Findings:
Background: Normal awake and sleep architecture
Epileptiform Activity: None
Seizures: None
Impression: Normal routine EEG

Technical Data:
Filter Settings: LFF 1 Hz HFF 70 Hz Notch On
Montage: Longitudinal Bipolar
Sensitivity: 7 uV/mm

Clinical Information:
Medications: Levetiracetam
Clinical Diagnosis: Epilepsy

Findings:
Background: Normal awake and sleep architecture
Epileptiform Activity: None
Seizures: None
Impression: Normal routine EEG



Database File old sotte asone ab10-01h db
Dataset Pathname open
Dataset Creation Mon Jan 07 11:42:36 2013 by Log ECH 123400
Charted by Depth in Feet scaled 1:240



Database File old sotte asone ab10-01h db
Dataset Pathname open
Dataset Creation Mon Jan 07 11:42:36 2013 by Log ECH 123400

Gamma Ray Calibration Report

Type Serial Probe2Tplg / 107010

Fri Dec 28 08:52:15 2012

	Counts/Sec	Gain	Offset	Ag	Units
Background	0.0				GAPI
Calibrator	1.0				GAPI
		0.6800			GAPI/cps
PRIMARY VERIFICATION					
Background	0.0				GAPI
Calibrator	0.0				GAPI
Difference			0.0		GAPI
BEFORE SURVEY VERIFICATION					
Background	0.0				GAPI
Calibrator	0.0				GAPI
Difference			0.0		GAPI
AFTER SURVEY VERIFICATION					
Background	0.0				GAPI
Calibrator	0.0				GAPI
Difference			0.0		GAPI

Cement Bond Log Calibration Report

Serial Number	110823
Tool Model	Probe2TCNaM
Performed	Mon Jan 07 11:13:17 2013
Depth	1651.97 ft
Casing Diameter	in

	T Spacing		T Spacing
Signal Zero	1.5	0	mV
Calculated Amplitude	42.1653	42.1653	mV
Reading at Signal Zero	0.0355470153	0.0355470153	V
Reading at Free Pipe	2.48958	2.48958	V
Gain	34.2239	34.6372	
Offset	1.53257	0.147356	