

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400369405

Date Received:

01/14/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120
2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP
3. Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-
4. Contact Name: JOEL MALEFYT
Phone: (720) 929-6828
Fax: (720) 929-7828

5. API Number 05-123-35149-00
6. County: WELD
7. Well Name: WEICHEL
Well Number: 14N-11HZ
8. Location: QtrQtr: SESW Section: 14 Township: 2N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 11/28/2012 End Date: 12/02/2012 Date of First Production this formation: 12/26/2012

Perforations Top: 7333 Bottom: 11811 No. Holes: 1404 Hole size: 0.35

Provide a brief summary of the formation treatment: Open Hole: ☒

PERF 7333-11811 HOLES 1404 SIZE .35.
2355742# OTTAWA 40/70 SAND, 464105 OTTAWA 30/50 SAND, 24200# CRC 20/40 SAND, 2844067# TOTAL PROPPANT.
14359 BBL PERMSTIM 45#, 1023 BBL LINEAR GEL, 98851 BBL FR WATER, 114233 BBL TOTAL FLUID.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 114233 Max pressure during treatment (psi): 7275
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.90
Total acid used in treatment (bbl): 0 Number of staged intervals: 23
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 9154
Fresh water used in treatment (bbl): 98851 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 2844067 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 01/12/2013 Hours: 24 Bbl oil: 366 Mcf Gas: 263 Bbl H2O: 0
Calculated 24 hour rate: Bbl oil: 366 Mcf Gas: 263 Bbl H2O: 0 GOR: 719
Test Method: FLOWING Casing PSI: 1038 Tubing PSI: 1671 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1276 API Gravity Oil: 46
Tubing Size: 2 + 3/8 Tubing Setting Depth: 6841 Tbg setting date: 01/03/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: JOEL MALEFYT
Title: REGULATORY ANALYST Date: 1/14/2013 Email: JOEL.MALEFYT@ANADARKO.COM

Attachment Check List

Att Doc Num	Name
400369405	FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)