

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
400350508

Date Received:
01/16/2013

Oil and Gas Location Assessment

New Location Amend Existing Location Location#: 335168

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:
335168
Expiration Date:
02/07/2016

This location assessment is included as part of a permit application.

1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 96850
 Name: WPX ENERGY ROCKY MOUNTAIN LLC
 Address: 1001 17TH STREET - SUITE #1200
 City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Howard Harris
 Phone: (303) 606-4086
 Fax: (303) 629-8268
 email: howard.harris@wpxenergy.com

4. Location Identification:

Name: Federal Number: DOE 1-W-27
 County: GARFIELD
 Quarter: LOT 6 Section: 27 Township: 6S Range: 95W Meridian: 6 Ground Elevation: 5840

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 2128 feet FNL, from North or South section line, and 1308 feet FWL, from East or West section line.
 Latitude: 39.496648 Longitude: -107.989127 PDOP Reading: 1.3 Date of Measurement: 10/29/2012
 Instrument Operator's Name: J. Klirkpatrick

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="checkbox"/>	Drilling Pits: <input type="checkbox"/>	Wells: <input type="text" value="13"/>	Production Pits: <input type="checkbox"/>	Dehydrator Units: <input type="checkbox"/>
Condensate Tanks: <input type="checkbox"/>	Water Tanks: <input type="text" value="1"/>	Separators: <input type="text" value="12"/>	Electric Motors: <input type="checkbox"/>	Multi-Well Pits: <input type="checkbox"/>
Gas or Diesel Motors: <input type="checkbox"/>	Cavity Pumps: <input type="checkbox"/>	LACT Unit: <input type="checkbox"/>	Pump Jacks: <input type="checkbox"/>	Pigging Station: <input type="checkbox"/>
Electric Generators: <input type="checkbox"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text" value="1"/>	Water Pipeline: <input type="checkbox"/>	Flare: <input type="text" value="1"/>
Gas Compressors: <input type="checkbox"/>	VOC Combustor: <input type="checkbox"/>	Oil Tanks: <input type="checkbox"/>	Fuel Tanks: <input type="checkbox"/>	

Other: _____

6. Construction:

Date planned to commence construction: 03/01/2013 Size of disturbed area during construction in acres: 2.71
Estimated date that interim reclamation will begin: 04/01/2014 Size of location after interim reclamation in acres: 0.76
Estimated post-construction ground elevation: 5840 Will a closed loop system be used for drilling fluids: Yes
Will salt sections be encountered during drilling: Yes No Is H2S anticipated? Yes No
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes No
Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility
Other: Re Use, Evap & Backfill

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: _____
Surface Owner: Fee State Federal Indian
Mineral Owner: Fee State Federal Indian
The surface owner is: the mineral owner committed to an oil and gas lease
 is the executer of the oil and gas lease the applicant
The right to construct the location is granted by: oil and gas lease Surface Use Agreement Right of Way
 applicant is owner
Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID _____

8. Reclamation Financial Assurance:

Well Surety ID: _____ Gas Facility Surety ID: _____ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes No
Distance, in feet, to nearest building: 4345, public road: 7059, above ground utility: 6907,
railroad: 8154, property line: 1705

10. Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
Non-Crop Land: Rangeland Timber Recreational Other (describe): Existing Well Pad
Subdivided: Industrial Commercial Residential

11. Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
Subdivided: Industrial Commercial Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 62. Rock Outcrop - Torriorthents Complex, very steep

NRCS Map Unit Name: 66. Torriortherits - Camborthias - Rock Outcrop Complex, steep

NRCS Map Unit Name:

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: 10/01/2012

List individual species: Cheatgrass, Sage, Pinion

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
 Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
 Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
 Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
 Mountain Riparian (Cottonwood, Willow, Blue Spruce)
 Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
 Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
 Alpine (above timberline)
 Other (describe):

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes

Distance (in feet) to nearest surface water: 166, water well: 3226, depth to ground water: 37

Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes

Is the location within a Rule 317B Surface Water Suppl Area buffer zone:

No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes

15. Comments:


This Location Assessment form 2A is for the DOE 1-W-27 well pad. The existing pad presently contains seven wells. We are permitting an additional six wells at this time. The existing pad will be expanded to accomodate the proposed additional wells. The location reference point for this pad is the proposed PA 411-27 well from which all distances are measured. A closed mud system will be used. The wells are all fed surface and minerals. Reference photos will be furnished at a later date. Although this location is located within 500 ft. of perennial, ephemeral, or intermittent surface water according to USGS mapped surface waters, the attached Sensitive Area Determination concludes that the location is not within a sensitive area due to the low potential for impacts to surface water in the case of a facility release. However, in order to satisfy COGCC guidance requiring that all locations within 500 ft. of mapped surface water incorporate BMPs to protect that surface water, Williams will employ the following BMPs at this location: • Williams will ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. • Williams will implement best management practices to contain any unintentional release of fluids. • Either a lined drilling pit or closed loop system will be implemented.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 01/16/2013 Email: Howard.Harris@wpenergy.com

Print Name: Howard Harris Title: Sr. Regulatory Specialist

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

**CONDITIONS OF
APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

SITE SPECIFIC COAs:

Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.

Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

The moisture content of any cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.

Attachment Check List

Att Doc Num	Name
2106511	CORRESPONDENCE
400350508	FORM 2A SUBMITTED
400364204	ACCESS ROAD MAP
400364205	PROPOSED BMPs
400364206	CONST. LAYOUT DRAWINGS
400364207	HYDROLOGY MAP
400364208	LOCATION PICTURES
400364211	REFERENCE AREA MAP
400364212	SENSITIVE AREA DATA
400364213	LOCATION DRAWING
400364792	MULTI-WELL PLAN
400371734	NRCS MAP UNIT DESC

Total Attach: 12 Files

General Comments

User Group	Comment	Comment Date
Permit	No LGD or public comments. Final Review--passed.	2/8/2013 10:11:18 AM
OGLA	Initiated/Completed OGLA Form 2A review on 02-07-13 by Dave Kubeczko, placed fluid containment, spill/release BMPs, flowback to tanks, tank berming, cuttings low moisture content, and notification COAs; changed to sensitive area due to 3 close SW (166', 205', 400') and potential shallow GW (20' to 40' bgs); passed by CPW on 01-22-13 with WMP acceptable; passed OGLA Form 2A review on 02-08-13 by Dave Kubeczko; fluid containment, spill/release BMPs, flowback to tanks, tank berming, cuttings low moisture content, and notification COAs.	2/7/2013 3:04:41 PM
Permit	Checked "executor".	2/1/2013 10:18:42 AM
DOW	This well pad is located within the boundary of the approved WPX-CPW Wildlife Mitigation Plan. The BMPs were developed and agreed upon in the consultation and development of the Wildlife Mitigation Plan. CPW affirms that the BMPs and conditions of approval of the Wildlife Mitigation Plan suffice to address wildlife mitigation concerns. Approved Jim Komatinsky 1-22-2013	1/22/2013 1:41:02 PM
LGD	Passed DB	1/18/2013 10:56:22 AM
Permit	Returned to draft. Requested information on mud disposal, surface and minerals, and additional NRCS attachment.	1/17/2013 10:43:42 AM

Total: 6 comment(s)

BMP

<u>Type</u>	<u>Comment</u>
Final Reclamation	<p>PRODUCTION/RECLAMATION BMP's</p> <ul style="list-style-type: none"> * Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife * WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. * Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. * Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.
Planning	<p>PLANNING BMP's</p> <ul style="list-style-type: none"> * Share/consolidate corridors for pipeline ROWs to the maximum extent possible. * Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. * Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development. * Maximize use of remote telemetry for well monitoring to minimize traffic

Total: 2 comment(s)