

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400376304

Date Received:

01/30/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850  
2. Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC  
3. Address: 1001 17TH STREET - SUITE #1200  
City: DENVER State: CO Zip: 80202  
4. Contact Name: Angela Neifert-Kraiser  
Phone: (303) 606-4398  
Fax: (303) 629-8272

5. API Number 05-045-21128-00  
6. County: GARFIELD  
7. Well Name: Bosely  
Well Number: SG 33-23  
8. Location: QtrQtr: Lot 3 Section: 23 Township: 7S Range: 96W Meridian: 6  
9. Field Name: GRAND VALLEY Field Code: 31290

### Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 12/20/2012 End Date: 12/27/2012 Date of First Production this formation: 12/23/2012

Perforations Top: 4086 Bottom: 5606 No. Holes: 112 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

507300#40/70 Sand; 14127 Bbls Slickwater; (Summary)

\*All flowback water entries are total estimates based on comingled volumes.

This formation is comingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 14127

Max pressure during treatment (psi): 1250

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.63

Total acid used in treatment (bbl):

Number of staged intervals: 5

Recycled water used in treatment (bbl): 14127

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 507300

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 01/28/2013 Hours: 24 Bbl oil: 0 Mcf Gas: 919 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 919 Bbl H2O: 0 GOR: 0

Test Method: flowing Casing PSI: 1052 Tubing PSI: 922 Choke Size: 14/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1083 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 5462 Tbg setting date: 01/06/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth:

\*\* Sacks cement on top:

\*\* Wireline and Cement Job Summary must be attached.

Comment:

\*All flowback water entries are total estimates based on comingled volumes.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Angela Neifert-Kraiser

Title: Regulatory Specialist Date: 1/30/2013 Email: angela.neifert-kraiser@wpenergy.com

#### Attachment Check List

Att Doc Num	Name
400376304	FORM 5A SUBMITTED

Total Attach: 1 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	on hold: need max frac pressure and confirmation of report to fracfocus	2/8/2013 2:58:51 PM

Total: 1 comment(s)