

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400380939

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322

2. Name of Operator: NOBLE ENERGY INC

3. Address: 1625 BROADWAY STE 2200

City: DENVER State: CO Zip: 80202

4. Contact Name: JEAN MUSE-REYNOLDS

Phone: (303) 228-4316

Fax: (303) 228-4286

5. API Number 05-123-31701-00

7. Well Name: KERN L

8. Location: QtrQtr: SWNW Section: 4 Township: 3N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 04-20D

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>04/11/2012</u>		End Date: <u>04/11/2012</u>		Date of First Production this formation: <u>04/25/2012</u>	
Perforations	Top: <u>7413</u>	Bottom: <u>7429</u>	No. Holes: <u>64</u>	Hole size: <u>0.44</u>	

Provide a brief summary of the formation treatment: Open Hole: ☐

PUMPED 250638# OTTAWA SAND DOWNHOLE in gals of 15% HCL/SilverStim/GELLED/SLICK/RECYCLED/FRESH WATER  
 CODELL AND J-SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS  
 FLOWBACK REPORTED ON THE NIOBRARA COMPLETION PANEL

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Total fluid used in treatment (bbl): <u>3072</u>	Max pressure during treatment (psi): <u>4489</u>	
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>	
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.84</u>	
Total acid used in treatment (bbl): <u>12</u>	Number of staged intervals: <u>7</u>	
Recycled water used in treatment (bbl): <u>272</u>	Flowback volume recovered (bbl): <u>0</u>	
Fresh water used in treatment (bbl): <u>2800</u>	Disposition method for flowback: <u>RECYCLE</u>	
Total proppant used (lbs): <u>250638</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>	
Reason why green completion not utilized: _____		

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

\*\* Bridge Plug Depth: \_\_\_\_\_      \*\* Sacks cement on top: \_\_\_\_\_      \*\* Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_  
Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 04/25/2012  
Perforations Top: 7188 Bottom: 7913 No. Holes: 232 Hole size: 0.4  
Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

CODELL AND J-SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS  
FLOWBACK REPORTED ON THE NIOBRARA COMPLETION PANEL

This formation is commingled with another formation: ☐ Yes ☒ No  
Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_  
Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_  
Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_  
Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_  
Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_  
Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_  
Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐  
Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 05/11/2012 Hours: 24 Bbl oil: 120 Mcf Gas: 1338 Bbl H2O: 111  
Calculated 24 hour rate: Bbl oil: 120 Mcf Gas: 1338 Bbl H2O: 111 GOR: 11150  
Test Method: FLOWING Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: 16/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1200 API Gravity Oil: 40  
Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>04/11/2012</u>		End Date: <u>04/11/2012</u>		Date of First Production this formation: <u>04/25/2012</u>	
Perforations	Top: <u>7884</u>	Bottom: <u>7913</u>	No. Holes: <u>120</u>	Hole size: <u>0.4</u>	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

PUMPED 257817# OTTAWA SAND and 19075#SB Excel DOWNHOLE in 167700gals of  
 PermStim/GELLED/SLICK/RECYCLED/FRESH WATER  
 CODELL AND J-SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS  
 FLOWBACK REPORTED ON THE NIOBRARA COMPLETION PANEL

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>3993</u>	Max pressure during treatment (psi): <u>4398</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.74</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>10</u>
Recycled water used in treatment (bbl): <u>300</u>	Flowback volume recovered (bbl): <u>0</u>
Fresh water used in treatment (bbl): <u>3693</u>	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>276892</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 04/25/2012

Perforations Top: 7188 Bottom: 7429 No. Holes: 112 Hole size: 0.44

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

CODELL AND J-SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS  
FLOWBACK REPORTED ON THE NIOBRARA COMPLETION PANEL

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 04/11/2012 End Date: 04/11/2012 Date of First Production this formation: 04/25/2012

Perforations Top: 7188 Bottom: 7303 No. Holes: 48 Hole size: 0.69

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

PUMPED 260864# OTTAWA SAND DOWNHOLE in 167879gals of SilverStim/GELLED/SLICK/RECYCLED/FRESH WATER  
CODELL AND J-SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS  
FLOWBACK REPORTED ON THE NIOBRARA COMPLETION PANEL

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3997 Max pressure during treatment (psi): 5323

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.93

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: 7

Recycled water used in treatment (bbl): 282 Flowback volume recovered (bbl): 892

Fresh water used in treatment (bbl): 3715 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 260864 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

CODELL AND J-SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS  
FLOWBACK VOLUMES REPORTED ON NIOBRARA PANEL

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: JEAN MUSE-REYNOLDS

Title: REGULATORY COMPLIANCE Date: \_\_\_\_\_ Email: jmuse@nobleenergyinc.com

### Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

### General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)