

<b>FORM INSP</b> Rev 05/11	<b>State of Colorado</b> <b>Oil and Gas Conservation Commission</b> 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109		DE ET OE ES
-------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	-------------

Inspection Date: 03/20/2013

Document Number: 670400013

Overall Inspection: Satisfactory

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection <input type="checkbox"/>	2A Doc Num: _____
	<u>428189</u>	<u>428191</u>	<u>COLBY, CARL</u>		

**Operator Information:**

OGCC Operator Number: 77330 Name of Operator: SG INTERESTS I LTD

Address: 1485 FLORIDA RD #C202

City: DURANGO State: CO Zip: 81301

**Contact Information:**

Contact Name	Phone	Email	Comment
Sanford, Eric	(970) 252-0697	esanford@sgintrests.com	Operations & land Manager
Kellerby, Shaun		shaun.kellerby@state.co.us	
Starkebaum, Neal	(970)641-0360	NStarkebaum@gunnisoncountty.org	Assistant Director Gunnison County

**Compliance Summary:**

QtrQtr: Lot 6 Sec: 26 Twp: 11S Range: 90W

**Inspector Comment:**

7- 500bbl frac tanks on location 1-400bbl frac tank on location

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
428189	WELL	WO	10/22/2012		051-06106	HUGHES 11-90-26 2	<input checked="" type="checkbox"/>

**Equipment:** Location Inventory

Special Purpose Pits: _____	Drilling Pits: <u>2</u>	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: <u>2</u>	Water Tanks: <u>4</u>	Separators: <u>1</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: <u>1</u>	Fuel Tanks: _____

**Location**

**Signs/Marker:**

Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
WELLHEAD	Unsatisfactory	No well head sign	Install sign to comply with rule 210.b.	05/20/2013
BATTERY	Satisfactory	Sign at location entrance		
TANK LABELS/PLACARDS	Satisfactory			

Emergency Contact Number: (S/U/V) Satisfactory Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action:

<b>Spills:</b>				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

<b>Fencing/:</b>				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
LOCATION	Satisfactory	Wire fence around location		

<b>Equipment:</b>					
Type	#	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
Horizontal Heated Separator	1	Unsatisfactory	No berm or secondary containment	Instal containment	05/20/2013
Bird Protectors	3	Satisfactory			
	1	Satisfactory	Water transfer pump and water meter in building inside containment		

**Facilities:**  New Tank Tank ID: \_\_\_\_\_

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	400 BBLs	STEEL AST	39.067840,107.419530

S/U/V: Satisfactory Comment: \_\_\_\_\_  
 Corrective Action: \_\_\_\_\_ Corrective Date: \_\_\_\_\_

**Paint**  
 Condition Adequate  
 Other (Content) \_\_\_\_\_  
 Other (Capacity) \_\_\_\_\_  
 Other (Type) \_\_\_\_\_

<b>Berms</b>				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action \_\_\_\_\_ Corrective Date \_\_\_\_\_  
 Comment same containment as produced water tanks

<b>Facilities:</b>		<input type="checkbox"/> New Tank	Tank ID: _____		
Contents	#	Capacity	Type	SE GPS	
PRODUCED WATER	2	400 BBLS	HEATED STEEL AST	39.067840,107.419530	
S/U/V:	Satisfactory		Comment: _____		
Corrective Action:				Corrective Date:	
<b>Paint</b>					
Condition	Adequate				
Other (Content) _____					
Other (Capacity) _____					
Other (Type) _____					
<b>Berms</b>					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate	
Corrective Action				Corrective Date	
Comment					
<b>Venting:</b>					
Yes/No		Comment			
NO		_____			
<b>Flaring:</b>					
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date	

**Predrill**

Location ID: 428191

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date

<p>OGLA</p>	<p>kubeczko</p>	<p><b>SITE SPECIFIC COAs:</b></p> <p>Location is in a sensitive area because of proximity to wetlands and surface water; therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed temporary surface pipelines or buried pipelines.</p> <p>Location is in a sensitive area because of shallow groundwater; therefore either a lined drilling pit or closed loop system must be implemented.</p> <p>Location is in a sensitive area because of shallow groundwater; therefore any pits constructed to hold fluids (i.e., production pit, frac pit, reserve pit) must be lined.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.</p> <p>The drilling (reserve) pit must be fenced and netted. The operator must maintain the fencing and netting until the pit is closed in accordance with Rule 905. Closure of Pits, and Buried or Partially Buried Produced Water Vessels.</p> <p>The surface soils and materials are fine-grained and highly unconsolidated; therefore appropriate BMPs need to be in place during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff.</p> <p>Notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to start of fracing operations.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming (an increase in the height of the pad perimeter berm can address this requirement). The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface pipelines or configuration of the permanent pipeline network.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	<p>12/27/2011</p>
-------------	-----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

**Comment:** No drilling activity or open pit at this time, frac tanks are on location, they are not being used for flowback at this time

**CA:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Drilling/Completion Operations	Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The entire level pad will be surrounded by a berm to contain any potential release on the well pad. The berm is approximately 2 1/2 feet in height around the pad except at the entrance where it is approximately 1 1/2 feet in height to allow vehicles to drive over it. Tanks will be set on compacted earth in an area of the pad that has been constructed on cut soils.

**Comment:** No drilling activity or open pit at this time, frac tanks are on location, they are not being used for flowback at this time. there is a fence around location

**CA:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Stormwater:**

Erosion BMPs	Present	Other BMPs	Present
SILT FENCES	Yes		

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Comments: Erosion BMPs: \_\_\_\_\_

Other BMPs: \_\_\_\_\_

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 428189 Type: WELL API Number: 051-06106 Status: WO Insp. Status: WO

**Well Stimulation**

Stimulation Company: \_\_\_\_\_

Stimulation Type: \_\_\_\_\_

**Observation:**

Other: \_\_\_\_\_

Maximum Casing Recorded: \_\_\_\_\_ PSI

Tubing: \_\_\_\_\_

Surface: \_\_\_\_\_

Intermediate: \_\_\_\_\_

Production: \_\_\_\_\_

Instantaneous Shut-In Pressure (ISIP) \_\_\_\_\_

Bradenhead Psi: \_\_\_\_\_

Frac Flow Back: \_\_\_\_\_

Fluid: \_\_\_\_\_

Gas: \_\_\_\_\_

**Environmental**

**Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_

Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

Lat \_\_\_\_\_ Long \_\_\_\_\_

DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: \_\_\_\_\_

1003a. Debris removed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Waste Material Onsite? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Unused or unneeded equipment onsite? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_  
 1003c. Compacted areas have been cross ripped? \_\_\_\_\_  
 1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_  
 Cuttings management: \_\_\_\_\_  
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_  
 Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Silt Fences	Pass	Check Dams	Pass			
Berms	Pass	Culverts	Pass			
		Rip Rap	Pass			
		Sediment Traps	Pass			
		Waddles	Fail			One waddle on culvert is needing maintenance

Inspector Name: COLBY, CARL

S/U/V: Satisfactory Corrective Date: \_\_\_\_\_

Comment: One waddle at culvert outfall at the top of the hill is needing maintenance

CA: \_\_\_\_\_