

FORM  
5A

Rev  
06/12

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400301642

Date Received:

07/02/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322  
2. Name of Operator: NOBLE ENERGY INC  
3. Address: 1625 BROADWAY STE 2200  
City: DENVER State: CO Zip: 80202  
4. Contact Name: Andrea Rawson  
Phone: (303) 228-4253  
Fax: (303) 228-4286

5. API Number 05-123-21406-00  
6. County: WELD  
7. Well Name: STROH O  
Well Number: 2-8  
8. Location: QtrQtr: SENE Section: 2 Township: 4N Range: 67W Meridian: 6  
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 01/10/2012 End Date: 01/10/2012 Date of First Production this formation: 08/07/2003

Perforations Top: 7299 Bottom: 7314 No. Holes: 60 Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☐

Tri-Frac'd codell w/ 140919 gals of Slick Water and Vistar with 233397#s of Ottawa sand.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 140919 Max pressure during treatment (psi): 6275

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft): 0.86

Total acid used in treatment (bbl): Number of staged intervals: 6

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 233397 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 03/02/2012 Hours: 24 Bbl oil: 4 Mcf Gas: 100 Bbl H2O: 2

Calculated 24 hour rate: Bbl oil: 4 Mcf Gas: 100 Bbl H2O: 2 GOR: 25000

Test Method: Flowing Casing PSI: 480 Tubing PSI: 460 Choke Size: 32/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1283 API Gravity Oil: 63

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7285 Tbg setting date: 01/13/2012 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Andrea Rawson

Title: Regulatory Specialist Date: 7/2/2012 Email arawson@nobleenergyinc.com  
:

### Attachment Check List

Att Doc Num	Name
400301642	FORM 5A SUBMITTED
400301643	WELLBORE DIAGRAM

Total Attach: 2 Files

### General Comments

User Group      Comment      Comment Date

--	--	--

Total: 0 comment(s)