





			cent.-Probe (cent) probe cent.	2.88	2.75	25.00
			cent.-Probe (cent) probe cent.	2.88	2.75	25.00
WVF3	15.35		CBL-Probe (110215) 2.75 digital probe	8.75	2.75	106.50
WVF5	14.35					
			cent.-Probe (cent) probe cent.	2.88	2.75	25.00
CCL	7.00		CCL-Probe (081119)	2.02	2.75	
GR	3.67		GR-Probe275dig (110249) Probe Digital Gamma-Ray	3.33	2.75	57.00
			cent.-Probe (cent) probe cent.	2.88	2.75	25.00
Dataset: 05123115050000_shaklee_gas_unit_true_1_cbl.db: field/well/run1/pass7 Total Length: 26.60 ft Total Weight: 264.50 lb O.D.: 2.75 in						

Database File:	05123115050000_shaklee_gas_unit_true_1_cbl.db
Dataset Pathname:	pass7
Presentation Format:	cbl_dr
Dataset Creation:	Thu May 09 12:46:33 2013 by Log SCH 120430

9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	150	0 (lb)1000	0	Amplitude (mV)	100			









450


500

550

600










900

950

1000

1050








1100


1150

1200

1250









1550

1600

1650

1700







1750


1800

1850

1900

1950








2000


2050


2100

2150












2650

2700

2750

2800







2850


2900

2950

3000

3050








3100


3150


3200

3250












3750 3800 3850 3900







3950


4000


4050

4100

4150










4400


4450

4500

4550










4850

4900

4950

5000







5050


5100

5150

5200

5250








5300


5350

5400

5450









5700


5750

5800

5850

5900








5950


6000

6050

6100









6400

6450

6500

6550








6600

6650

6700

6750







6800


6850

6900

6950

7000








7050

7100

7150

7200





7250

7300

7350

7400

7450

