



			SDSCENT Centralizer for testing	3.00	3.25	20.00
WVF3	10.92					
WVF5	9.92		CBL-Probe (050215) 2.75 digital probe	8.75	2.75	106.50
			SDSCENT Centralizer for testing	3.00	3.25	20.00
GR	1.13		GR-probe 2.75 (51013)	3.67	2.75	100.00
Dataset: booth 31-23.db: field/well/run1/pass3 Total Length: 20.33 ft Total Weight: 246.50 lb O.D. 3.25 in						

9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0 (lb)2000	0	Amplitude (mV)	100			







250

300

350

400






450


500

550

600

650








700

750

800

850







900


950

1000

1050

1100








1150

1200

1250

1300








1350

1400

1450

1500







1550


1600

1650

1700

1750








1800

1850

1900

1950







2000


2050

2100

2150

2200








2250

2300

2350

2400








2450

2500

2550

2600







2650


2700


2750

2800

2850









3100


3150

3200

3250

3300








3350


3400

3450

3500









3750


3800

3850

3900

3950








4000

4050

4100

4150







4200


4250

4300

4350

4400








4450

4500

4550

4600








4650

4700

4750


4800






Database File: 000th 31-23.db
Dataset Pathname: pass2
Presentation Format: cbl_dr
Dataset Creation: Wed Dec 05 18:52:18 2012 by Log SCH 120126
Charted by: Depth in Feet scaled 1:240

9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0 (lb)2000	0	Amplitude (mV)	100			







5200


5250

5300

5350

5400








5450

5500

5550

5600








5650

5700

5750

5800







5850


5900

5950

6000

6050








6100

6150

6200

6250







6300


6350

6400

6450

6500








6550


6600

6650

6700









6950


7000

7050

7100

7150










7200

7250

7300

7350





← Marker Joint


7400




7450


7500

7550

7600









2350


2400

2450

2500

2550








2600

2650

2700

2750







2800


2850

2900

2950

3000








3050

3100

3150

3200








3250

3300

3350

3400







3450


3500

3550

3600

3650








3700

3750

3800

3850







3900


3950

4000

4050

4100








4150

4200

4250

4300








4350

4400

4450

4500







4550


4600

4650

4700

4750








4800

4850

4900

4950








Pioneer Energy Services

Logged under 6000 PSI

Database File: booth 31-23.db
 Dataset Pathname: pass5
 Presentation Format: cbl_dr
 Dataset Creation: Wed Dec 12 12:37:53 2012 by Log SCH 120126
 Charted by: Depth in Feet scaled 1:240







5100


5150

5200

5250

5300








5350

5400

5450

5500







5550


5600

5650

5700

5750








5800

5850

5900

5950








6000

6050

6100

6150







6200


6250

6300

6350

6400








6450

6500

6550

6600







6650


6700

6750

6800

6850







6900

6950

7000

7050








7100

7150

7200

7250







7300


7350

7400

7450

7500





7550

7600

7650

7700

