


TEKTON WINDSOR, LLC

Location	Windsor, CO, USA	Slot	Slot #12
Field	Windsor Project	Well	FRYE FARMS 12 #1-3-33-090-4-NH
Installation	Frye Farms	Wellbore	FRYE FARMS 12 #1-3-33-090-4-NH (PWB)





SYSDRILL
Well Design Combined Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Wellhead Details

Name	Northing	Easting	Latitude	Longitude	North	East
Slot #12	1403505.5562	3163998.4557	N40 26 22.3042	W104 54 38.9182	131.52N	116.84W

Site Details

Name	Northing	Easting	Coord System Name	North Alignment
Frye Farms	1403374.0431	3164115.2936	CO83-NF on NORTH AMERICAN DATUM 1983 datum	Grid

Summary Wellpath

MD[ft]	Inc[deg]	Azi[deg]	TVD[ft]	North[ft]	East[ft]	Dogleg [deg/100ft]	Vertical Section[ft]	Northing	Easting
13.00	0.00	0.000	13.00	0.00N	0.00E		0.00	1403505.56	3163998.46
1013.00	0.00	0.000	1013.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
2072.35	21.19	22.920	2048.37	178.36N	75.41E	2.00	130.68	1403683.90	3164073.86
6873.68	21.19	22.920	6525.16	1776.63N	751.18E	==>	1301.76	1405282.11	3164749.61
7691.77	90.00	89.700	6988.00	1944.43N	1317.44E	10.00	1891.53	1405449.91	3165315.84
11919.34	90.00	89.700	6988.00	1966.25N	5544.94E	==>	5883.24	1405471.73	3169543.18

Interpolated Wellpath

MD[ft]	Inc[deg]	Azi[deg]	TVD[ft]	North[ft]	East[ft]	Dogleg [deg/100ft]	Vertical Section[ft]	Northing	Easting
0.00	0.00	0.000	0.00	0.00N	0.00E		0.00	1403505.56	3163998.46
13.00	0.00	0.000	13.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
100.00	0.00	0.000	100.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
200.00	0.00	0.000	200.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
300.00	0.00	0.000	300.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
400.00	0.00	0.000	400.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
500.00	0.00	0.000	500.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
600.00	0.00	0.000	600.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
700.00	0.00	0.000	700.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
800.00	0.00	0.000	800.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
900.00	0.00	0.000	900.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
1000.00	0.00	0.000	1000.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
1013.00	0.00	0.000	1013.00	0.00N	0.00E	==>	0.00	1403505.56	3163998.46
1100.00	1.74	22.920	1099.99	1.22N	0.51E	2.00	0.89	1403506.77	3163998.97
1200.00	3.74	22.920	1199.87	5.62N	2.38E	2.00	4.12	1403511.18	3164000.83
1300.00	5.74	22.920	1299.52	13.23N	5.59E	2.00	9.69	1403518.79	3164004.05
1400.00	7.74	22.920	1398.82	24.04N	10.16E	2.00	17.61	1403529.59	3164008.62
1500.00	9.74	22.920	1497.66	38.03N	16.08E	2.00	27.87	1403543.59	3164014.54
1600.00	11.74	22.920	1595.90	55.20N	23.34E	2.00	40.44	1403560.75	3164021.79
1700.00	13.74	22.920	1693.43	75.51N	31.93E	2.00	55.33	1403581.06	3164030.38
1800.00	15.74	22.920	1790.14	98.94N	41.83E	2.00	72.50	1403604.49	3164040.29
1900.00	17.74	22.920	1885.90	125.47N	53.05E	2.00	91.93	1403631.02	3164051.50
2000.00	19.74	22.920	1980.59	155.06N	65.56E	2.00	113.61	1403660.61	3164064.01
2072.35	21.19	22.920	2048.37	178.36N	75.41E	2.00	130.68	1403683.90	3164073.86
2100.00	21.19	22.920	2074.15	187.56N	79.30E	==>	137.43	1403693.11	3164077.76
2200.00	21.19	22.920	2167.39	220.85N	93.38E	==>	161.82	1403726.40	3164091.83
2300.00	21.19	22.920	2260.63	254.14N	107.45E	==>	186.21	1403759.68	3164105.90
2400.00	21.19	22.920	2353.87	287.42N	121.53E	==>	210.60	1403792.97	3164119.98
2500.00	21.19	22.920	2447.12	320.71N	135.60E	==>	234.99	1403826.26	3164134.05
2600.00	21.19	22.920	2540.36	354.00N	149.68E	==>	259.38	1403859.54	3164148.13
2700.00	21.19	22.920	2633.60	387.29N	163.75E	==>	283.77	1403892.83	3164162.20
2800.00	21.19	22.920	2726.84	420.58N	177.83E	==>	308.16	1403926.12	3164176.27
2900.00	21.19	22.920	2820.08	453.86N	191.90E	==>	332.55	1403959.40	3164190.35
3000.00	21.19	22.920	2913.32	487.15N	205.97E	==>	356.94	1403992.69	3164204.42
3100.00	21.19	22.920	3006.56	520.44N	220.05E	==>	381.33	1404025.98	3164218.50
3200.00	21.19	22.920	3099.80	553.73N	234.12E	==>	405.72	1404059.26	3164232.57
3300.00	21.19	22.920	3193.04	587.02N	248.20E	==>	430.11	1404092.55	3164246.64
3400.00	21.19	22.920	3286.28	620.31N	262.27E	==>	454.51	1404125.84	3164260.72
3500.00	21.19	22.920	3379.52	653.59N	276.35E	==>	478.90	1404159.12	3164274.79
3600.00	21.19	22.920	3472.76	686.88N	290.42E	==>	503.29	1404192.41	3164288.87
3700.00	21.19	22.920	3566.00	720.17N	304.50E	==>	527.68	1404225.70	3164302.94
3800.00	21.19	22.920	3659.24	753.46N	318.57E	==>	552.07	1404258.98	3164317.01
3900.00	21.19	22.920	3752.48	786.75N	332.65E	==>	576.46	1404292.27	3164331.09
4000.00	21.19	22.920	3845.72	820.03N	346.72E	==>	600.85	1404325.56	3164345.16
4100.00	21.19	22.920	3938.96	853.32N	360.80E	==>	625.24	1404358.84	3164359.24
4200.00	21.19	22.920	4032.21	886.61N	374.87E	==>	649.63	1404392.13	3164373.31
4300.00	21.19	22.920	4125.45	919.90N	388.94E	==>	674.02	1404425.42	3164387.39
4400.00	21.19	22.920	4218.69	953.19N	403.02E	==>	698.41	1404458.70	3164401.46
4500.00	21.19	22.920	4311.93	986.47N	417.09E	==>	722.80	1404491.99	3164415.53
4600.00	21.19	22.920	4405.17	1019.76N	431.17E	==>	747.19	1404525.28	3164429.61
4700.00	21.19	22.920	4498.41	1053.05N	445.24E	==>	771.58	1404558.56	3164443.68
4800.00	21.19	22.920	4591.65	1086.34N	459.32E	==>	795.97	1404591.85	3164457.76
4900.00	21.19	22.920	4684.89	1119.63N	473.39E	==>	820.36	1404625.14	3164471.83

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Bottom hole distance is 5883.24 Feet on azimuth 70.48 degrees from Wellhead
Calculation method uses Minimum Curvature method
Prepared by Peterson Energy
Date Printed: 28-Nov-2012



SYSDRILL
Well Design Combined Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Interpolated Wellpath

MD[ft]	Inc[deg]	Azi[deg]	TVD[ft]	North[ft]	East[ft]	Dogleg [deg/100ft]	Vertical Section[ft]	Northing	Easting
5000.00	21.19	22.920	4778.13	1152.91N	487.47E	==>	844.75	1404658.42	3164485.90
5100.00	21.19	22.920	4871.37	1186.20N	501.54E	==>	869.15	1404691.71	3164499.98
5200.00	21.19	22.920	4964.61	1219.49N	515.62E	==>	893.54	1404725.00	3164514.05
5300.00	21.19	22.920	5057.85	1252.78N	529.69E	==>	917.93	1404758.29	3164528.13
5400.00	21.19	22.920	5151.09	1286.07N	543.77E	==>	942.32	1404791.57	3164542.20
5500.00	21.19	22.920	5244.33	1319.35N	557.84E	==>	966.71	1404824.86	3164556.27
5600.00	21.19	22.920	5337.57	1352.64N	571.92E	==>	991.10	1404858.15	3164570.35
5700.00	21.19	22.920	5430.81	1385.93N	585.99E	==>	1015.49	1404891.43	3164584.42
5800.00	21.19	22.920	5524.05	1419.22N	600.06E	==>	1039.88	1404924.72	3164598.50
5900.00	21.19	22.920	5617.30	1452.51N	614.14E	==>	1064.27	1404958.01	3164612.57
6000.00	21.19	22.920	5710.54	1485.80N	628.21E	==>	1088.66	1404991.29	3164626.64
6100.00	21.19	22.920	5803.78	1519.08N	642.29E	==>	1113.05	1405024.58	3164640.72
6200.00	21.19	22.920	5897.02	1552.37N	656.36E	==>	1137.44	1405057.87	3164654.79
6300.00	21.19	22.920	5990.26	1585.66N	670.44E	==>	1161.83	1405091.15	3164668.87
6400.00	21.19	22.920	6083.50	1618.95N	684.51E	==>	1186.22	1405124.44	3164682.94
6500.00	21.19	22.920	6176.74	1652.24N	698.59E	==>	1210.61	1405157.73	3164697.01
6600.00	21.19	22.920	6269.98	1685.52N	712.66E	==>	1235.00	1405191.01	3164711.09
6700.00	21.19	22.920	6363.22	1718.81N	726.74E	==>	1259.39	1405224.30	3164725.16
6800.00	21.19	22.920	6456.46	1752.10N	740.81E	==>	1283.79	1405257.59	3164739.24
6873.68	21.19	22.920	6525.16	1776.63N	751.18E	==>	1301.76	1405282.11	3164749.61
6900.00	22.29	29.370	6549.61	1785.36N	755.48E	10.00	1308.73	1405290.84	3164753.91
7000.00	28.30	48.280	6640.13	1817.74N	782.55E	10.00	1345.06	1405323.23	3164780.97
7100.00	36.01	60.350	6724.82	1848.14N	825.89E	10.00	1396.07	1405353.62	3164824.32
7200.00	44.53	68.480	6801.10	1875.61N	884.21E	10.00	1460.22	1405381.09	3164882.63
7300.00	53.48	74.410	6866.66	1899.34N	955.71E	10.00	1535.54	1405404.82	3164954.13
7400.00	62.66	79.090	6919.52	1918.59N	1038.24E	10.00	1619.76	1405424.07	3165036.65
7500.00	71.97	83.050	6958.05	1932.79N	1129.28E	10.00	1710.31	1405438.27	3165127.69
7600.00	81.36	86.600	6981.09	1941.50N	1226.07E	10.00	1804.44	1405446.97	3165224.48
7691.77	90.00	89.700	6988.00	1944.43N	1317.44E	10.00	1891.53	1405449.91	3165315.84
7700.00	90.00	89.700	6988.00	1944.47N	1325.66E	==>	1899.30	1405449.95	3165324.07
7800.00	90.00	89.700	6988.00	1944.99N	1425.66E	==>	1993.72	1405450.47	3165424.06
7900.00	90.00	89.700	6988.00	1945.50N	1525.66E	==>	2088.14	1405450.98	3165524.05
8000.00	90.00	89.700	6988.00	1946.02N	1625.66E	==>	2182.56	1405451.50	3165624.05
8100.00	90.00	89.700	6988.00	1946.54N	1725.66E	==>	2276.98	1405452.01	3165724.04
8200.00	90.00	89.700	6988.00	1947.05N	1825.66E	==>	2371.40	1405452.53	3165824.04
8300.00	90.00	89.700	6988.00	1947.57N	1925.65E	==>	2465.83	1405453.05	3165924.03
8400.00	90.00	89.700	6988.00	1948.08N	2025.65E	==>	2560.25	1405453.56	3166024.03
8500.00	90.00	89.700	6988.00	1948.60N	2125.65E	==>	2654.67	1405454.08	3166124.02
8600.00	90.00	89.700	6988.00	1949.12N	2225.65E	==>	2749.09	1405454.60	3166224.02
8700.00	90.00	89.700	6988.00	1949.63N	2325.65E	==>	2843.51	1405455.11	3166324.01
8800.00	90.00	89.700	6988.00	1950.15N	2425.65E	==>	2937.93	1405455.63	3166424.01
8900.00	90.00	89.700	6988.00	1950.66N	2525.65E	==>	3032.35	1405456.14	3166524.00
9000.00	90.00	89.700	6988.00	1951.18N	2625.65E	==>	3126.77	1405456.66	3166624.00
9100.00	90.00	89.700	6988.00	1951.70N	2725.64E	==>	3221.19	1405457.18	3166723.99
9200.00	90.00	89.700	6988.00	1952.21N	2825.64E	==>	3315.62	1405457.69	3166823.99
9300.00	90.00	89.700	6988.00	1952.73N	2925.64E	==>	3410.04	1405458.21	3166923.98
9400.00	90.00	89.700	6988.00	1953.25N	3025.64E	==>	3504.46	1405458.72	3167023.98
9500.00	90.00	89.700	6988.00	1953.76N	3125.64E	==>	3598.88	1405459.24	3167123.97
9600.00	90.00	89.700	6988.00	1954.28N	3225.64E	==>	3693.30	1405459.76	3167223.96
9700.00	90.00	89.700	6988.00	1954.79N	3325.64E	==>	3787.72	1405460.27	3167323.96
9800.00	90.00	89.700	6988.00	1955.31N	3425.63E	==>	3882.14	1405460.79	3167423.95
9900.00	90.00	89.700	6988.00	1955.83N	3525.63E	==>	3976.56	1405461.31	3167523.95
10000.00	90.00	89.700	6988.00	1956.34N	3625.63E	==>	4070.98	1405461.82	3167623.94
10100.00	90.00	89.700	6988.00	1956.86N	3725.63E	==>	4165.40	1405462.34	3167723.94
10200.00	90.00	89.700	6988.00	1957.38N	3825.63E	==>	4259.83	1405462.85	3167823.93
10300.00	90.00	89.700	6988.00	1957.89N	3925.63E	==>	4354.25	1405463.37	3167923.93
10400.00	90.00	89.700	6988.00	1958.41N	4025.63E	==>	4448.67	1405463.89	3168023.92
10500.00	90.00	89.700	6988.00	1958.92N	4125.63E	==>	4543.09	1405464.40	3168123.92
10600.00	90.00	89.700	6988.00	1959.44N	4225.62E	==>	4637.51	1405464.92	3168223.91
10700.00	90.00	89.700	6988.00	1959.96N	4325.62E	==>	4731.93	1405465.43	3168323.91
10800.00	90.00	89.700	6988.00	1960.47N	4425.62E	==>	4826.35	1405465.95	3168423.90
10900.00	90.00	89.700	6988.00	1960.99N	4525.62E	==>	4920.77	1405466.47	3168523.90
11000.00	90.00	89.700	6988.00	1961.50N	4625.62E	==>	5015.19	1405466.98	3168623.89
11100.00	90.00	89.700	6988.00	1962.02N	4725.62E	==>	5109.62	1405467.50	3168723.89
11200.00	90.00	89.700	6988.00	1962.54N	4825.62E	==>	5204.04	1405468.01	3168823.88
11300.00	90.00	89.700	6988.00	1963.05N	4925.61E	==>	5298.46	1405468.53	3168923.87
11400.00	90.00	89.700	6988.00	1963.57N	5025.61E	==>	5392.88	1405469.05	3169023.87
11500.00	90.00	89.700	6988.00	1964.09N	5125.61E	==>	5487.30	1405469.56	3169123.86
11600.00	90.00	89.700	6988.00	1964.60N	5225.61E	==>	5581.72	1405470.08	3169223.86
11700.00	90.00	89.700	6988.00	1965.12N	5325.61E	==>	5676.14	1405470.60	3169323.85
11800.00	90.00	89.700	6988.00	1965.63N	5425.61E	==>	5770.56	1405471.11	3169423.85
11900.00	90.00	89.700	6988.00	1966.15N	5525.61E	==>	5864.98	1405471.63	3169523.84
11919.34	90.00	89.700	6988.00	1966.25N	5544.94E	==>	5883.24	1405471.73	3169543.18

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Bottom hole distance is 5883.24 Feet on azimuth 70.48 degrees from Wellhead
Calculation method uses Minimum Curvature method
Prepared by Peterson Energy
Date Printed: 28-Nov-2012



SYSDRILL
Well Design Combined Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Targets

Name	North[ft]	East[ft]	TVD[ft]	Latitude	Longitude	Northing	Easting	Last Revised
FF 12 - T1	1944.43N	1317.44E	6988.00	N40 26 41.4309	W104 54 21.7119	1405449.91	3165315.84	19-Oct-2012
FF 12 - T2	1966.25N	5544.94E	6988.00	N40 26 41.3631	W104 53 27.0328	1405471.73	3169543.18	19-Oct-2012

Survey Tool Program

Reference	Survey Name	MD[ft]	TVD[ft]	Survey Tool	Error Model
11976	Planned	11919.34	6988.00	WdW Rate Gyro	Standard

Notes

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Bottom hole distance is 5883.24 Feet on azimuth 70.48 degrees from Wellhead
Calculation method uses Minimum Curvature method
Prepared by Peterson Energy
Date Printed: 28-Nov-2012



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Ellipse separations are reported ONLY if BOTH wells have uncertainty data
Only Depth and Magnetic Reference Field error terms are correlated across tie points
Cutoff is calculated on CENTRE to CENTRE distance

Summary data uses Closest Approach clearance calculation for all minima
Hole size/Casings ARE included
Hole size/Casings are NOT subtracted from Centre-Centre distance
Confidence limit of 95.00% / 2.80 SD.

Wellbore

Name	Created	Last Revised
FRYE FARMS 12 #1-3-33-090-4-NH (PWB)	15-Nov-2012	15-Nov-2012

Well

Name	Government ID	Last Revised
FRYE FARMS 12 #1-3-33-090-4-NH		15-Nov-2012

Slot

Name	Grid Northing	Grid Easting	Latitude	Longitude	North	East
Slot #12	1403505.5562	3163998.4557	N40 26 22.3042	W104 54 38.9182	131.52N	116.84W

Installation

Name	Easting	Northing	Coord System Name	North Alignment
Frye Farms	3164115.2936	1403374.0431	CO83-NF on NORTH AMERICAN DATUM 1983 datum	Grid

Field

Name	Easting	Northing	Coord System Name	North Alignment
Windsor Project	3162710.0707	1407271.6545	CO83-NF on NORTH AMERICAN DATUM 1983 datum	Grid

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
FRYE FARMS 11 #1-4-33-090-4-NH	FRYE FARMS 11 #1-4-33-090-4-NH (PWB)	Slot #11	Frye Farms	15.91	1030.06	7713.00	14.24	1095.68	3.31	11919.34
FRYE FARMS 13 #1-5-5-32-090-6-CH	FRYE FARMS 13 #1-5-5-32-090-6-CH (PWB)	Slot #13	Frye Farms	15.93	1013.66	11919.34	14.32	1013.66	9.49	1079.27
FRYE FARMS 10 #1-4-33-090-4-NH	FRYE FARMS 10 #1-4-33-090-4-NH (PWB)	Slot #10	Frye Farms	32.01	1030.06	11919.34	30.38	1030.06	7.14	11919.34
FRYE FARMS 9 #1-5-33-090-4-NH	FRYE FARMS 9 #1-5-33-090-4-NH (PWB)	Slot #9	Frye Farms	47.94	1013.66	11919.34	46.32	1030.06	10.47	11919.34
FRYE FARMS 8 #1-5-33-090-4-NH	FRYE FARMS 8 #1-5-33-090-4-NH (PWB)	Slot #8	Frye Farms	63.87	1013.66	11919.34	62.26	1013.66	13.80	11919.34
FRYE FARM 7-5-32	FRYE FARM 7-5-32 (AWB)	FRYE FARMS #7-5-32 Slot #7	Frye Farms	74.35	1019.02	1019.02	70.90	1030.06	19.85	1128.49
FRYE FARMS 7 #1-6-33-090-4-NH	FRYE FARMS 7 #1-6-33-090-4-NH (PWB)	Slot #7	Center Point	88.58	7378.49	7378.49	60.93	7394.89	2.78	7427.70
FRYE FARMS 6 #1-6-33-090-4-NH	FRYE FARMS 6 #1-6-33-090-4-NH (PWB)	Slot #6	Frye Farms	95.94	1013.66	11919.34	94.33	1013.66	20.49	11919.34
FRYE FARMS 5 #7-9-32-270-3	FRYE FARMS 5 #7-9-32-270-3-NH (PWB)	Slot #5	Frye Farms	111.93	1013.66	1013.66	110.32	1013.66	62.25	1259.72
FRYE	FRYE	FRYE	Frye Farms	138.53	516.28	516.28	137.39	537.93	49.96	1177.70

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Prepared by Peterson Energy
Date Printed: 27-Nov-2012



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
FARMS #9-5-32	FARMS #9-5-32 (AWB)	FARMS #9-5-32								
FRYE FARMS #9-7-32	FRYE FARMS #9-7-32 (AWB)	FRYE FARMS #9-7-32	Frye Farms	157.92	244.30	244.30	157.28	244.30	96.98	1213.00
FRYE FARMS 1 #7-8-32-27	FRYE FARMS 1 #7-8-32-270-4	Slot #1	Frye Farms	175.93	1013.66	7772.75	174.31	1013.66	93.31	8444.76
0-4-NH PAVISTMA 10	-NH (PWB) PAVISTMA 10	Slot #10	Pavistma	227.04	11919.34	11919.34	126.39	11919.34	2.26	11919.34
#1-3-32-09 0-8-CH RANCHO WATER VALLEY 9	#1-3-32-090-8 -CH (PWB) RANCHO WATER VALLEY 9	Slot #9	Rancho Water Valley	229.28	11919.34	11919.34	122.73	11919.34	2.15	11919.34
#8-7-33-00 0-4-CH CENTER POINT 5	#8-7-33-000-4 -CH (PWB) CENTER POINT 5	Slot #5	Center Point	259.91	7207.86	7207.86	226.61	7230.85	7.10	7296.46
#8-1-32-18 0-4-NH HILLSIDE 17	#8-1-32-180-4 -NH (PWB) HILLSIDE 17	Slot #17	Hillside	335.12	11919.34	11919.34	226.29	11919.34	3.08	11919.34
#3-1-33-09 0-4-NH RANCHO WATER VALLEY 8	#3-1-33-090-4 -NH (PWB) RANCHO WATER VALLEY 8	Slot #8	Rancho Water Valley	355.82	11919.34	11919.34	308.15	11919.34	7.46	11919.34
#8-7-33-00 0-4-NH PAVISTMA 7	#8-7-33-000-4 -NH (PWB) PAVISTMA 7	Slot #7	Pavistma	489.22	7480.90	7480.90	382.61	11919.34	3.94	11919.34
#1-4-32-09 0-8-CH PAVISTMA 9	#1-4-32-090-8 -CH (PWB) PAVISTMA 9	Slot #9	Pavistma	510.24	7113.00	7113.00	476.42	7113.00	15.09	7113.00
#1-3-32-09 0-4-NH PAVISTMA 8	#1-3-32-090-4 -NH (PWB) PAVISTMA 8	Slot #8	Pavistma	541.01	7051.36	7051.36	513.89	7051.36	19.63	7113.00
#1-3-32-09 0-4-NH PAVISTMA 11	#1-3-32-090-4 -NH (PWB) PAVISTMA 11	Slot #11	Pavistma	660.41	7162.75	7162.75	610.48	7165.23	13.20	7181.64
#1-3-32-09 0-4-NH HILLSIDE 18	#1-3-32-090-4 -NH (PWB) HILLSIDE 18	Slot #18	Hillside	660.67	11919.34	11919.34	550.92	11919.34	6.02	11919.34
#2-1-33-09 0-4-NH PAVISTMA 6	#2-1-33-090-4 -NH (PWB) PAVISTMA 6	Slot #6	Pavistma	774.23	6984.78	6984.78	735.80	6984.78	19.92	7050.40
#1-4-32-09 0-4-NH HILLSIDE 15	#1-4-32-090-4 -NH (PWB) HILLSIDE 15	Slot #15	Hillside	856.24	11919.34	11919.34	749.75	11919.34	8.04	11919.34
#2-1-33-09 0-4-CH PAVISTMA 12	#2-1-33-090-4 -CH (PWB) PAVISTMA 12	Slot #12	Pavistma	906.03	7199.49	7199.49	850.40	7213.00	16.16	7263.66
#1-2-32-09 0-4-NH HILLSIDE 14	#1-2-32-090-4 -NH (PWB) HILLSIDE 14	Slot #14	Hillside	991.40	11919.34	11919.34	881.35	11919.34	9.01	11919.34
#2-1-33-09 0-4-NH RAINDANCE CE 6	#2-1-33-090-4 -NH (PWB) RAINDANCE CE 6	Slot #6	Raindance	1083.36	7280.06	7280.06	930.84	7263.66	7.03	7198.04
#1-2-32-09 0-4-CH RAINDANCE CE 5	#1-2-32-090-4 -CH (PWB) RAINDANCE CE 5	Slot #5	Raindance	1167.63	7236.22	7236.22	996.41	7214.44	6.76	7148.83
#1-2-32-09	#1-2-32-090-4									

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Prepared by Peterson Energy
Date Printed: 27-Nov-2012



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
0-4-NH CENTER POINT 2 #1-1-33-09	-NH (PWB) CENTER POINT 2 #1-1-33-090-4	Slot #2	Center Point	1324.45	11919.34	11919.34	1242.65	11919.34	16.19	11919.34
0-4-NH PAVISTMA 5 #1-5-32-09	-NH (PWB) PAVISTMA 5 #1-5-32-090-4	Slot #5	Pavistma	1454.65	6773.42	6773.42	1407.03	6787.93	29.84	7001.19
0-4-NH RAINDAN CE 4 #1-1-32-09	-NH (PWB) RAINDANCE 4 #1-1-32-090-4	Slot #4	Raindance	1463.85	7265.07	7265.07	1281.66	7247.25	8.00	7181.64
0-4-NH CENTER POINT 1 #1-1-33-09	-NH (PWB) CENTER POINT 1 #1-1-33-090-4	Slot #1	Center Point	1508.31	11919.34	11919.34	1427.13	11919.34	18.58	11919.34
0-4-CH RAINDAN CE 3 #1-1-32-09	-CH (PWB) RAINDANCE 3 #1-1-32-090-4	Slot #3	Raindance	1648.77	7329.27	7329.27	1466.94	7313.00	9.04	7263.66
0-4-CH CENTER POINT 3 #1-1-33-09	-CH (PWB) CENTER POINT 3 #1-1-33-090-4	Slot #3	Center Point	1653.43	11919.34	11919.34	1571.62	11919.34	20.21	11919.34
0-4-NH RAINDAN CE 2 #1-1-32-09	-NH (PWB) RAINDANCE 2 #1-1-32-090-4	Slot #2	Raindance	1769.53	7296.46	7296.46	1580.95	7280.06	9.36	7230.85
0-4-NH RANCHO WATER VALLEY 13 #7-6-33-27	-NH RANCHO WATER VALLEY 13 #7-6-33-270-6	Slot #13	Rancho Water Valley	1795.14	6764.55	11919.34	1739.00	6787.93	31.39	7034.00
0-6-CH CENTER POINT 4 #1-0-33-09	-CH (PWB) CENTER POINT 4 #1-0-33-090-4	Slot #4	Center Point	1892.89	11919.34	11919.34	1810.90	11919.34	23.09	11919.34
0-4-NH PAVISTMA 4 #1-6-32-09	-NH (PWB) PAVISTMA 4 #1-6-32-090-4	Slot #4	Pavistma	1916.34	6601.40	6601.40	1867.94	6623.89	38.00	7034.00
0-4-NH HILLSIDE 11 #0-7-28-00	-NH (PWB) HILLSIDE 11 #0-7-28-000-4	Slot #11	Hillside	2007.05	7354.12	7354.12	1942.43	7362.08	30.16	7739.38
0-4-CH RAINDAN CE 9 #1-0-32-09	-CH (PWB) RAINDANCE 9 #1-0-32-090-4	Slot #9	Raindance	2030.20	7313.63	7313.63	1972.06	7329.27	34.74	7427.70
0-4-NH CENTER POINT 6 #1-0-33-09	-NH (PWB) CENTER POINT 6 #1-0-33-090-4	Slot #6	Center Point	2073.80	11919.34	11919.34	1992.57	11919.34	25.53	11919.34
0-4-CH HILLSIDE 10 #8-7-29-00	-CH (PWB) HILLSIDE 10 #8-7-29-000-4	Slot #10	Hillside	2136.37	7296.46	7296.46	2074.99	7296.46	33.67	7657.36
0-4-NH CENTER POINT 8 #1-0-33-09	-NH (PWB) CENTER POINT 8 #1-0-33-090-4	Slot #8	Center Point	2147.44	11919.34	11919.34	2065.43	11919.34	26.19	11919.34
0-4-NH HILLSIDE 9 #7-7-29-00	-NH (PWB) HILLSIDE 9 #7-7-29-000-4	Slot #9	Hillside	2155.93	7165.23	7165.23	2103.26	7181.64	39.86	7493.31
0-4-NH RAINDAN CE 8 #1-0-32-09	-NH (PWB) RAINDANCE 8 #1-0-32-0909-4	Slot #8	Raindance	2206.71	7362.08	7362.08	2148.34	7362.08	37.48	7509.72
0-4-CH RAINDAN CE 7 #1-0-32-09	-CH (PWB) RAINDANCE 7 #1-0-32-0909-4	Slot #7	Raindance	2241.56	7329.27	7329.27	2183.00	7345.68	37.92	7493.31
0-4-NH HILLSIDE 7 #7-7-29-000-4	-NH (PWB) HILLSIDE 7 #7-7-29-000-4	Slot #7	Hillside	2242.11	7182.23	7182.23	2214.43	7198.04	72.63	7887.02

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Prepared by Peterson Energy
Date Printed: 27-Nov-2012



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
#7-7-29-00 0-4-CH HILLSIDE 8	-CH (PWB) HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Slot #8	Hillside	2307.88	7116.02	7116.02	2262.30	7116.02	49.05	7460.51
#7-7-29-00 0-4-NH RANCHO WATER VALLEY 12	RANCHO WATER VALLEY 12 #7-7-33-270-4 -NH (PWB)	Slot #12	Rancho Water Valley	2357.74	11919.34	11919.34	2164.45	8178.86	12.20	8178.86
#7-7-33-27 0-4-NH RANCHO WATER VALLEY 11	RANCHO WATER VALLEY 11 #7-7-33-270-6 -CH (PWB)	Slot #11	Rancho Water Valley	2415.71	6542.16	11919.34	2359.63	6558.28	42.17	6935.57
#7-7-33-27 0-6-CH HILLSIDE 5	HILLSIDE 5 #6-7-29-000-4 -NH (PWB)	Slot #5	Hillside	2461.38	7066.81	7066.81	2422.49	7083.21	60.90	7444.10
#6-7-29-00 0-4-NH HILLSIDE 6	HILLSIDE 6 #6-7-29-000-4 -CH (PWB)	Slot #6	Hillside	2627.44	7066.81	7066.81	2595.40	7066.81	77.90	7509.72
#6-7-29-00 0-4-CH HILLSIDE 3	HILLSIDE 3 #5-7-29-000-4 -NH (PWB)	Slot #3	Hillside	2681.91	7001.19	7001.19	2653.44	7013.00	88.72	7509.72
#5-7-29-00 0-4-NH RANCHO WATER VALLEY 10	RANCHO WATER VALLEY 10 #7-8-33-270-4 -NH (PWB)	Slot #10	Rancho Water Valley	2685.68	11919.34	11919.34	2627.08	11919.34	45.84	11919.34
#7-8-33-27 0-4-NH PAVISTMA 11-32	PAVISTMA 11-32 (AWB) RANCHO WATER VALLEY 7	PAVISTMA 11-32 Slot #7	Pavistma (Anadarko) Rancho Water Valley	2876.87 2952.47	4874.03 6331.47	4874.03 11919.34	2850.65 2728.10	4885.05 6394.23	87.38 12.96	6919.17 6738.72
#7-8-33-27 0-5-CH HILLSIDE 2	HILLSIDE 2 #5-7-29-000-4 -CH (PWB)	Slot #2	Hillside	2979.28	6968.38	6968.38	2958.31	6968.38	127.27	7673.76
#5-7-29-00 0-4-CH HILLSIDE 4	HILLSIDE 4 #5-7-29-000-4 -NH (PWB)	Slot #4	Hillside	3038.45	6951.98	6951.98	3017.63	6951.98	130.91	7673.76
#5-7-29-00 0-4-NH RANCHO WATER VALLEY 6	RANCHO WATER VALLEY 6 #0-7-4-270-5- -NH (PWB)	Slot #6	Rancho Water Valley	3062.11	6148.39	11919.34	3005.73	6164.57	53.03	6656.70
#0-7-4-270 -5-NH PAVISTMA 5-3-32	PAVISTMA 5-3-32 (AWB) HILLSIDE 2-4-32	PAVISTMA 5-3-32 HILLSIDE 2-4-32	Pavistma Hillside	3321.53 3416.55	4584.64 5561.28	4584.64 5561.28	3294.01 3385.38	4622.58 5639.64	117.26 87.47	5262.34 7113.00
HILLSIDE 2-4-32 PAVISTMA 19-32	PAVISTMA 19-32 (AWB) RANCHO WATER VALLEY 4	PAVISTMA 19-32 Slot #4	Pavistma (Anadarko) Rancho Water Valley	3530.08 3593.78	4333.72 11919.34	4333.72 11919.34	3501.96 3419.63	4343.71 8326.76	101.53 18.46	6873.68 8326.76
#7-1-4-270 -4-NH RANCHO WATER VALLEY #2-6-4	RANCHO WATER VALLEY #2-6-4 (AWB) RANCHO WATER VALLEY 2-8-4 (AWB)	Slot #3 Slot #2	Rancho Water Valley Rancho Water Valley	3859.33 3895.99	11039.08 11919.34	11039.08 11919.34	3771.99 3831.37	11053.03 11919.34	44.12 60.30	11184.26 11919.34
PAVISTMA 4-2-32 PAVISTMA 12-32	PAVISTMA 4-2-32 (AWB) PAVISTMA 12-32 (AWB)	PAVISTMA 4-2-32 PAVISTMA 12-32	Pavistma Pavistma (Anadarko)	3904.62 3913.36	1513.00 13.00	3431.63 4466.30	3896.88 3912.04	1719.04 275.47	93.07 215.12	6902.76 6984.78

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Prepared by Peterson Energy
Date Printed: 27-Nov-2012



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
PAVISTMA 5-1-32	PAVISTMA 5-1-32 (AWB)	PAVISTMA 5-1-32	Pavistma	3962.75	13.00	13.00	3962.46	13.00	172.50	7001.19
RANCHO WATER VALLEY 5 #7-2-4-270-4-NH	RANCHO WATER VALLEY 5 #7-2-4-270-4-NH (PWB)	Slot #5	Rancho Water Valley	4186.71	6000.53	11919.34	4009.77	6066.15	21.83	8263.76
RANCHO WATER VALLEY #3-9-4	RANCHO WATER VALLEY #3-9-4 (AWB)	Slot #1	Rancho Water Valley	4595.79	11919.34	11919.34	4531.37	11919.34	71.34	11919.34
RAINDANCE CE 1 #1-1-32	RAINDANCE 1 #1-1-32 (PWB)	Slot #1	Raindance	5560.97	6886.36	6886.36	5537.48	6886.36	223.39	7513.00
DIAMOND VALLEY SW 9-5-22	DIAMOND VALLEY SW 1	Slot #1	Diamond Valley SW	8114.56	11919.34	11919.34	8041.27	11919.34	110.04	7591.74
DIAMOND VALLEY SW 8-2-22	DIAMOND VALLEY SW 8-2-22 (PWB)	Slot #5	Diamond Valley SW	8138.06	11919.34	11919.34	8053.36	11919.34	96.08	11919.34
DIAMOND VALLEY SW 2	DIAMOND VALLEY SW 2	Slot #2	Diamond Valley SW	8282.17	11919.34	11919.34	8209.16	11919.34	112.65	7591.74
DIAMOND VALLEY SW 2	DIAMOND VALLEY SW 2	Slot #2	Diamond Valley SW	8434.21	11919.34	11919.34	8386.31	11919.34	176.08	11919.34
DIAMOND VALLEY SW 3	DIAMOND VALLEY SW 3	Slot #3	Diamond Valley SW	8442.65	11919.34	11919.34	8369.44	11919.34	114.60	7575.34
DIAMOND VALLEY SW 4	DIAMOND VALLEY SW 4	Slot #4	Diamond Valley SW	8773.90	11919.34	11919.34	8700.59	11919.34	118.91	7591.74
DIAMOND VALLEY SW 7	DIAMOND VALLEY SW 7-3-22 (PWB)	Slot #7	Diamond Valley SW	8905.73	11919.34	11919.34	8837.21	11919.34	129.98	11919.34
DIAMOND VALLEY SW 8-2-22	DIAMOND VALLEY SW 5	Slot #5	Diamond Valley SW	8941.73	11919.34	11919.34	8868.63	11919.34	121.48	7575.34
DIAMOND VALLEY SW 6	DIAMOND VALLEY SW 6 (PWB)	Slot #6	Diamond Valley SW	9105.41	11919.34	11919.34	9032.08	11919.34	123.36	7575.34
DIAMOND VALLEY SW 8	DIAMOND VALLEY SW 6-2-22 (PWB)	Slot #8	Diamond Valley SW	9301.99	11919.34	11919.34	9221.30	11919.34	115.29	11919.34
DIAMOND VALLEY SW 7	DIAMOND VALLEY SW 7	Slot #7	Diamond Valley SW	9433.50	11919.34	11919.34	9360.31	11919.34	128.04	7575.34
DIAMOND VALLEY SW 8	DIAMOND VALLEY SW 8	Slot #8	Diamond Valley SW	9514.80	11919.34	11919.34	9442.24	11919.34	130.68	7493.31
DIAMOND VALLEY SW 10	DIAMOND VALLEY SW 6-4-22 (PWB)	Slot #10	Diamond Valley SW	9624.59	11919.34	11919.34	9569.68	11919.34	175.31	11919.34
DIAMOND VALLEY SW 9	DIAMOND VALLEY SW 9	Slot #9	Diamond Valley SW	9764.77	11919.34	11919.34	9691.27	11919.34	132.13	7575.34
DIAMOND VALLEY SW 10	DIAMOND VALLEY SW 10	Slot #10	Diamond Valley SW	10093.02	11919.34	11919.34	10019.67	11919.34	136.82	7558.93

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4894.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 70.480 degrees
Prepared by Peterson Energy
Date Printed: 27-Nov-2012



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: FRYE FARMS 12 #1-3-33-090-4-NH (PWB)
Wellpath: FRYE FARMS 12 #1-3-33-090-4-NH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
-NH (PWB)										