



# **Black Diamond Minerals, LLC**

**Garfield County, CO  
Tepee Park Ranch 25A Pad  
TPR #1 - Slot A1**

**OH**

**Plan: Plan #3**

## **Standard Planning Report**

**27 June, 2013**



<b>Database:</b>	Grand Junction District	<b>Local Co-ordinate Reference:</b>	Well TPR #1 - Slot A1
<b>Company:</b>	Black Diamond Minerals, LLC	<b>TVD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Project:</b>	Garfield County, CO	<b>MD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Site:</b>	Tepee Park Ranch 25A Pad	<b>North Reference:</b>	True
<b>Well:</b>	TPR #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #3		

<b>Project</b>	Garfield County, CO		
<b>Map System:</b>	US State Plane 1983	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	North American Datum 1983		
<b>Map Zone:</b>	Colorado Central Zone		Using geodetic scale factor

Site		Tepee Park Ranch 25A Pad, Sec 25 T7S R94W			
Site Position:		Northing:	1,580,619.31 usft	Latitude:	39° 24' 15.594 N
From:	Map	Easting:	2,340,957.77 usft	Longitude:	107° 49' 57.316 W
Position Uncertainty:	0.00 ft	Slot Radius:	13.200 in	Grid Convergence:	-1.47 °

Well	TPR #1 - Slot A1, Vertical					
Well Position	+N/-S	0.00 ft	Northing:	1,580,619.31 usft	Latitude:	39° 24' 15.594 N
	+E/-W	0.00 ft	Easting:	2,340,957.77 usft	Longitude:	107° 49' 57.316 W
Position Uncertainty		0.00 ft	Wellhead Elevation:		Ground Level:	9,131.00 ft

<b>Wellbore</b>	OH				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	BGGM2013	6/27/2013	10.06	65.64	51,925

<b>Design</b>	Plan #3				
<b>Audit Notes:</b>					
<b>Version:</b>	<b>Phase:</b>	PLAN		<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD) (ft)</b>	<b>+N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Direction (°)</b>	
	0.00	0.00	0.00	0.00	

<b>Plan Sections</b>										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
16,000.00	0.00	0.00	16,000.00	0.00	0.00	0.00	0.00	0.00	0.00	

<b>Database:</b>	Grand Junction District	<b>Local Co-ordinate Reference:</b>	Well TPR #1 - Slot A1
<b>Company:</b>	Black Diamond Minerals, LLC	<b>TVD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Project:</b>	Garfield County, CO	<b>MD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Site:</b>	Tepee Park Ranch 25A Pad	<b>North Reference:</b>	True
<b>Well:</b>	TPR #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #3		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
910.00	0.00	0.00	910.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Wasatch</b>									
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
2,800.00	0.00	0.00	2,800.00	0.00	0.00	0.00	0.00	0.00	0.00
2,900.00	0.00	0.00	2,900.00	0.00	0.00	0.00	0.00	0.00	0.00
3,000.00	0.00	0.00	3,000.00	0.00	0.00	0.00	0.00	0.00	0.00
3,100.00	0.00	0.00	3,100.00	0.00	0.00	0.00	0.00	0.00	0.00
3,200.00	0.00	0.00	3,200.00	0.00	0.00	0.00	0.00	0.00	0.00
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
3,400.00	0.00	0.00	3,400.00	0.00	0.00	0.00	0.00	0.00	0.00
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00
3,600.00	0.00	0.00	3,600.00	0.00	0.00	0.00	0.00	0.00	0.00
3,700.00	0.00	0.00	3,700.00	0.00	0.00	0.00	0.00	0.00	0.00
3,800.00	0.00	0.00	3,800.00	0.00	0.00	0.00	0.00	0.00	0.00
3,900.00	0.00	0.00	3,900.00	0.00	0.00	0.00	0.00	0.00	0.00
4,000.00	0.00	0.00	4,000.00	0.00	0.00	0.00	0.00	0.00	0.00
4,100.00	0.00	0.00	4,100.00	0.00	0.00	0.00	0.00	0.00	0.00
4,200.00	0.00	0.00	4,200.00	0.00	0.00	0.00	0.00	0.00	0.00
4,300.00	0.00	0.00	4,300.00	0.00	0.00	0.00	0.00	0.00	0.00
4,400.00	0.00	0.00	4,400.00	0.00	0.00	0.00	0.00	0.00	0.00
4,500.00	0.00	0.00	4,500.00	0.00	0.00	0.00	0.00	0.00	0.00
4,600.00	0.00	0.00	4,600.00	0.00	0.00	0.00	0.00	0.00	0.00
4,700.00	0.00	0.00	4,700.00	0.00	0.00	0.00	0.00	0.00	0.00
4,800.00	0.00	0.00	4,800.00	0.00	0.00	0.00	0.00	0.00	0.00
4,900.00	0.00	0.00	4,900.00	0.00	0.00	0.00	0.00	0.00	0.00

<b>Database:</b>	Grand Junction District	<b>Local Co-ordinate Reference:</b>	Well TPR #1 - Slot A1
<b>Company:</b>	Black Diamond Minerals, LLC	<b>TVD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Project:</b>	Garfield County, CO	<b>MD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Site:</b>	Tepee Park Ranch 25A Pad	<b>North Reference:</b>	True
<b>Well:</b>	TPR #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #3		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
5,000.00	0.00	0.00	5,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,100.00	0.00	0.00	5,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,200.00	0.00	0.00	5,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,300.00	0.00	0.00	5,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,400.00	0.00	0.00	5,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,500.00	0.00	0.00	5,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,600.00	0.00	0.00	5,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,700.00	0.00	0.00	5,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,800.00	0.00	0.00	5,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,900.00	0.00	0.00	5,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,000.00	0.00	0.00	6,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,100.00	0.00	0.00	6,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,200.00	0.00	0.00	6,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,300.00	0.00	0.00	6,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,400.00	0.00	0.00	6,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,500.00	0.00	0.00	6,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,600.00	0.00	0.00	6,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,700.00	0.00	0.00	6,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,800.00	0.00	0.00	6,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,900.00	0.00	0.00	6,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,000.00	0.00	0.00	7,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,100.00	0.00	0.00	7,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,200.00	0.00	0.00	7,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,300.00	0.00	0.00	7,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,305.00	0.00	0.00	7,305.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>Williams Fork</b>										
7,400.00	0.00	0.00	7,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,500.00	0.00	0.00	7,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,600.00	0.00	0.00	7,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,700.00	0.00	0.00	7,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,800.00	0.00	0.00	7,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
7,805.00	0.00	0.00	7,805.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>Top of Pay - TPR #1</b>										
7,900.00	0.00	0.00	7,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,000.00	0.00	0.00	8,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,100.00	0.00	0.00	8,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,200.00	0.00	0.00	8,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,300.00	0.00	0.00	8,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,400.00	0.00	0.00	8,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,500.00	0.00	0.00	8,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,600.00	0.00	0.00	8,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,700.00	0.00	0.00	8,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,800.00	0.00	0.00	8,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
8,900.00	0.00	0.00	8,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,000.00	0.00	0.00	9,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,100.00	0.00	0.00	9,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,200.00	0.00	0.00	9,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,300.00	0.00	0.00	9,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,400.00	0.00	0.00	9,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,500.00	0.00	0.00	9,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,600.00	0.00	0.00	9,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,700.00	0.00	0.00	9,700.00	0.00	0.00	0.00	0.00	0.00	0.00	

<b>Database:</b>	Grand Junction District	<b>Local Co-ordinate Reference:</b>	Well TPR #1 - Slot A1
<b>Company:</b>	Black Diamond Minerals, LLC	<b>TVD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Project:</b>	Garfield County, CO	<b>MD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Site:</b>	Tepee Park Ranch 25A Pad	<b>North Reference:</b>	True
<b>Well:</b>	TPR #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #3		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
9,800.00	0.00	0.00	9,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
9,900.00	0.00	0.00	9,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,000.00	0.00	0.00	10,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,100.00	0.00	0.00	10,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,200.00	0.00	0.00	10,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,300.00	0.00	0.00	10,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,305.00	0.00	0.00	10,305.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>Rollins</b>										
10,400.00	0.00	0.00	10,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,500.00	0.00	0.00	10,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,600.00	0.00	0.00	10,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,700.00	0.00	0.00	10,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,800.00	0.00	0.00	10,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
10,900.00	0.00	0.00	10,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,000.00	0.00	0.00	11,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,055.00	0.00	0.00	11,055.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>Corcoran</b>										
11,100.00	0.00	0.00	11,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,200.00	0.00	0.00	11,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,300.00	0.00	0.00	11,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,305.00	0.00	0.00	11,305.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TD</b>										
11,400.00	0.00	0.00	11,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,500.00	0.00	0.00	11,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,600.00	0.00	0.00	11,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,700.00	0.00	0.00	11,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,800.00	0.00	0.00	11,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
11,900.00	0.00	0.00	11,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,000.00	0.00	0.00	12,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,100.00	0.00	0.00	12,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,200.00	0.00	0.00	12,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,300.00	0.00	0.00	12,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,400.00	0.00	0.00	12,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,500.00	0.00	0.00	12,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,600.00	0.00	0.00	12,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,700.00	0.00	0.00	12,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,800.00	0.00	0.00	12,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
12,900.00	0.00	0.00	12,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,000.00	0.00	0.00	13,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,100.00	0.00	0.00	13,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,200.00	0.00	0.00	13,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,300.00	0.00	0.00	13,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,400.00	0.00	0.00	13,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,500.00	0.00	0.00	13,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,600.00	0.00	0.00	13,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,700.00	0.00	0.00	13,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,800.00	0.00	0.00	13,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
13,900.00	0.00	0.00	13,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,000.00	0.00	0.00	14,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,100.00	0.00	0.00	14,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,200.00	0.00	0.00	14,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,300.00	0.00	0.00	14,300.00	0.00	0.00	0.00	0.00	0.00	0.00	

<b>Database:</b>	Grand Junction District	<b>Local Co-ordinate Reference:</b>	Well TPR #1 - Slot A1
<b>Company:</b>	Black Diamond Minerals, LLC	<b>TVD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Project:</b>	Garfield County, CO	<b>MD Reference:</b>	GL 9131' & RKB 24' @ 9155.00ft (RKB Elevation)
<b>Site:</b>	Tepee Park Ranch 25A Pad	<b>North Reference:</b>	True
<b>Well:</b>	TPR #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #3		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
14,400.00	0.00	0.00	14,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,500.00	0.00	0.00	14,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,600.00	0.00	0.00	14,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,700.00	0.00	0.00	14,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,800.00	0.00	0.00	14,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,900.00	0.00	0.00	14,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,000.00	0.00	0.00	15,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,100.00	0.00	0.00	15,100.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,200.00	0.00	0.00	15,200.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,300.00	0.00	0.00	15,300.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,400.00	0.00	0.00	15,400.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,500.00	0.00	0.00	15,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,600.00	0.00	0.00	15,600.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,700.00	0.00	0.00	15,700.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,800.00	0.00	0.00	15,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
15,900.00	0.00	0.00	15,900.00	0.00	0.00	0.00	0.00	0.00	0.00	
16,000.00	0.00	0.00	16,000.00	0.00	0.00	0.00	0.00	0.00	0.00	
TD at 16000.00										

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
TPR #1 - plan misses target center by 0.04ft at 7805.00ft MD (7805.00 TVD, 0.00 N, 0.00 E) - Circle (radius 100.00)	0.00	0.00	7,805.00	0.03	-0.02	1,580,619.34	2,340,957.75	39° 24' 15.594 N	107° 49' 57.316 W

Formations						
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)	
910.00	910.00	Wasatch		0.00		
7,305.00	7,305.00	Williams Fork		0.00		
7,805.00	7,805.00	Top of Pay		0.00		
10,305.00	10,305.00	Rollins		0.00		
11,055.00	11,055.00	Corcoran		0.00		
11,305.00	11,305.00	TD		0.00		

Plan Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment	
		+N/-S (ft)	+E/-W (ft)		
16,000.00	16,000.00	0.00	0.00	TD at 16000.00	