

June 26, 2013



FARFRUMWURKING LLLP
c/o Jon P. File
P.O. Box 983
Broomfield, CO 80038

RE: Waiver of Rule 318A(1).a.(1)

<u>WELL NAMES</u>	<u>SURFACE LOCATION (FOOTAGES)</u>
FILE 3A-32H-K268	1757' FROM SOUTH LINE AND 1593' FROM WEST LINE
FILE 3B-32H-K268	1763' FROM SOUTH LINE AND 1598' FROM WEST LINE
FILE 3C-32H-K268	1757' FROM SOUTH LINE AND 1603' FROM WEST LINE
FILE 3D-32H-K268	1763' FROM SOUTH LINE AND 1608' FROM WEST LINE
FILE 3E-32H-K268	1757' FROM SOUTH LINE AND 1623' FROM WEST LINE
FILE 3F-32H-K268	1763' FROM SOUTH LINE AND 1628' FROM WEST LINE
FILE 3G-32H-K268	1757' FROM SOUTH LINE AND 1633' FROM WEST LINE
FILE 3H-32H-K268	1763' FROM SOUTH LINE AND 1638' FROM WEST LINE
FILE 3I-32H-K268	1757' FROM SOUTH LINE AND 1653' FROM WEST LINE
FILE 3J-32H-K268	1763' FROM SOUTH LINE AND 1658' FROM WEST LINE
FILE 3K-32H-K268	1757' FROM SOUTH LINE AND 1663' FROM WEST LINE
FILE 3L-32H-K268	1763' FROM SOUTH LINE AND 1668' FROM WEST LINE
FILE 3M-32H-K268	1757' FROM SOUTH LINE AND 1683' FROM WEST LINE
FILE 3N-32H-K268	1763' FROM SOUTH LINE AND 1688' FROM WEST LINE
FILE 3O-32H-K268	1757' FROM SOUTH LINE AND 1693' FROM WEST LINE
FILE 3P-32H-K268	1763' FROM SOUTH LINE AND 1698' FROM WEST LINE

All footages from section lines of Section 32, T 2 N, R 68 W
Weld County, Colorado

Dear Mr. File:

Encana Oil & Gas (USA) Inc. ("Encana") staked the above mentioned wells at surface locations noted (see attached Well Location Certificate). This well is being drilled under the rules and regulations of the Colorado Oil and Gas Conservation Commission's ("COGCC") Rule 318A(1) known as the Greater Wattenberg Area Special Well Location, Spacing and Unit Designation Rule (Except the City and County of Broomfield). This rule states that all boundary infill wells be drilled from the same surface locations as previously designated in Rule 318A(1).a.(1) which reads:

"The Greater Wattenberg Area ("GWA") is defined to include those lands from and including Townships 2 South to 7 North and Ranges 61 West to 69 West, 6th P.M. In the GWA, operators may utilize the following described surface drilling locations ("GWA windows") to drill, twin, deepen, or recomplete a well ("GWA well") and to commingle any or all of the Cretaceous Age formations from the base of the Dakota Formation to the surface:

- (1) A square with sides four hundred (400) feet in length, the center of which is the center of any governmental quarter-quarter section ("400' window");

The FILE 3A-32H-K268 thru FILE 3P-32H-K268 wells were staked at a location north of the defined 400' window. As these locations were staked with your consent and approval, Encana respectfully requests your consent to an exception location for the above mentioned wells by waiver of the COGCC Rule 318A(1).a.(1).

If this meets with your approval, please sign and date both originals of this letter, keeping one for your files and returning one to the undersigned.

Thank you for your time and consideration in this matter. If you have any questions or comments, please call the undersigned at (720) 369-0432.

Respectfully,

Encana Oil & Gas (USA) Inc.

Bob Bresnahan
Field Land Negotiator
Encana Oil & Gas (USA) Inc.

Encana Oil & Gas (USA) Inc.
3601 Stagecoach Road
Longmont, Colorado USA 80504
Cell: (720) 369-0432
Bob.Bresnahan@encana.com
www.encana.com

Farfromwurking L.L.P.
c/o Jon P. File
Rule 318A(I).a.(1) waiver
June 26, 2013
Page 2 of 2

THE UNDERSIGNED SURFACE OWNER HEREBY WAIVES RULE 318A(I).a.(1) AS IT APPLIES TO THE SURFACE LOCATION OF THE WELLS NOTED BELOW AND APPROVES THE SURFACE LOCATION AS INDICATED AS MEASURED FROM THE SECTION LINES OF SECTION 32, TOWNSHIP 2 NORTH, RANGE 68 WEST, WELD COUNTY, COLORADO.

<u>WELL NAMES</u>	<u>SURFACE LOCATION (FOOTAGES)</u>
FILE 3A-32H-K268	1757' FROM SOUTH LINE AND 1593' FROM WEST LINE
FILE 3B-32H-K268	1763' FROM SOUTH LINE AND 1598' FROM WEST LINE
FILE 3C-32H-K268	1757' FROM SOUTH LINE AND 1603' FROM WEST LINE
FILE 3D-32H-K268	1763' FROM SOUTH LINE AND 1608' FROM WEST LINE
FILE 3E-32H-K268	1757' FROM SOUTH LINE AND 1623' FROM WEST LINE
FILE 3F-32H-K268	1763' FROM SOUTH LINE AND 1628' FROM WEST LINE
FILE 3G-32H-K268	1757' FROM SOUTH LINE AND 1633' FROM WEST LINE
FILE 3H-32H-K268	1763' FROM SOUTH LINE AND 1638' FROM WEST LINE
FILE 3I-32H-K268	1757' FROM SOUTH LINE AND 1653' FROM WEST LINE
FILE 3J-32H-K268	1763' FROM SOUTH LINE AND 1658' FROM WEST LINE
FILE 3K-32H-K268	1757' FROM SOUTH LINE AND 1663' FROM WEST LINE
FILE 3L-32H-K268	1763' FROM SOUTH LINE AND 1668' FROM WEST LINE
FILE 3M-32H-K268	1757' FROM SOUTH LINE AND 1683' FROM WEST LINE
FILE 3N-32H-K268	1763' FROM SOUTH LINE AND 1688' FROM WEST LINE
FILE 3O-32H-K268	1757' FROM SOUTH LINE AND 1693' FROM WEST LINE
FILE 3P-32H-K268	1763' FROM SOUTH LINE AND 1698' FROM WEST LINE

FARFROMWURKING L.L.P.

by 
JON P. FILE
General Partner

Encl.

encana

June 26, 2013



FARFRUMWURKING LLLP
c/o Jon P. File
P.O. Box 983
Broomfield, CO 80038

Re: Waiver of Rule 318A(I).c.(1)

<u>WELL NAMES</u>	<u>SURFACE LOCATION (FOOTAGES)</u>
FILE 3A-32H-K268	1757' FROM SOUTH LINE AND 1593' FROM WEST LINE
FILE 3B-32H-K268	1763' FROM SOUTH LINE AND 1598' FROM WEST LINE
FILE 3C-32H-K268	1757' FROM SOUTH LINE AND 1603' FROM WEST LINE
FILE 3D-32H-K268	1763' FROM SOUTH LINE AND 1608' FROM WEST LINE
FILE 3E-32H-K268	1757' FROM SOUTH LINE AND 1623' FROM WEST LINE
FILE 3F-32H-K268	1763' FROM SOUTH LINE AND 1628' FROM WEST LINE
FILE 3G-32H-K268	1757' FROM SOUTH LINE AND 1633' FROM WEST LINE
FILE 3H-32H-K268	1763' FROM SOUTH LINE AND 1638' FROM WEST LINE
FILE 3I-32H-K268	1757' FROM SOUTH LINE AND 1653' FROM WEST LINE
FILE 3J-32H-K268	1763' FROM SOUTH LINE AND 1658' FROM WEST LINE
FILE 3K-32H-K268	1757' FROM SOUTH LINE AND 1663' FROM WEST LINE
FILE 3L-32H-K268	1763' FROM SOUTH LINE AND 1668' FROM WEST LINE
FILE 3M-32H-K268	1757' FROM SOUTH LINE AND 1683' FROM WEST LINE
FILE 3N-32H-K268	1763' FROM SOUTH LINE AND 1688' FROM WEST LINE
FILE 3O-32H-K268	1757' FROM SOUTH LINE AND 1693' FROM WEST LINE
FILE 3P-32H-K268	1763' FROM SOUTH LINE AND 1698' FROM WEST LINE

All footages from section lines of Section 32, T 2 N, R 68 W
Weld County, Colorado

Dear Mr. File:

Encana Oil & Gas (USA) Inc. ("Encana") staked the above mentioned wells at surface locations noted (see attached Well Location Certificate). These wells are being drilled under the rules and regulations of the Colorado Oil and Gas Conservation Commission's (COGCC) Rule 318A(1), known as the Greater Wattenberg Area Special Well Location, Spacing and Unit Designation Rule (Except the City and County of Broomfield). Rule 318A(1).c.(2) states:

"When the operator is requesting a surface well location greater than fifty (50) feet from a well (unless safety or mechanical considerations of the well to be twinned or topographical or surface constraints justify a location greater than fifty (50) feet), the operator shall provide a consent to the exception signed by the surface owner on which the well is proposed to be located in order for the Director to approve the well location administratively."

The FILE 3A-32H-K268 thru FILE 3P-32H-K268 wells were staked between southwest of the existing Nelson #4 well at a distance further than fifty (50) feet. As this location was staked with your consent and approval, Encana respectfully requests your consent to an exception location for the above mentioned wells by waiver of the COGCC Rule 318A(1).c.(1).

If this meets with your approval, please sign and date both originals of the letter, keeping one for your files and returning one to the undersigned.

Thank you for your time and consideration in this matter. If you have any questions or comments, please contact the undersigned at (720) 369-0432.

Respectfully,

Encana Oil & Gas (USA) Inc.

Bob Bresnahan
Field Land Negotiator
Encana Oil & Gas (USA) Inc.

Encana Oil & Gas (USA) Inc.
3601 Stagecoach Road
Longmont, Colorado USA 80504
Cell 720-369-0432
Bob.Bresnahan@encana.com
www.encana.com

Farfromwurking LLLP
c/o Jon P. File
June 26, 2013
Waiver of Rule 318A(I).c.(1)
Page 2 of 2

THE UNDERSIGNED SURFACE OWNER HEREBY WAIVES RULE 318A(I)c.(1) AS IT APPLIES TO THE SURFACE LOCATION OF THE WELLS NOTED BELOW AND APPROVES THE SURFACE LOCATION AS INDICATED AS MEASURED FROM THE SECTION LINES OF SECTION 32, TOWNSHIP 2 NORTH, RANGE 68 WEST, WELD COUNTY, COLORADO.

<u>WELL NAMES</u>	<u>SURFACE LOCATION (FOOTAGES)</u>
FILE 3A-32H-K268	1757' FROM SOUTH LINE AND 1593' FROM WEST LINE
FILE 3B-32H-K268	1763' FROM SOUTH LINE AND 1598' FROM WEST LINE
FILE 3C-32H-K268	1757' FROM SOUTH LINE AND 1603' FROM WEST LINE
FILE 3D-32H-K268	1763' FROM SOUTH LINE AND 1608' FROM WEST LINE
FILE 3E-32H-K268	1757' FROM SOUTH LINE AND 1623' FROM WEST LINE
FILE 3F-32H-K268	1763' FROM SOUTH LINE AND 1628' FROM WEST LINE
FILE 3G-32H-K268	1757' FROM SOUTH LINE AND 1633' FROM WEST LINE
FILE 3H-32H-K268	1763' FROM SOUTH LINE AND 1638' FROM WEST LINE
FILE 3I-32H-K268	1757' FROM SOUTH LINE AND 1653' FROM WEST LINE
FILE 3J-32H-K268	1763' FROM SOUTH LINE AND 1658' FROM WEST LINE
FILE 3K-32H-K268	1757' FROM SOUTH LINE AND 1663' FROM WEST LINE
FILE 3L-32H-K268	1763' FROM SOUTH LINE AND 1668' FROM WEST LINE
FILE 3M-32H-K268	1757' FROM SOUTH LINE AND 1683' FROM WEST LINE
FILE 3N-32H-K268	1763' FROM SOUTH LINE AND 1688' FROM WEST LINE
FILE 3O-32H-K268	1757' FROM SOUTH LINE AND 1693' FROM WEST LINE
FILE 3P-32H-K268	1763' FROM SOUTH LINE AND 1698' FROM WEST LINE

FARFRUMWURKING LLLP

by 
JON P. FILE
General Partner

Encl.