



Baker Oil Tools

TALLY SHEET

CUSTOMER	Condor
WELL NAME	State 16-7-60 #1H
DATE	6/25/2013
SERVICE REP	Dave Zaddock/Bryan Meador

Item #	Joint #	DESCRIPTION:	OPENHOLE TD		10,632.00	COMMENTS:
			LENGTH:	ACC. LENGTH	DEPTH 10,627.00	
1	DVS	DV FLOAT SHOE	2.53	2.53	10,624.47	
2	1	JT 4.5" 11.6# LTC	42.36	44.89	10,582.11	1
3	SVC	SV FLOAT COLLAR	0.96	45.85	10,581.15	
4	2	JT 4.5" 11.6# LTC	42.37	88.22	10,538.78	1
5	3	JT 4.5" 11.6# LTC	42.37	130.59	10,496.41	2
6	S1	1.625" FRAC-SLEEVE	2.41	133.00	10,494.00	
7	4	JT 4.5" 11.6# LTC	42.48	175.48	10,451.52	1
8	5	JT 4.5" 11.6# LTC	42.10	217.58	10,409.42	2
9	6	JT 4.5" 11.6# LTC	42.41	259.99	10,367.01	3
10	X	PUP 4.5" 11.6# P-110 LTC	2.41	262.40	10,364.60	
11	P1	RE PACKER #1	7.68	270.08	10,356.92	CENTER OF PACKER: 10,360.76
12	X	PUP 4.5" 11.6# P-110 LTC	4.00	274.08	10,352.92	
13	7	JT 4.5" 11.6# LTC	42.36	316.44	10,310.56	1
14	8	JT 4.5" 11.6# LTC	42.36	358.80	10,268.20	2
15	9	JT 4.5" 11.6# LTC	42.40	401.20	10,225.80	3
16	S2	1.750" FRAC-SLEEVE	2.41	403.61	10,223.39	
17	10	JT 4.5" 11.6# LTC	42.41	446.02	10,180.98	1
18	11	JT 4.5" 11.6# LTC	42.40	488.42	10,138.58	2
19	X	PUP 4.5" 11.6# P-110 LTC	2.42	490.84	10,136.16	
20	P2	RE PACKER #2	7.68	498.52	10,128.48	CENTER OF PACKER: 10,132.32
21	X	PUP 4.5" 11.6# P-110 LTC	4.00	502.52	10,124.48	
22	12	JT 4.5" 11.6# LTC	41.97	544.49	10,082.51	1
23	13	JT 4.5" 11.6# LTC	42.21	586.70	10,040.30	2
24	14	JT 4.5" 11.6# LTC	42.40	629.10	9,997.90	3
25	S3	1.875" FRAC-SLEEVE	2.41	631.51	9,995.49	
26	15	JT 4.5" 11.6# LTC	42.41	673.92	9,953.08	1
27	16	JT 4.5" 11.6# LTC	42.41	716.33	9,910.67	2
28	17	JT 4.5" 11.6# LTC	42.08	758.41	9,868.59	3
29	X	PUP 4.5" 11.6# P-110 LTC	2.40	760.81	9,866.19	
30	P3	RE PACKER #3	7.69	768.50	9,858.50	CENTER OF PACKER: 9,862.35
31	X	PUP 4.5" 11.6# P-110 LTC	3.99	772.49	9,854.51	
32	18	JT 4.5" 11.6# LTC	42.40	814.89	9,812.11	1
33	19	JT 4.5" 11.6# LTC	42.30	857.19	9,769.81	2
34	20	JT 4.5" 11.6# LTC	41.93	899.12	9,727.88	3
35	S4	2.000" FRAC-SLEEVE	2.41	901.53	9,725.47	
36	21	JT 4.5" 11.6# LTC	42.37	943.90	9,683.10	1
37	22	JT 4.5" 11.6# LTC	42.36	986.26	9,640.74	2
38	X	PUP 4.5" 11.6# P-110 LTC	2.40	988.66	9,638.34	
39	P4	RE PACKER #4	7.69	996.35	9,630.65	CENTER OF PACKER: 9,634.50
40	X	PUP 4.5" 11.6# P-110 LTC	3.99	1,000.34	9,626.66	
41	23	JT 4.5" 11.6# LTC	42.35	1,042.69	9,584.31	1
42	24	JT 4.5" 11.6# LTC	42.38	1,085.07	9,541.93	2
43	25	JT 4.5" 11.6# LTC	42.37	1,127.44	9,499.56	3
44	S5	2.125" FRAC-SLEEVE	2.40	1,129.84	9,497.16	
45	26	JT 4.5" 11.6# LTC	41.95	1,171.79	9,455.21	1
46	27	JT 4.5" 11.6# LTC	42.40	1,214.19	9,412.81	2
47	28	JT 4.5" 11.6# LTC	42.43	1,256.62	9,370.38	3
48	X	PUP 4.5" 11.6# P-110 LTC	2.42	1,259.04	9,367.96	
49	P5	RE PACKER #5	7.68	1,266.72	9,360.28	CENTER OF PACKER: 9,364.12
50	X	PUP 4.5" 11.6# P-110 LTC	4.00	1,270.72	9,356.28	
51	29	JT 4.5" 11.6# LTC	42.40	1,313.12	9,313.88	1
52	30	JT 4.5" 11.6# LTC	42.40	1,355.52	9,271.48	2
53	31	JT 4.5" 11.6# LTC	42.40	1,397.92	9,229.08	3
54	S6	2.250" FRAC-SLEEVE	2.39	1,400.31	9,226.69	



Baker Oil Tools

TALLY SHEET

CUSTOMER

Condor

WELL NAME

State 16-7-60 #1H

DATE

6/25/2013

SERVICE REP

Dave Zaddock/Bryan Meador

OPENHOLE TD

10,632.00

Item #	Joint #	DESCRIPTION:	LENGTH:	ACC. LENGTH	DEPTH	COMMENTS:
					10,627.00	
55	32	JT 4.5" 11.6# LTC	42.39	1,442.70	9,184.30	1
56	33	JT 4.5" 11.6# LTC	42.41	1,485.11	9,141.89	2
57	X	PUP 4.5" 11.6# P-110 LTC	2.40	1,487.51	9,139.49	
58	P6	REPACKER #6	7.71	1,495.22	9,131.78	CENTER OF PACKER: 9,135.64
59	X	PUP 4.5" 11.6# P-110 LTC	3.98	1,499.20	9,127.80	
60	34	JT 4.5" 11.6# LTC	42.42	1,541.62	9,085.38	1
61	35	JT 4.5" 11.6# LTC	42.41	1,584.03	9,042.97	2
62	36	JT 4.5" 11.6# LTC	42.41	1,626.44	9,000.56	3
63	S7	2.375" FRAC-SLEEVE	2.40	1,628.84	8,998.16	
64	37	JT 4.5" 11.6# LTC	42.41	1,671.25	8,955.75	1
65	38	JT 4.5" 11.6# LTC	42.39	1,713.64	8,913.36	2
66	39	JT 4.5" 11.6# LTC	42.41	1,756.05	8,870.95	3
67	X	PUP 4.5" 11.6# P-110 LTC	2.41	1,758.46	8,868.54	
68	P7	RE PACKER #7	7.68	1,766.14	8,860.86	CENTER OF PACKER: 8,864.70
69	X	PUP 4.5" 11.6# P-110 LTC	3.99	1,770.13	8,856.87	
70	40	JT 4.5" 11.6# LTC	42.31	1,812.44	8,814.56	1
71	41	JT 4.5" 11.6# LTC	42.40	1,854.84	8,772.16	2
72	42	JT 4.5" 11.6# LTC	42.30	1,897.14	8,729.86	3
73	S8	2.500" FRAC-SLEEVE	2.40	1,899.54	8,727.46	
74	43	JT 4.5" 11.6# LTC	42.41	1,941.95	8,685.05	1
75	44	JT 4.5" 11.6# LTC	42.42	1,984.37	8,642.63	2
76	X	PUP 4.5" 11.6# P-110 LTC	2.41	1,986.78	8,640.22	
77	P8	RE PACKER #8	7.68	1,994.46	8,632.54	CENTER OF PACKER: 8,636.38
78	X	PUP 4.5" 11.6# P-110 LTC	4.00	1,998.46	8,628.54	
79	45	JT 4.5" 11.6# LTC	42.41	2,040.87	8,586.13	1
80	46	JT 4.5" 11.6# LTC	42.40	2,083.27	8,543.73	2
81	47	JT 4.5" 11.6# LTC	42.37	2,125.64	8,501.36	3
82	S9	2.625" FRAC-SLEEVE	2.40	2,128.04	8,498.96	
83	48	JT 4.5" 11.6# LTC	42.40	2,170.44	8,456.56	1
84	49	JT 4.5" 11.6# LTC	42.31	2,212.75	8,414.25	2
85	50	JT 4.5" 11.6# LTC	42.31	2,255.06	8,371.94	3
86	X	PUP 4.5" 11.6# P-110 LTC	2.41	2,257.47	8,369.53	
87	P9	RE PACKER #9	7.68	2,265.15	8,361.85	CENTER OF PACKER: 8,365.69
88	X	PUP 4.5" 11.6# P-110 LTC	4.01	2,269.16	8,357.84	
89	51	JT 4.5" 11.6# LTC	42.40	2,311.56	8,315.44	1
90	52	JT 4.5" 11.6# LTC	42.41	2,353.97	8,273.03	2
91	53	JT 4.5" 11.6# LTC	42.31	2,396.28	8,230.72	3
92	S10	2.750" FRAC-SLEEVE	2.40	2,398.68	8,228.32	
93	54	JT 4.5" 11.6# LTC	42.30	2,440.98	8,186.02	1
94	55	JT 4.5" 11.6# LTC	42.32	2,483.30	8,143.70	2
95	X	PUP 4.5" 11.6# P-110 LTC	2.41	2,485.71	8,141.29	
96	P10	RE PACKER #10	7.67	2,493.38	8,133.62	CENTER OF PACKER: 8,137.46
97	X	PUP 4.5" 11.6# P-110 LTC	4.00	2,497.38	8,129.62	
98	56	JT 4.5" 11.6# LTC	42.27	2,539.65	8,087.35	1
99	57	JT 4.5" 11.6# LTC	42.41	2,582.06	8,044.94	2
100	58	JT 4.5" 11.6# LTC	42.31	2,624.37	8,002.63	3
101	S11	2.875" FRAC-SLEEVE	2.40	2,626.77	8,000.23	
102	59	JT 4.5" 11.6# LTC	42.45	2,669.22	7,957.78	1
103	60	JT 4.5" 11.6# LTC	42.42	2,711.64	7,915.36	2
104	61	JT 4.5" 11.6# LTC	42.43	2,754.07	7,872.93	3
105	X	PUP 4.5" 11.6# P-110 LTC	2.40	2,756.47	7,870.53	
106	P11	RE PACKER #11	7.68	2,764.15	7,862.85	CENTER OF PACKER: 7,866.69
107	X	PUP 4.5" 11.6# P-110 LTC	4.01	2,768.16	7,858.84	
108	62	JT 4.5" 11.6# LTC	42.08	2,810.24	7,816.76	1



Baker Oil Tools

TALLY SHEET

CUSTOMER

Condor

WELL NAME

State 16-7-60 #1H

DATE

6/25/2013

SERVICE REP

Dave Zaddock/Bryan Meador

OPENHOLE TD

10,632.00

Item #	Joint #	DESCRIPTION:	LENGTH:	ACC. LENGTH	DEPTH	COMMENTS:
					10,627.00	
109	63	JT 4.5" 11.6# LTC	42.03	2,852.27	7,774.73	2
110	64	JT 4.5" 11.6# LTC	41.91	2,894.18	7,732.82	3
111	S12	3.000" FRAC-SLEEVE	2.39	2,896.57	7,730.43	
112	65	JT 4.5" 11.6# LTC	42.42	2,938.99	7,688.01	1
113	66	JT 4.5" 11.6# LTC	42.31	2,981.30	7,645.70	2
114	67	JT 4.5" 11.6# LTC	42.38	3,023.68	7,603.32	3
115	X	PUP 4.5" 11.6# P-110 LTC	2.41	3,026.09	7,600.91	
116	P12	RE PACKER #12	7.69	3,033.78	7,593.22	7,596.22
117	X	PUP 4.5" 11.6# P-110 LTC	4.00	3,037.78	7,589.22	
118	68	JT 4.5" 11.6# LTC	42.34	3,080.12	7,546.88	1
119	69	JT 4.5" 11.6# LTC	42.31	3,122.43	7,504.57	2
120	S13	3.125" FRAC-SLEEVE	2.39	3,124.82	7,502.18	
121	70	JT 4.5" 11.6# LTC	42.38	3,167.20	7,459.80	1
122	71	JT 4.5" 11.6# LTC	42.37	3,209.57	7,417.43	2
123	72	JT 4.5" 11.6# LTC	42.31	3,251.88	7,375.12	3
124	X	PUP 4.5" 11.6# P-110 LTC	2.42	3,254.30	7,372.70	
125	P13	RE PACKER #13	7.68	3,261.98	7,365.02	CENTER OF PACKER: 7,368.86
126	X	PUP 4.5" 11.6# P-110 LTC	3.99	3,265.97	7,361.03	
127	73	JT 4.5" 11.6# LTC	42.36	3,308.33	7,318.67	1
128	74	JT 4.5" 11.6# LTC	42.26	3,350.59	7,276.41	2
129	75	JT 4.5" 11.6# LTC	42.36	3,392.95	7,234.05	3
130	S14	3.250" FRAC-SLEEVE	2.40	3,395.35	7,231.65	
131	76	JT 4.5" 11.6# LTC	42.40	3,437.75	7,189.25	1
132	77	JT 4.5" 11.6# LTC	42.37	3,480.12	7,146.88	2
133	78	JT 4.5" 11.6# LTC	42.40	3,522.52	7,104.48	3
134	X	PUP 4.5" 11.6# P-110 LTC	2.41	3,524.93	7,102.07	
135	P14	RE PACKER #14	7.68	3,532.61	7,094.39	CENTER OF PACKER: 7,098.23
136	X	PUP 4.5" 11.6# P-110 LTC	4.00	3,536.61	7,090.39	
137	79	JT 4.5" 11.6# LTC	41.85	3,578.46	7,048.54	1
138	80	JT 4.5" 11.6# LTC	42.32	3,620.78	7,006.22	2
139	S15	3.375" FRAC-SLEEVE	2.39	3,623.17	7,003.83	
140	81	JT 4.5" 11.6# LTC	42.40	3,665.57	6,961.43	1
141	82	JT 4.5" 11.6# LTC	42.38	3,707.95	6,919.05	2
142	83	JT 4.5" 11.6# LTC	42.37	3,750.32	6,876.68	3
143	X	PUP 4.5" 11.6# P-110 LTC	2.40	3,752.72	6,874.28	
144	P15	RE PACKER #15	7.69	3,760.41	6,866.59	CENTER OF PACKER: 6,870.44
145	X	PUP 4.5" 11.6# P-110 LTC	4.00	3,764.41	6,862.59	
146	84	JT 4.5" 11.6# LTC	42.32	3,806.73	6,820.27	1
147	85	JT 4.5" 11.6# LTC	42.31	3,849.04	6,777.96	2
148	86	JT 4.5" 11.6# LTC	42.32	3,891.36	6,735.64	3
149	S16	3.500" FRAC-SLEEVE	2.39	3,893.75	6,733.25	
150	87	JT 4.5" 11.6# LTC	42.40	3,936.15	6,690.85	1
151	88	JT 4.5" 11.6# LTC	42.40	3,978.55	6,648.45	2
152	X	PUP 4.5" 11.6# P-110 LTC	2.38	3,980.93	6,646.07	
153	P16	RE PACKER #16	7.65	3,988.58	6,638.42	CENTER OF PACKER: 6,642.25
154	X	PUP 4.5" 11.6# P-110 LTC	4.02	3,992.60	6,634.40	7" Casing Shoe @ 6,561'
155	89	JT 4.5" 11.6# LTC	42.41	4,035.01	6,591.99	1
156	90	JT 4.5" 11.6# LTC	42.40	4,077.41	6,549.59	2
157	X	PUP 4.5" 11.6# P-110 LTC	2.42	4,079.83	6,547.17	
158	P17	RE PACKER #17	7.65	4,087.48	6,539.52	CENTER OF PACKER: 6,543.35
159	X	PUP 4.5" 11.6# P-110 LTC	3.98	4,091.46	6,535.54	Float Collar @ 6,519'
160	91	JT 4.5" 11.6# LTC	42.31	4,133.77	6,493.23	1
161	X	PUP 4.5" 11.6# P-110 LTC	2.42	4,136.19	6,490.81	
162	P18	RE PACKER #18	7.66	4,143.85	6,483.15	CENTER OF PACKER: 6,486.98



Baker Oil Tools

TALLY SHEET

CUSTOMER	Condor
WELL NAME	State 16-7-60 #1H
DATE	6/25/2013
SERVICE REP	Dave Zaddock/Bryan Meador

			OPENHOLE TD		10,632.00	COMMENTS:
Item #	Joint #	DESCRIPTION:	LENGTH:	ACC. LENGTH	DEPTH	
					10,627.00	
163	X	PUP 4.5" 11.6# P-110 LTC	3.98	4,147.83	6,479.17	
164	92	JT 4.5" 11.6# LTC	42.15	4,189.98	6,437.02	
165	PUP	4.5" 11.6# PUP LTC	1.50	4,191.48	6,435.52	
166	XOVER	VAMTOP X LTC	3.00	4,194.48	6,432.52	
167	HMC	HMC LINER HANGER	6.79	4,201.27	6,425.73	
168	ZXP	ZXP LINER TOP PACKER	9.37	4,210.64	6,416.36	
169	TBE	TIEBACK EXTENSION	11.42	4,222.06	6,404.94	TOL @ 6,405' ~60°
170	S/U	DP STICKUP	9.50	4,231.56	6,395.44	
171	BS	BUMPER SUB	9.30	4,240.86	6,386.14	
172	LN	LIFT NIPPLE	7.67	4,248.53	6,378.47	
173	XOVER	CROSS OVER TO FH	1.80	4,250.33	6,376.67	
174				4,250.33	6,376.67	
175				4,250.33	6,376.67	
176				4,250.33	6,376.67	
177				4,250.33	6,376.67	
178				4,250.33	6,376.67	
179				4,250.33	6,376.67	
180				4,250.33	6,376.67	
181				4,250.33	6,376.67	
182				4,250.33	6,376.67	
183				4,250.33	6,376.67	
184				4,250.33	6,376.67	
185				4,250.33	6,376.67	
186				4,250.33	6,376.67	
187				4,250.33	6,376.67	
188				4,250.33	6,376.67	
189				4,250.33	6,376.67	
190				4,250.33	6,376.67	
191				4,250.33	6,376.67	
192				4,250.33	6,376.67	
193				4,250.33	6,376.67	
194				4,250.33	6,376.67	
195				4,250.33	6,376.67	
196				4,250.33	6,376.67	
197				4,250.33	6,376.67	
198				4,250.33	6,376.67	
199				4,250.33	6,376.67	
200				4,250.33	6,376.67	
201				4,250.33	6,376.67	
202				4,250.33	6,376.67	
203				4,250.33	6,376.67	
204				4,250.33	6,376.67	
205				4,250.33	6,376.67	
206				4,250.33	6,376.67	
207				4,250.33	6,376.67	
208				4,250.33	6,376.67	
209				4,250.33	6,376.67	
210				4,250.33	6,376.67	
211				4,250.33	6,376.67	
212				4,250.33	6,376.67	
213				4,250.33	6,376.67	
214				4,250.33	6,376.67	
215				4,250.33	6,376.67	
216				4,250.33	6,376.67	



Baker Oil Tools

TALLY SHEET

CUSTOMER	Condor
WELL NAME	State 16-7-60 #1H
DATE	6/25/2013
SERVICE REP	Dave Zaddock/Bryan Meador

			OPENHOLE TD		10,632.00	COMMENTS:
Item #	Joint #	DESCRIPTION:	LENGTH:	ACC. LENGTH	DEPTH	
					10,627.00	
217				4,250.33	6,376.67	
218				4,250.33	6,376.67	
219				4,250.33	6,376.67	
220				4,250.33	6,376.67	
221				4,250.33	6,376.67	
222				4,250.33	6,376.67	
223				4,250.33	6,376.67	
224				4,250.33	6,376.67	
225				4,250.33	6,376.67	
226				4,250.33	6,376.67	
227				4,250.33	6,376.67	
228				4,250.33	6,376.67	
229				4,250.33	6,376.67	
230				4,250.33	6,376.67	
231				4,250.33	6,376.67	
232				4,250.33	6,376.67	
233				4,250.33	6,376.67	
234				4,250.33	6,376.67	
235				4,250.33	6,376.67	
236				4,250.33	6,376.67	
237				4,250.33	6,376.67	
238				4,250.33	6,376.67	
239				4,250.33	6,376.67	
240				4,250.33	6,376.67	
241				4,250.33	6,376.67	
242				4,250.33	6,376.67	
243				4,250.33	6,376.67	
244				4,250.33	6,376.67	
245				4,250.33	6,376.67	
246				4,250.33	6,376.67	
247				4,250.33	6,376.67	
248				4,250.33	6,376.67	
249				4,250.33	6,376.67	
250				4,250.33	6,376.67	
251				4,250.33	6,376.67	
252				4,250.33	6,376.67	
253				4,250.33	6,376.67	
254				4,250.33	6,376.67	
255				4,250.33	6,376.67	
256				4,250.33	6,376.67	
257				4,250.33	6,376.67	
258				4,250.33	6,376.67	
259				4,250.33	6,376.67	
260				4,250.33	6,376.67	
261				4,250.33	6,376.67	
262				4,250.33	6,376.67	
263				4,250.33	6,376.67	
264				4,250.33	6,376.67	
265				4,250.33	6,376.67	
266				4,250.33	6,376.67	
267				4,250.33	6,376.67	
268				4,250.33	6,376.67	
269				4,250.33	6,376.67	
270				4,250.33	6,376.67	



Baker Oil Tools

TALLY SHEET

CUSTOMER	Condor
WELL NAME	State 16-7-60 #1H
DATE	6/25/2013
SERVICE REP	Dave Zaddock/Bryan Meador

			OPENHOLE TD		10,632.00	COMMENTS:
Item #	Joint #	DESCRIPTION:	LENGTH:	ACC. LENGTH	DEPTH	
					10,627.00	
271				4,250.33	6,376.67	
272				4,250.33	6,376.67	
273				4,250.33	6,376.67	
274				4,250.33	6,376.67	
275				4,250.33	6,376.67	
276				4,250.33	6,376.67	
277				4,250.33	6,376.67	
278				4,250.33	6,376.67	
279				4,250.33	6,376.67	
280				4,250.33	6,376.67	
281				4,250.33	6,376.67	
282				4,250.33	6,376.67	
283				4,250.33	6,376.67	
284				4,250.33	6,376.67	
285				4,250.33	6,376.67	
286				4,250.33	6,376.67	
287				4,250.33	6,376.67	
288				4,250.33	6,376.67	
289				4,250.33	6,376.67	
290				4,250.33	6,376.67	
291				4,250.33	6,376.67	
292				4,250.33	6,376.67	
293				4,250.33	6,376.67	
294				4,250.33	6,376.67	
295				4,250.33	6,376.67	
296				4,250.33	6,376.67	
297				4,250.33	6,376.67	
298				4,250.33	6,376.67	
299				4,250.33	6,376.67	
300				4,250.33	6,376.67	
301				4,250.33	6,376.67	
302				4,250.33	6,376.67	
303				4,250.33	6,376.67	
304				4,250.33	6,376.67	
305				4,250.33	6,376.67	
306				4,250.33	6,376.67	
307				4,250.33	6,376.67	
308				4,250.33	6,376.67	
309				4,250.33	6,376.67	
310				4,250.33	6,376.67	
311				4,250.33	6,376.67	
312				4,250.33	6,376.67	
313				4,250.33	6,376.67	
314				4,250.33	6,376.67	
315				4,250.33	6,376.67	
316				4,250.33	6,376.67	
317				4,250.33	6,376.67	
318				4,250.33	6,376.67	
319				4,250.33	6,376.67	
320				4,250.33	6,376.67	
321				4,250.33	6,376.67	
322				4,250.33	6,376.67	
323				4,250.33	6,376.67	
324				4,250.33	6,376.67	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



Baker Oil Tools

TALLY SHEET

CUSTOMER	Condor
WELL NAME	State 16-7-60 #1H
DATE	6/25/2013
SERVICE REP	Dave Zaddock/Bryan Meador

OPENHOLE TD	10,632.00
-------------	-----------

Item #	Joint #	DESCRIPTION:	LENGTH:	ACC. LENGTH	DEPTH	COMMENTS:
					10,627.00	

