

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>400475290</u>			
Date Received: <u>09/09/2013</u>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	<u>10261</u>	Contact Name	<u>Dan Brugeman</u>
Name of Operator:	<u>BAYSWATER EXPLORATION AND PRODUCTION LLC</u>		Phone: <u>(720) 881-4480</u>
Address:	<u>730 17TH ST STE 610</u>	Fax:	<u>()</u>
City:	<u>DENVER</u>	State:	<u>CO</u>
Zip:	<u>80202</u>	Email:	<u>dbrugeman@bayswater.co</u>
API Number :	<u>05-0010976700</u>	OGCC Facility ID Number:	<u>433543</u>
Well/Facility Name:	<u>Badger Creek</u>	Well/Facility Number:	<u>22-33</u>
Location QtrQtr:	<u>NWSE</u>	Section:	<u>22</u>
Township:	<u>2S</u>	Range:	<u>57W</u>
Meridian:	<u>6</u>	County:	<u>ADAMS</u>
Field Name:	<u>BADGER CREEK</u>		
Federal, Indian or State Lease Number:	<u></u>		

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 1 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 3 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

No other water sources are available within a one-half mile radius. All landowners were contacted to ensure there were no additional unregistered water wells. The creek nearby is dry.

Operator Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Heather Brown
Title: Environmental Specialist Email: hbrown@petro-fs.com Date: 9/9/2013

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 9/10/2013

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

------	------

General Comments**User Group****Comment****Comment Date**

Environmental Data	Facility ID 752733 sampled to meet the requirements of rule 609 for this well. No other available water sources are within 1/2 mile of the OG well.	9/10/2013 12:39:29 PM
--------------------	---	--------------------------

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

400475290	FORM 4 SUBMITTED
400476778	WELL LOCATION PLAT

Total Attach: 2 Files