





			SDSCENT Centralizer for testing		3.00	3.25	20.00	
WVF3	10.92							
			CBL-Probe (050215) 2.75 digital probe		8.75	2.75	106.50	
WVF5	9.92							
			SDSCENT Centralizer for testing		3.00	3.25	20.00	
			GR-probe 2.75 (51013)		3.67	2.75	100.00	
GR	1.13							
Dataset: walton 17-25.db: field/well/run1/pass3 Total Length: 20.33 ft Total Weight: 246.50 lb O.D. 3.25 in								


9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0 (lb)2000	0	Amplitude (mV)	100			
















1150

1200

1250

1300








1350

1400

1450

1500







1550


1600

1650

1700

1750








1800

1850

1900

1950







2000


2050

2100

2150

2200








2250

2300

2350

2400








2450

2500

2550

2600







2650


2700

2750

2800

2850








2900


2950

3000

3050










3350

3400

3450

3500








3550

3600

3650

3700







3750


3800

3850

3900

3950








4000


4050

4100

4150










4450


4500

4550


4600








Database File: walton 17-25.db					
Dataset Pathname: pass2					
Presentation Format: cbl_dr					
Dataset Creation: Tue Feb 12 14:56:16 2013 by Log SCH 120126					
Charted by: Depth in Feet scaled 1:240					
9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV) 10 200 Variable Density 1200
0	Gamma Ray (GAPI)	200	0 (lb)2000	0	Amplitude (mV) 100







5200


5250

5300

5350

5400








5450

5500

5550

5600








5650

5700

5750

5800







5850


5900

5950

6000

6050








6100


6150

6200

6250










6550

6600

6650

6700








6750

6800

6850

6900





6950



7000


← Marker Joint

7050

7100

7150








7200

7250

7300

7350





9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0 (lb)2000	0	Amplitude (mV)	100			