




			cent.-Probe (cent) probe cent	2.88	2.75	25.00
WVF3	12.48					
WVF5	11.48		CBL-Probe (110215) 2.75 digital probe	8.75	2.75	106.50
			cent.-Probe (cent) probe cent	2.88	2.75	25.00
CCL	4.13		CCL-Probe (081119)	2.02	2.75	
GR	0.79		GR-Probe275dig (110249) Probe Digital Gamma-Ray	3.33	2.75	57.00
Dataset: booth 24-26.db: field/well/run1/pass3 Total Length: 20.85 ft Total Weight: 214.50 lb O.D.: 2.75 in						



Database File:	booth 24-26.db
Dataset Pathname:	pass3
Presentation Format:	cbl_dr
Dataset Creation:	Tue Nov 27 07:28:24 2012 by Log SCH 120420





9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	150	0 (lb)1000	0	Amplitude (mV)	100			
































1700



1800


























2600

2700










2800

2900










3000

3100

3200










3300

3400










3500

3600










3700

3800










3900

4000










4100

4200

4300










4400

4500










4600

4700










4800

4900









Database File: booth 24-26.db  
 Dataset Pathname: pass2  
 Presentation Format: cbl\_dr  
 Dataset Creation: Tue Nov 27 07:01:43 2012 by Log SCH 120430  
 Charted by: Depth in Feet scaled 1:240

9	Collar Locator	-1	LTEN	0	Amplified Amplitude (mV)	10	200	Variable Density	1200
0	Gamma Ray (GAPI)	200	0	0	Amplitude (mV)	100			










5100

5200

5300










5400


5500














5800


5900



















6500

6600










6700


6800














7100


7200











7600

7700

