

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:

10/23/2013

Document Number:

666500083

Overall Inspection:

Satisfactory**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection
	<u>432955</u>	<u>432954</u>	<u>WEEMS, MARK</u>	<input type="checkbox"/> 2A Doc Num: _____

Operator Information:

OGCC Operator Number:

Name of Operator: KINDER MORGAN CO2 CO LPAddress: 17801 HWY 491City: CORTEZ State: CO Zip: 81321

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Clayton, Bob	970-882-5507	bob_clayton@kindermorgan.com	

Compliance Summary:QtrQtr: NESE Sec: 7 Twp: 36N Range: 17W**Inspector Comment:**Rig and site personnel very cordial and cooperative with inspection. Good operations in place.**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
432955	WELL	DG	09/22/2013		083-06703	GOODMAN POINT (GP) 26	DG	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: _____	Separators: _____	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

LocationEmergency Contact Number: (S/U/V) _____

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

Inspector Name: WEEMS, MARK

Venting:		
Yes/No	Comment	

Flaring:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

Predrill

Location ID: 432955

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/U/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>A closed loop system (which operator has indicated on the Form 2A) must be implemented during drilling. All cuttings generated during drilling with OBM/high chloride mud must be kept in containers or on a lined/bermed portion of the well pad; prior to analysis and/or offsite disposal.</p> <p>The moisture content of any drill cuttings in a cuttings area or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>If the well is to be hydraulically stimulated, then flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permit has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service.</p> <p>All personnel must be H2S trained and proper air monitoring for H2S must be implemented during drilling, completion, and production operations. Emergency response plan for H2S must be onsite at all times.</p>	05/11/2013

S/U/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Storm Water/Erosion Control	<p>Fiber wattles will encompass the entire periphery of the disturbed area.</p> <p>Tackifier will be added to the stored topsoil piles and areas of interim reclamation to inhibit erosion. The slope ratio of stockpiled soils will not exceed 3:1.</p> <p>Stormwater BMPs will be maintained and/or amended by Kinder Morgan as site conditions change during the construction and reclamation process.</p>

Construction	All equipment will be stored within the Right-of-Way (ROW) area of disturbance. Top soil will be removed to create a level pad for drilling and an access road (Length: 82'm, ROW: 50'). The Drilling Facility Layout Map displays the areas that will be used for storage of building materials, equipment, and soil. Vegetation that does not need to be removed will be avoided during construction and removed vegetation will be cut near ground level, leaving the root system intact except where permanent facilities, roads, or ROWs require the complete removal of vegetation.
Final Reclamation	All disturbed areas that are not necessary for operational procedures will be restored to at least 70 percent of pre-disturbance vegetative cover.
Interim Reclamation	Disturbed portions of the well pad not necessary for operation and maintenance will be re-contoured and roughened to blend into the surrounding terrain. In addition, a landowner approved seed mix will be applied at the appropriate time using seeding and mulching methods outlined in the Regional Stormwater Plan (RSWMP). Weed control will be employed to help facilitate vegetation reestablishment.
General Housekeeping	Erosion control barriers, namely fiber wattles, will be placed at the edge of disturbance where necessary. Care will be taken to avoid disturbance, outside of the project area unless it is deemed necessary for equipment stability and fire safety.

S/U/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

10/23/2013 M.E. Weems; Closed loop being used; all cuttings being stored in containers; Contractor for drying cuttings is Kinetic Works and using a back hoe to mix in EcoSponge with cuttings; best management practices for storm water control in place; secondary containment in place for all stored liquids;

Facility

Facility ID: 432955 Type: WELL API Number: 083-06703 Status: DG Insp. Status: DG

Well Drilling

Rig: Rig Name: Nabors M-13 Pusher/Rig Manager: Tom Brown
 Permit Posted: Satisfactory Access Sign: Satisfactory

Well Control Equipment:

Pipe Ram: YES Blind Ram: YES Hydril Type: YES
 Pressure Test BOP: Pass Test Pressure PSI: Safety Plan: YES

Drill Fluids Management:

Lined Pit: Unlined Pit: Closed Loop: YES Semi-Closed Loop:
 Multi-Well: NO Disposal Location: New Mexico

Comment:

Current depth=7805'; Running 7" casing; 198 joints to be run

Environmental**Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:
 Comment:
 Corrective Action: Date:
 Reportable: GPS: Lat Long
 Proximity to Surface Water: Depth to Ground Water:

Water Well:

DWR Receipt Num: Owner Name: GPS : Lat Long

Field Parameters:

Sample Location:

Emission Control Burner (ECB):

Comment:
 Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: DRY LAND

Comment:

1003a. Debris removed? CM CA CA Date
 Waste Material Onsite? CM CA CA Date
 Unused or unneeded equipment onsite? CM CA CA Date
 Pit, cellars, rat holes and other bores closed? CM

Inspector Name: WEEMS, MARK

CA _____ CA Date _____
Guy line anchors removed? _____ CM _____
CA _____ CA Date _____
Guy line anchors marked? _____ CM _____
CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: DRY LAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads _____ Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

Inspector Name: WEEMS, MARK

S/U/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT