



**Pumping
Service Report**

9184360

Client Name Anadarko Petroleum Corporation	Well Name Birkle 24-15L	Job Date October 16, 2013	Call Sheet 1030605
Client Representative Mr Traux Deal	Location Sec 24:T3N:R676W	Job Type Abandonment Plugs	

Well Profile

Well Type:	Oil
Maximum Treating Pressure (psi):	---
Predicted Bottom Hole Static Temperature (°F):	--- @ --
Bottom Hole Circulating Temperature (°F):	--- @ --
Bottom Hole Logged Temperature (°F):	--- @ --

Casing

Size (in)	Weight (lb/ft)	Grade	Collapse Pressure (psi)	Internal Yield Pressure (psi)	Capacity (bbl)	I.D. (in)	O.D. (in)	Depth From (ft)	Depth To (ft)
3.500	7.700		--	--	--	--	--	--	--

Tubing

Size (in)	Weight (lb/ft)	Grade	Collapse Pressure (psi)	Capacity (bbl)	I.D. (in)	O.D. (in)	Depth From (ft)	Depth To (ft)
2.063	0.000		--	--	--	--	0.000	4,200.000

Products

Plug 1

From Depth (ft):

To Depth (ft):

Plug Type : N/A

Acids/Blends/Fluids :

Tail: 470 Sacks of 0-1-0 G, Density = 15.8 lb/gal, Volume Pumped = 99 (bbl)
Water Temperature(°F) = 60 , Bulk Temperature(°F) = 60 , Slurry Temperature(°F) = 75
+ 0.5 % of CFR0.5 (Preblend),
+ 0.2 % of ASA-3 (Preblend),
+ 0.15 % of LTR (Preblend),
+ 0.25 lb/sack of Polyflake (Preblend)

Fluid & Cement Data

Expected Cement Top: --

Wellbore Fluid

Fluid Type	Viscosity (cP)	Density (lbs/gal)	Yield Point (psi)	Temperature (°F)	Recorded@
Water	--	--	--	--	Oct 14, 2013 10:22