

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



|    |    |    |    |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

400514398

Date Received:

11/18/2013

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10071 Contact Name Venessa Langmacher  
 Name of Operator: BARRETT CORPORATION\* BILL Phone: (303) 312-8172  
 Address: 1099 18TH ST STE 2300 Fax: (303) 291-0420  
 City: DENVER State: CO Zip: 80202 Email: vlangmacher@billbarrettcorp.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 123 38353 00 OGCC Facility ID Number: 434839  
 Well/Facility Name: Anschutz State Well/Facility Number: 5-62-25-0108BH  
 Location QtrQtr: NWNW Section: 25 Township: 5N Range: 62W Meridian: 6  
 County: WELD Field Name: WATTENBERG  
 Federal, Indian or State Lease Number: 9795.8

|                     |  |  |
|---------------------|--|--|
| Survey Plat         |  |  |
| Directional Survey  |  |  |
| Srvc Eqpmt Diagram  |  |  |
| Technical Info Page |  |  |
| Other               |  |  |

**GROUND WATER SAMPLING**

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.  
 \_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.  
 \_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.  
 \_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**  
 \_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

\_\_\_\_\_ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
|           |             |             |                |
|           |             |             |                |
|           |             |             |                |
|           |             |             |                |

**COMMENTS**

The well that could be sampled is inactive.

**Operator Comments:**

|  |
|--|
|  |
|--|

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Venessa Langmacher  
 Title: Senior Permit Analyst Email: vlangmacher@billbarrettcorp.com Date: 11/18/2013

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 11/18/2013

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

|  |  |
|--|--|
|  |  |
|--|--|

**General Comments****User Group****Comment****Comment Date**

|                    |  |                          |
|--------------------|--|--------------------------|
| Environmental Data | A review of data on the COGCC website indicates that there are no available water sources within the governmental quarter section of the proposed oil and gas well or within any governmental ¼ section within a ½ mile radius of the proposed oil and gas well. | 11/18/2013<br>2:51:09 PM |
|--------------------|--|--------------------------|

Total: 1 comment(s)

**Attachment Check List****Att Doc Num****Name**

|           |                  |
|-----------|------------------|
| 400514398 | FORM 4 SUBMITTED |
| 400514402 | OTHER            |

Total Attach: 2 Files