

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>400514924</u>			
Date Received: <u>11/19/2013</u>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>19160</u>	Contact Name <u>Justin Carlile</u>
Name of Operator: <u>CONOCO PHILLIPS COMPANY</u>	Phone: <u>(281) 647-1857</u>
Address: <u>P O BOX 2197</u>	Fax: <u>(281) 647-1935</u>
City: <u>HOUSTON</u> State: <u>TX</u> Zip: <u>77252-2197</u>	Email: <u>justin.carlile@conocophillips.com</u>

Complete the Attachment
Checklist

OP OGCC

API Number : 05- <u>005</u> <u>07214</u> <u>00</u>	OGCC Facility ID Number: <u>434239</u>
Well/Facility Name: <u>Murphy Family 4-64 36</u>	Well/Facility Number: <u>1H</u>
Location QtrQtr: <u>NESE</u> Section: <u>36</u> Township: <u>4S</u> Range: <u>64W</u> Meridian: <u>6</u>	
County: <u>ARAPAHOE</u> Field Name: <u>WILDCAT</u>	
Federal, Indian or State Lease Number: _____	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 0 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 4 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

According to CB&I, water sampling company, there is an absence of permitted water wells located within 1/2 mile of the location. CoP request an exception to rule 609. due to the lack of water wells in the area.

Wells #265424 and 46149-MH were not considered to be locations which a sample could be obtained from due to the following:

Well number 265424 is listed on the DWR website as "permit issued; completion status unknown" and there are no documents to suggest a well has been drilled at the location, in addition the permit for the location expired on 9/7/2007.

Well number 46149-MH was permitted as a monitoring hole only and according to documents available on the DWR website if a well permit was not applied for the well was required to be plugged and sealed within one year of construction (constructed 9/1/2006). There is no evidence of a well permit for this location.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Justin Carlile
Title: Regulatory Specialist Email: justin.carlile@conocophillips.com Date: 11/19/2013

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOESELL, ARTHUR Date: 11/20/2013

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

<u>COA Type</u>	<u>Description</u>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental Data	The operator has addressed the two potential water sources within 1/2 mile radius. Review complete.	11/20/2013 9:11:49 AM
Environmental Data	A review of information available on the COGCC website indicate that there are two potential water sources within ½ mile of the Murphy Family 4-64 36 1H oil well. An email was sent to the operator on 11/20/2013 requesting addiotnal information regarding why DWR permit #s 265424 and 46149-MH are not suitable for sampling.	11/20/2013 8:34:45 AM

Total: 2 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
2533734	CORRESPONDENCE
400514924	FORM 4 SUBMITTED

Total Attach: 2 Files