



10/04/13

## Technical Report for

**XTO Energy**

**FRU 197-31A**

**1111-02A RP Subliner Comp**

**Accutest Job Number: D51041**

**Sampling Date: 09/25/13**

### Report to:

KRW Consulting, Inc.  
8000 West 14th Avenue  
Lakewood, CO 80214  
dknudson@krwconsulting.com; jhess@krwconsulting.com;  
crachak@krwconsulting.com; rrasnic@krwconsulting.com;  
ATTN: Dwayne Knudson

**Total number of pages in report: 139**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read 'Scott Heideman'.

**Scott Heideman**  
**Laboratory Director**

**Client Service contact: Renea Jackson 303-425-6021**

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>4</b>
<b>Section 2: Case Narrative/Conformance Summary .....</b>	<b>5</b>
<b>Section 3: Summary of Hits .....</b>	<b>8</b>
<b>Section 4: Sample Results .....</b>	<b>9</b>
<b>4.1: D51041-1: RP SUBLINER COMP .....</b>	<b>10</b>
<b>4.2: D51041-1A: RP SUBLINER COMP .....</b>	<b>16</b>
<b>Section 5: Misc. Forms .....</b>	<b>18</b>
<b>5.1: Chain of Custody .....</b>	<b>19</b>
<b>Section 6: GC/MS Volatiles - QC Data Summaries .....</b>	<b>21</b>
<b>6.1: Method Blank Summary .....</b>	<b>22</b>
<b>6.2: Blank Spike Summary .....</b>	<b>23</b>
<b>6.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	<b>24</b>
<b>Section 7: GC/MS Volatiles - Raw Data .....</b>	<b>25</b>
<b>7.1: Samples .....</b>	<b>26</b>
<b>7.2: Method Blanks .....</b>	<b>33</b>
<b>Section 8: GC/MS Semi-volatiles - QC Data Summaries .....</b>	<b>40</b>
<b>8.1: Method Blank Summary .....</b>	<b>41</b>
<b>8.2: Blank Spike Summary .....</b>	<b>42</b>
<b>8.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	<b>43</b>
<b>Section 9: GC/MS Semi-volatiles - Raw Data .....</b>	<b>44</b>
<b>9.1: Samples .....</b>	<b>45</b>
<b>9.2: Method Blanks .....</b>	<b>62</b>
<b>Section 10: GC Volatiles - QC Data Summaries .....</b>	<b>79</b>
<b>10.1: Method Blank Summary .....</b>	<b>80</b>
<b>10.2: Blank Spike Summary .....</b>	<b>81</b>
<b>10.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	<b>82</b>
<b>Section 11: GC Volatiles - Raw Data .....</b>	<b>83</b>
<b>11.1: Samples .....</b>	<b>84</b>
<b>11.2: Method Blanks .....</b>	<b>89</b>
<b>Section 12: GC Semi-volatiles - QC Data Summaries .....</b>	<b>94</b>
<b>12.1: Method Blank Summary .....</b>	<b>95</b>
<b>12.2: Blank Spike Summary .....</b>	<b>96</b>
<b>12.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	<b>97</b>
<b>Section 13: GC Semi-volatiles - Raw Data .....</b>	<b>98</b>
<b>13.1: Samples .....</b>	<b>99</b>
<b>13.2: Method Blanks .....</b>	<b>102</b>
<b>Section 14: Metals Analysis - QC Data Summaries .....</b>	<b>105</b>
<b>14.1: Prep QC MP11247: Hg .....</b>	<b>106</b>
<b>14.2: Prep QC MP11248: Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn .....</b>	<b>110</b>
<b>14.3: Prep QC MP11249: As .....</b>	<b>120</b>
<b>14.4: Prep QC MP11259: Ca,Mg,Na,Sodium Adsorption Ratio .....</b>	<b>125</b>
<b>Section 15: General Chemistry - QC Data Summaries .....</b>	<b>135</b>

# Table of Contents

Sections:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

-2-	
15.1: Method Blank and Spike Results Summary .....	136
15.2: Duplicate Results Summary .....	137
15.3: Matrix Spike Results Summary .....	138
15.4: Matrix Spike Duplicate Results Summary .....	139



Sample Summary

XTO Energy

Job No: D51041

FRU 197-31A

Project No: 1111-02A RP Subliner Comp

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D51041-1	09/25/13	15:00 DK	09/27/13	SO	Soil	RP SUBLINER COMP
D51041-1A	09/25/13	15:00 DK	09/27/13	SO	Soil	RP SUBLINER COMP

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

## CASE NARRATIVE / CONFORMANCE SUMMARY

**Client:** XTO Energy**Job No** D51041**Site:** FRU 197-31A**Report Date** 10/4/2013 4:30:45 PM

On 09/27/2013, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 2.2 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D51041 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

### Volatiles by GCMS By Method SW846 8260B

**Matrix:** SO**Batch ID:** V5V1762

- All samples were analyzed within the recommended method holding time.
- Sample(s) D51041-1MS, D51041-1MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

### Extractables by GCMS By Method SW846 8270C BY SIM

**Matrix:** SO**Batch ID:** OP8644

- All samples were extracted and analyzed within the recommended method holding time.
- Sample(s) D50832-1RMS, D50832-1RMSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

### Volatiles by GC By Method SW846 8015B

**Matrix:** SO**Batch ID:** GGB1229

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D51039-1MS, D51039-1MSD were used as the QC samples indicated.

### Extractables by GC By Method SW846-8015B

**Matrix:** SO**Batch ID:** OP8643

- All samples were extracted and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D50939-1MS, D50939-1MSD were used as the QC samples indicated.

## Metals By Method SW846 6010C

**Matrix:** AQ

**Batch ID:** MP11259

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D51044-1AMS, D51044-1AMSD, D51044-1ASDL were used as the QC samples for the metals analysis.

**Matrix:** SO

**Batch ID:** MP11248

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D51041-1MS, D51041-1MSD, D51041-1SDL were used as the QC samples for the metals analysis.
- The matrix spike (MS) and matrix spike duplicate (MSD) recovery(s) of Zinc are outside control limits. Spike recovery indicates possible matrix interference.
- The matrix spike (MS) recovery(s) of Barium are outside control limits. Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.
- The RPD(s) for the MS and MSD recoveries of Barium are outside control limits for sample MP11248-S2. High RPD due to possible sample matrix or nonhomogeneity.
- The serial dilution RPD(s) for Lead, Silver are outside control limits for sample MP11248-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

## Metals By Method SW846 6020A

**Matrix:** SO

**Batch ID:** MP11249

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D51041-1MS, D51041-1MSD, D51041-1SDL were used as the QC samples for the metals analysis.

## Metals By Method SW846 7471B

**Matrix:** SO

**Batch ID:** MP11247

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D51039-1MSD, D51039-1MS were used as the QC samples for the metals analysis.
- The matrix spike (MS) recovery(s) of Mercury are outside control limits. Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.
- The RPD(s) for the MS and MSD recoveries of Mercury are outside control limits for sample MP11247-S2. High RPD due to possible sample matrix or nonhomogeneity.

## Wet Chemistry By Method ASTM D1498-76M

**Matrix:** SO

**Batch ID:** GN22093

- Sample(s) D50832-1RDUP were used as the QC samples for the Redox Potential Vs H2 analysis.

## Wet Chemistry By Method SM2540B-2011 M

**Matrix:** SO

**Batch ID:** GN22079

- The data for SM2540B-2011 M meets quality control requirements.

### Wet Chemistry By Method SW846 3060A/7196A

**Matrix:** SO

**Batch ID:** GP11063

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D51041-1MS, D51041-1MSD, D51041-1DUP were used as the QC samples for the Chromium, Hexavalent analysis.
- The duplicate RPD(s) for Chromium, Hexavalent are outside control limits for sample GP11063-D1. RPD acceptable due to low duplicate and sample concentrations.

### Wet Chemistry By Method SW846 3060A/7196A M

**Matrix:** SO

**Batch ID:** R18887

- The data for SW846 3060A/7196A M meets quality control requirements.
- D51041-1 for Chromium, Trivalent: Calculated as: (Chromium) - (Chromium, Hexavalent)

### Wet Chemistry By Method SW846 9045D

**Matrix:** SO

**Batch ID:** GN22085

- The following samples were run outside of holding time for method SW846 9045D: D51041-1

### Wet Chemistry By Method USDA HANDBOOK 60

**Matrix:** SO

**Batch ID:** MP11259

- D51041-1A for Sodium Adsorption Ratio: Calculated as:  $(\text{Na meq/L}) / \sqrt{[(\text{Ca meq/L}) + (\text{Mg meq/L})/2]}$

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

## Summary of Hits

Page 1 of 1

**Job Number:** D51041  
**Account:** XTO Energy  
**Project:** FRU 197-31A  
**Collected:** 09/25/13



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

### D51041-1 RP SUBLINER COMP

Arsenic	3.2	0.12		mg/kg	SW846 6020A
Barium	1970	1.2		mg/kg	SW846 6010C
Chromium	47.2	1.2		mg/kg	SW846 6010C
Copper	8.9	1.2		mg/kg	SW846 6010C
Lead	9.5	5.9		mg/kg	SW846 6010C
Nickel	15.4	3.6		mg/kg	SW846 6010C
Zinc	40.6	3.6		mg/kg	SW846 6010C
Specific Conductivity	433	1.0		umhos/cm	SM 2510B-2011 MOD
Chromium, Trivalent <sup>a</sup>	47.1	2.2		mg/kg	SW846 3060A/7196A M
Redox Potential Vs H2	176			mv	ASTM D1498-76M
pH	9.98			su	SW846 9045D

### D51041-1A RP SUBLINER COMP

Calcium	2.71	2.0		mg/l	SW846 6010C
Magnesium	1.55	1.0		mg/l	SW846 6010C
Sodium	93.5	2.0		mg/l	SW846 6010C
Sodium Adsorption Ratio <sup>b</sup>	11.2			ratio	USDA HANDBOOK 60

(a) Calculated as: (Chromium) - (Chromium, Hexavalent)

(b) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]



Sample Results

Report of Analysis

Accutest Laboratories

## Report of Analysis

Page 1 of 1

<b>Client Sample ID:</b>	RP SUBLINER COMP	<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1	<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	FRU 197-31A		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5V29304.D	1	09/30/13	BD	n/a	n/a	V5V1762
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.01 g	5.0 ml	100 ul
Run #2			

## Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.070	0.035	mg/kg	
108-88-3	Toluene	ND	0.14	0.070	mg/kg	
100-41-4	Ethylbenzene	ND	0.14	0.026	mg/kg	
1330-20-7	Xylene (total)	ND	0.28	0.14	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	98%		64-130%
460-00-4	4-Bromofluorobenzene	96%		62-131%
17060-07-0	1,2-Dichloroethane-D4	101%		70-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Accutest Laboratories

## Report of Analysis

Page 1 of 1

<b>Client Sample ID:</b>	RP SUBLINER COMP	<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1	<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Method:</b>	SW846 8270C BY SIM SW846 3546		
<b>Project:</b>	FRU 197-31A		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3G16511.D	1	09/27/13	DC	09/27/13	OP8644	E3G816
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

## COGCC Table 910-1 PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	0.0099	0.0052	mg/kg	
120-12-7	Anthracene	ND	0.0099	0.0052	mg/kg	
56-55-3	Benzo(a)anthracene	ND	0.0099	0.0052	mg/kg	
205-99-2	Benzo(b)fluoranthene	ND	0.0099	0.0052	mg/kg	
207-08-9	Benzo(k)fluoranthene	ND	0.0099	0.0052	mg/kg	
50-32-8	Benzo(a)pyrene	ND	0.0099	0.0052	mg/kg	
218-01-9	Chrysene	ND	0.0099	0.0052	mg/kg	
53-70-3	Dibenzo(a,h)anthracene	ND	0.0099	0.0052	mg/kg	
206-44-0	Fluoranthene	ND	0.0099	0.0052	mg/kg	
86-73-7	Fluorene	ND	0.0099	0.0060	mg/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.0099	0.0052	mg/kg	
91-20-3	Naphthalene	ND	0.014	0.012	mg/kg	
129-00-0	Pyrene	ND	0.0099	0.0052	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		10-175%
321-60-8	2-Fluorobiphenyl	68%		25-130%
1718-51-0	Terphenyl-d14	88%		41-133%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Accutest Laboratories

## Report of Analysis

Page 1 of 1

<b>Client Sample ID:</b>	RP SUBLINER COMP	<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1	<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Method:</b>	SW846 8015B		
<b>Project:</b>	FRU 197-31A		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GB22349.D	1	09/30/13	EV	n/a	n/a	GGB1229
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	14	7.0	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
120-82-1	1,2,4-Trichlorobenzene	84%		60-140%		

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Accutest Laboratories

## Report of Analysis

Page 1 of 1

<b>Client Sample ID:</b>	RP SUBLINER COMP		<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1		<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	83.6
<b>Method:</b>	SW846-8015B SW846 3546			
<b>Project:</b>	FRU 197-31A			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FH013522.D	1	09/30/13	TU	09/27/13	OP8643	GFH716
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.0	6.0	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	72%		20-130%		

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	RP SUBLINER COMP	<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1	<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Project:</b>	FRU 197-31A		

## Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.2	0.12	mg/kg	5	10/01/13	10/04/13 JB	SW846 6020A <sup>3</sup>	SW846 3050B <sup>6</sup>
Barium	1970	1.2	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Cadmium	< 1.2	1.2	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Chromium	47.2	1.2	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Copper	8.9	1.2	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Lead	9.5	5.9	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Mercury	< 0.10	0.10	mg/kg	1	10/01/13	10/01/13 JM	SW846 7471B <sup>1</sup>	SW846 7471B <sup>4</sup>
Nickel	15.4	3.6	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Selenium	< 5.9	5.9	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Silver	< 3.6	3.6	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>
Zinc	40.6	3.6	mg/kg	1	10/01/13	10/01/13 JM	SW846 6010C <sup>2</sup>	SW846 3050B <sup>5</sup>

(1) Instrument QC Batch: MA4021

(2) Instrument QC Batch: MA4023

(3) Instrument QC Batch: MA4036

(4) Prep QC Batch: MP11247

(5) Prep QC Batch: MP11248

(6) Prep QC Batch: MP11249

RL = Reporting Limit

## Report of Analysis

<b>Client Sample ID:</b>	RP SUBLINER COMP	<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1	<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Project:</b>	FRU 197-31A		

## General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
<b>prep: DEPT.OF AG, BOOK N9</b>							
Specific Conductivity	433	1.0	umhos/cm	1	10/03/13	JD	SM 2510B-2011 MOD
Chromium, Hexavalent	< 1.0	1.0	mg/kg	1	10/02/13	JD	SW846 3060A/7196A
Chromium, Trivalent <sup>a</sup>	47.1	2.2	mg/kg	1	10/02/13	JD	SW846 3060A/7196A M
Redox Potential Vs H2	176		mv	1	09/30/13	JD	ASTM D1498-76M
Solids, Percent	83.6		%	1	09/30/13	SWT	SM2540B-2011 M
pH	9.98		su	1	09/30/13 09:40	JD	SW846 9045D

(a) Calculated as: (Chromium) - (Chromium, Hexavalent)

RL = Reporting Limit

Report of Analysis

<b>Client Sample ID:</b>	RP SUBLINER COMP	<b>Date Sampled:</b>	09/25/13
<b>Lab Sample ID:</b>	D51041-1A	<b>Date Received:</b>	09/27/13
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Project:</b>	FRU 197-31A		

SAR Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	2.71	2.0	mg/l	1	10/01/13	10/01/13 JM	SW846 6010C <sup>1</sup>	SW846 3010A/M <sup>2</sup>
Magnesium	1.55	1.0	mg/l	1	10/01/13	10/01/13 JM	SW846 6010C <sup>1</sup>	SW846 3010A/M <sup>2</sup>
Sodium	93.5	2.0	mg/l	1	10/01/13	10/01/13 JM	SW846 6010C <sup>1</sup>	SW846 3010A/M <sup>2</sup>

(1) Instrument QC Batch: MA4023  
(2) Prep QC Batch: MP11259

RL = Reporting Limit



Report of Analysis

**Client Sample ID:** RP SUBLINER COMP  
**Lab Sample ID:** D51041-1A  
**Matrix:** SO - Soil  
**Project:** FRU 197-31A

**Date Sampled:** 09/25/13  
**Date Received:** 09/27/13  
**Percent Solids:** 83.6

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Sodium Adsorption Ratio <sup>a</sup>	11.2		ratio	1	10/01/13 19:01	JM	USDA HANDBOOK 60

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]

RL = Reporting Limit

4.2  
4

## Misc. Forms

5

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody



## CHAIN OF CUSTODY

PAGE 1 OF 1

4036 Youngfield Street, Wheat Ridge, CO 80033  
TEL: 303-425-6021 FAX: 303-425-6854  
www.accutest.com

FED-EX Tracking #		Bottle Order Control #	
Accutest Quote #		Accutest Job # <b>D51041</b>	
Client / Reporting Information		Project Information	
Company Name <b>KRW Consulting</b>		Project Name <b>XTO FRU 197-31A</b>	
Street Address <b>8000 West 14th Street, Suite 200</b>		Street	
City <b>Lakewood, CO 80214</b>		City State	
Project Contact <b>Dwayne Knudson</b>		Billing Information (If different from Report to) Company Name <b>XTO Energy</b>	
Phone # <b>970-488-1098</b>		Street Address <b>21459 CR 5</b>	
Sampler(s) Name(s) <b>Dwayne Knudson 970-488-1098</b>		City <b>Rifle, CO 81650</b>	
Project Manager <b>Joe Hess</b>		Attention: <b>Jessica Dooling</b>	
Collection		Number of preserved Bottles	
Accutest Sample #	Field ID / Point of Collection	MECH/Oil Vial #	Date
	<b>RP Subliner Comp</b>		<b>9-25-13</b>
		Time	Sampled by
			<b>DK</b>
		Matrix	# of bottles
			<b>50 5</b>
		NaOH	NaNO3
		Na2SO4	NaNO2
		NaCl	Na2CO3
		NaHCO3	Na2S
		Na2O	Na2O2
		Na2O3	Na2O4
		Na2O5	Na2O6
		Na2O7	Na2O8
		Na2O9	Na2O10
		Na2O11	Na2O12
		Na2O13	Na2O14
		Na2O15	Na2O16
		Na2O17	Na2O18
		Na2O19	Na2O20
		Na2O21	Na2O22
		Na2O23	Na2O24
		Na2O25	Na2O26
		Na2O27	Na2O28
		Na2O29	Na2O30
		Na2O31	Na2O32
		Na2O33	Na2O34
		Na2O35	Na2O36
		Na2O37	Na2O38
		Na2O39	Na2O40
		Na2O41	Na2O42
		Na2O43	Na2O44
		Na2O45	Na2O46
		Na2O47	Na2O48
		Na2O49	Na2O50
		Na2O51	Na2O52
		Na2O53	Na2O54
		Na2O55	Na2O56
		Na2O57	Na2O58
		Na2O59	Na2O60
		Na2O61	Na2O62
		Na2O63	Na2O64
		Na2O65	Na2O66
		Na2O67	Na2O68
		Na2O69	Na2O70
		Na2O71	Na2O72
		Na2O73	Na2O74
		Na2O75	Na2O76
		Na2O77	Na2O78
		Na2O79	Na2O80
		Na2O81	Na2O82
		Na2O83	Na2O84
		Na2O85	Na2O86
		Na2O87	Na2O88
		Na2O89	Na2O90
		Na2O91	Na2O92
		Na2O93	Na2O94
		Na2O95	Na2O96
		Na2O97	Na2O98
		Na2O99	Na2O100
		Na2O101	Na2O102
		Na2O103	Na2O104
		Na2O105	Na2O106
		Na2O107	Na2O108
		Na2O109	Na2O110
		Na2O111	Na2O112
		Na2O113	Na2O114
		Na2O115	Na2O116
		Na2O117	Na2O118
		Na2O119	Na2O120
		Na2O121	Na2O122
		Na2O123	Na2O124
		Na2O125	Na2O126
		Na2O127	Na2O128
		Na2O129	Na2O130
		Na2O131	Na2O132
		Na2O133	Na2O134
		Na2O135	Na2O136
		Na2O137	Na2O138
		Na2O139	Na2O140
		Na2O141	Na2O142
		Na2O143	Na2O144
		Na2O145	Na2O146
		Na2O147	Na2O148
		Na2O149	Na2O150
		Na2O151	Na2O152
		Na2O153	Na2O154
		Na2O155	Na2O156
		Na2O157	Na2O158
		Na2O159	Na2O160
		Na2O161	Na2O162
		Na2O163	Na2O164
		Na2O165	Na2O166
		Na2O167	Na2O168
		Na2O169	Na2O170
		Na2O171	Na2O172
		Na2O173	Na2O174
		Na2O175	Na2O176
		Na2O177	Na2O178
		Na2O179	Na2O180
		Na2O181	Na2O182
		Na2O183	Na2O184
		Na2O185	Na2O186
		Na2O187	Na2O188
		Na2O189	Na2O190
		Na2O191	Na2O192
		Na2O193	Na2O194
		Na2O195	Na2O196
		Na2O197	Na2O198
		Na2O199	Na2O200
		Na2O201	Na2O202
		Na2O203	Na2O204
		Na2O205	Na2O206
		Na2O207	Na2O208
		Na2O209	Na2O210
		Na2O211	Na2O212
		Na2O213	Na2O214
		Na2O215	Na2O216
		Na2O217	Na2O218
		Na2O219	Na2O220
		Na2O221	Na2O222
		Na2O223	Na2O224
		Na2O225	Na2O226
		Na2O227	Na2O228
		Na2O229	Na2O230
		Na2O231	Na2O232
		Na2O233	Na2O234
		Na2O235	Na2O236
		Na2O237	Na2O238
		Na2O239	Na2O240
		Na2O241	Na2O242
		Na2O243	Na2O244
		Na2O245	Na2O246
		Na2O247	Na2O248
		Na2O249	Na2O250
		Na2O251	Na2O252
		Na2O253	Na2O254
		Na2O255	Na2O256
		Na2O257	Na2O258
		Na2O259	Na2O260
		Na2O261	Na2O262
		Na2O263	Na2O264
		Na2O265	Na2O266
		Na2O267	Na2O268
		Na2O269	Na2O270
		Na2O271	Na2O272
		Na2O273	Na2O274
		Na2O275	Na2O276
		Na2O277	Na2O278
		Na2O279	Na2O280
		Na2O281	Na2O282
		Na2O283	Na2O284
		Na2O285	Na2O286
		Na2O287	Na2O288
		Na2O289	Na2O290
		Na2O291	Na2O292
		Na2O293	Na2O294
		Na2O295	Na2O296
		Na2O297	Na2O298
		Na2O299	Na2O300
		Na2O301	Na2O302
		Na2O303	Na2O304
		Na2O305	Na2O306
		Na2O307	Na2O308
		Na2O309	Na2O310
		Na2O311	Na2O312
		Na2O313	Na2O314
		Na2O315	Na2O316
		Na2O317	Na2O318
		Na2O319	Na2O320
		Na2O321	Na2O322
		Na2O323	Na2O324
		Na2O325	Na2O326
		Na2O327	Na2O328
		Na2O329	Na2O330
		Na2O331	Na2O332
		Na2O333	Na2O334
		Na2O335	Na2O336
		Na2O337	Na2O338
		Na2O339	Na2O340
		Na2O341	Na2O342
		Na2O343	Na2O344
		Na2O345	Na2O346
		Na2O347	Na2O348
		Na2O349	Na2O350
		Na2O351	Na2O352
		Na2O353	Na2O354
		Na2O355	Na2O356
		Na2O357	Na2O358
		Na2O359	Na2O360
		Na2O361	Na2O362
		Na2O363	Na2O364
		Na2O365	Na2O366
		Na2O367	Na2O368
		Na2O369	Na2O370
		Na2O371	Na2O372
		Na2O373	Na2O374
		Na2O375	Na2O376
		Na2O377	Na2O378
		Na2O379	Na2O380
		Na2O381	Na2O382
		Na2O383	Na2O384
		Na2O385	Na2O386
		Na2O387	Na2O388
		Na2O389	Na2O390
		Na2O391	Na2O392
		Na2O393	Na2O394
		Na2O395	Na2O396
		Na2O397	Na2O398
		Na2O399	Na2O400
		Na2O401	Na2O402
		Na2O403	Na2O404
		Na2O405	Na2O406
		Na2O407	Na2O408
		Na2O409	Na2O410
		Na2O411	Na2O412
		Na2O413	Na2O414
		Na2O415	Na2O416
		Na2O417	Na2O418
		Na2O419	Na2O420
		Na2O421	Na2O422
		Na2O423	Na2O424
		Na2O425	Na2O426
		Na2O427	Na2O428
		Na2O429	Na2O430
		Na2O431	Na2O432
		Na2O433	Na2O434
		Na2O435	Na2O436
		Na2O437	Na2O438
		Na2O439	Na2O440
		Na2O441	Na2O442
		Na2O443	Na2O444
		Na2O445	Na2O446
		Na2O447	Na2O448
		Na2O449	Na2O450
		Na2O451	Na2O452
		Na2O453	Na2O454
		Na2O455	Na2O456
		Na2O457	Na2O458
		Na2O459	Na2O460
		Na2O461	Na2O462
		Na2O463	Na2O464
		Na2O465	Na2O466
		Na2O467	Na2O468
		Na2O469	Na2O470
		Na2O471	Na2O472
		Na2O473	Na2O474
		Na2O475	Na2O476
		Na2O477	Na2O478
		Na2O479	Na2O480
		Na2O481	Na2O482
		Na2O483	Na2O484
		Na2O485	Na2O486
		Na2O487	Na2O488
		Na2O489	Na2O490
		Na2O491	Na2O492
		Na2O493	Na2O494
		Na2O495	Na2O496
		Na2O497	Na2O498
		Na2O499	Na2O500
		Na2O501	Na2O502
		Na2O503	Na2O504
		Na2O505	Na2O506
		Na2O507	Na2O508
		Na2O509	Na2O510
		Na2O511	Na2O512
		Na2O513	Na2O514
		Na2O515	Na2O516
		Na2O517	Na2O518
		Na2O519	Na2O520
		Na2O521	Na2O522
		Na2O523	Na2O524
		Na2O525	Na2O526
		Na2O527	Na2O528
		Na2O529	Na2O530
		Na2O531	Na2O532
		Na2O533	Na2O534
		Na2O535	Na2O536
		Na2O537	Na2O538
		Na2O539	Na2O540
		Na2O541	Na2O542
		Na2O543	Na2O544
		Na2O545	Na2O546
		Na2O547	Na2O548
		Na2O549	Na2O550
		Na2O551	Na2O552
		Na2O553	Na2O554
		Na2O555	Na2O556
		Na2O557	Na2O558
		Na2O559	Na2O560
		Na2O561	Na2O562
		Na2O563	Na2O564
		Na2O565	Na2O566
		Na2O567	Na2O568
		Na2O569	Na2O570
		Na2O571	Na2O572
		Na2O573	Na2O574
		Na2O575	Na2O576
		Na2O577	Na2O578
		Na2O579	Na2O580
		Na2O581	Na2O582
		Na2O583	Na2O584
		Na2O585	Na2O586
		Na2O587	Na2O588
		Na2O589	Na2O590
		Na2O591	Na2O592
		Na2O593	Na2O594
		Na2O595	Na2O596
		Na2O597	Na2O598
		Na2O599	Na2O600
		Na2O601	Na2O602
		Na2O603	Na2O604
		Na2O605	Na2O606
		Na2O607	Na2O608
		Na2O609	Na2O610
		Na2O611	Na2O612
		Na2O613	Na2O614
		Na2O615	Na2O616
		Na2O617	Na2O618
		Na2O619	Na2O620
		Na2O621	Na2O622
		Na2O623	Na2O624
		Na2O625	Na2O626
		Na2O627	Na2O628
		Na2O629	Na2O630
		Na2O631	Na2O632
		Na2O633	Na2O634
		Na2O635	Na2O636
		Na2O637	Na2O638
		Na2O639	Na2O640
		Na2O641	Na2O642
		Na2O643	Na2O644
		Na2O645	Na2O646
		Na2O647	Na2O648
		Na2O649	Na2O650
		Na2O651	Na2O652
		Na2O653	Na2O654
		Na2O655	Na2O656
		Na2O657	Na2O658
		Na2O659	Na2O660
		Na2O661	Na2O662
		Na2O663	Na2O664
		Na2O665	Na2O666
		Na2O667	Na2O668
		Na2O669	Na2O670
		Na2O671	Na2O672
		Na2O673	Na2O674
		Na2O675	Na2O676
	</		

# Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D51041

Client: KRW CONSULTING

Immediate Client Services Action Required: No

Date / Time Received: 9/27/2013 12:40:00 PM

No. Coolers: 1

Client Service Action Required at Login: No

Project: XTO FRU 197-31A

Airbill #'s: HD-CO

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:			Infrared gun
3. Cooler media:			Ice (bag)

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:			Intact

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume rec'd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories  
V:(303) 425-6021

4036 Youngfield Street  
F: (303) 425-6854

Wheat Ridge, CO  
www.accutest.com

## GC/MS Volatiles

### QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

**Method Blank Summary**

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V5V1762-MB	5V29302.D	1	09/30/13	BD	n/a	n/a	V5V1762

**The QC reported here applies to the following samples:****Method:** SW846 8260B

D51041-1

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	50	25	ug/kg	
100-41-4	Ethylbenzene	ND	100	19	ug/kg	
108-88-3	Toluene	ND	100	50	ug/kg	
1330-20-7	Xylene (total)	ND	200	100	ug/kg	

CAS No.	Surrogate Recoveries	Limits
2037-26-5	Toluene-D8	101% 64-130%
460-00-4	4-Bromofluorobenzene	86% 62-131%
17060-07-0	1,2-Dichloroethane-D4	103% 70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

## Blank Spike Summary

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V5V1762-BS	5V29303.D	1	09/30/13	BD	n/a	n/a	V5V1762

The QC reported here applies to the following samples:

Method: SW846 8260B

D51041-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	Limits
71-43-2	Benzene	2500	2550	102	70-130
100-41-4	Ethylbenzene	2500	2710	108	70-130
108-88-3	Toluene	2500	2630	105	70-130
1330-20-7	Xylene (total)	7500	8570	114	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
2037-26-5	Toluene-D8	102%	64-130%
460-00-4	4-Bromofluorobenzene	101%	62-131%
17060-07-0	1,2-Dichloroethane-D4	96%	70-130%

\* = Outside of Control Limits.

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D51041-1MS	5V29305.D	1	09/30/13	BD	n/a	n/a	V5V1762
D51041-1MSD	5V29306.D	1	09/30/13	BD	n/a	n/a	V5V1762
D51041-1	5V29304.D	1	09/30/13	BD	n/a	n/a	V5V1762

The QC reported here applies to the following samples:

Method: SW846 8260B

D51041-1

CAS No.	Compound	D51041-1 ug/kg	Q	Spike ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND		3480	3550	102	3790	109	7	64-139/30
100-41-4	Ethylbenzene	ND		3480	3690	106	3960	114	7	68-136/30
108-88-3	Toluene	ND		3480	3440	99	3690	106	7	60-130/30
1330-20-7	Xylene (total)	ND		10400	11800	113	12400	119	5	58-142/30

CAS No.	Surrogate Recoveries	MS	MSD	D51041-1	Limits
2037-26-5	Toluene-D8	93%	96%	98%	64-130%
460-00-4	4-Bromofluorobenzene	105%	108%	96%	62-131%
17060-07-0	1,2-Dichloroethane-D4	96%	94%	101%	70-130%

\* = Outside of Control Limits.



GC/MS Volatiles

Raw Data

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V5093013.S\  
Data File : 5V29304.D  
Acq On : 30 Sep 2013 1:58 pm  
Operator : BRETD  
Sample : D51041-1  
Misc : MS6465,V5V1762,5.005,,100,5,1  
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 01 08:41:19 2013  
Quant Method : C:\msdchem\1\METHODS\V5AP1728TVH1728.M  
Quant Title : 8260  
QLast Update : Tue Aug 20 09:59:22 2013  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
2) Pentafluorobenzene	11.613	168	148687	50.00	ug/l	0.00
37) 1,4-Difluorobenzene	12.412	114	201205	50.00	ug/l	0.00
56) Chlorobenzene-d5	15.061	117	197249	50.00	ug/l	0.00
77) 1,4-Dichlorobenzene-d4	17.024	152	147536	50.00	ug/l	-0.01

System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	12.012	102	15332	50.74	ug/l	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.48%
64) Toluene-d8	13.816	98	220014	49.24	ug/l	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.48%
72) 4-Bromofluorobenzene	16.008	95	100358	48.18	ug/l	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.36%


Target Compounds					Qvalue
1) TVH-Gasoline	13.006	TIC	-12126m	56.91	ug/l
18) Methylene Chloride	9.387	84	1036	0.84	ug/l # 56
94) Naphthalene	19.502	128	1173	0.99	ug/l 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V5093013.S\  
Data File : 5V29304.D  
Acq On : 30 Sep 2013 1:58 pm  
Operator : BRETD  
Sample : D51041-1  
Misc : MS6465,V5V1762,5.005,,100,5,1  
ALS Vial : 6 Sample Multiplier: 1





Quant Time: Oct 01 08:41:19 2013  
Quant Method : C:\msdchem\1\METHODS\V5AP1728TVH1728.M  
Quant Title : 8260  
QLast Update : Tue Aug 20 09:59:22 2013  
Response via : Initial Calibration








#1  
TVH-Gasoline  
Concen: 56.91 ug/l m  
RT: 13.006 min Scan# 734  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm


Tgt Ion:TIC Resp: -12126



#2  
Pentafluorobenzene  
Concen: 50.00 ug/l  
RT: 11.613 min Scan# 612  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm





Tgt Ion:168 Resp: 148687  
Ion Ratio Lower Upper  
168 100  
99 45.3 41.4 62.2








#18  
Methylene Chloride  
Concen: 0.84 ug/l  
RT: 9.387 min Scan# 417  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm


Tgt Ion: 84 Resp: 1036  
Ion Ratio Lower Upper  
84 100  
49 326.4 224.8 264.8#  
86 38.3 44.5 84.5#



#35  
1,2-Dichloroethane-d4  
Concen: 50.74 ug/l  
RT: 12.012 min Scan# 647  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm





Tgt Ion: 102 Resp: 15332








#37  
1,4-Difluorobenzene  
Concen: 50.00 ug/l  
RT: 12.412 min Scan# 682  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm


Tgt Ion:114 Resp: 201205







#56  
Chlorobenzene-d5  
Concen: 50.00 ug/l  
RT: 15.061 min Scan# 914  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm

Tgt Ion:117 Resp: 197249









#64  
Toluene-d8  
Concen: 49.24 ug/l  
RT: 13.816 min Scan# 805  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm  
Tgt Ion: 98 Resp: 220014



#72  
4-Bromofluorobenzene  
Concen: 48.18 ug/l  
RT: 16.008 min Scan# 997  
Delta R.T. 0.000 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm





Tgt Ion: 95 Resp: 100358  
Ion Ratio Lower Upper  
95 100  
174 105.5 85.4 125.4  
176 106.5 80.6 120.6








#77  
1,4-Dichlorobenzene-d4  
Concen: 50.00 ug/l  
RT: 17.024 min Scan# 1086  
Delta R.T. -0.011 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm

Tgt Ion	Ratio	Lower	Upper
152	100		
115	50.2	43.4	65.2
150	156.7	142.9	214.3



#94  
Naphthalene  
Concen: 0.99 ug/l  
RT: 19.502 min Scan# 1303  
Delta R.T. -0.011 min  
Lab File: 5V29304.D  
Acq: 30 Sep 2013 1:58 pm

Tgt Ion:128 Resp: 1173





## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V5093013.S\  
 Data File : 5V29302.D  
 Acq On : 30 Sep 2013 12:54 pm  
 Operator : BRETD  
 Sample : MB  
 Misc : MS6465,V5V1762,5.000,,100,5,1  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 01 08:39:12 2013  
 Quant Method : C:\msdchem\1\METHODS\V5AP1728TVH1728.M  
 Quant Title : 8260  
 QLast Update : Tue Aug 20 09:59:22 2013  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
2) Pentafluorobenzene	11.613	168	156020	50.00	ug/l	0.00
37) 1,4-Difluorobenzene	12.412	114	216024	50.00	ug/l	0.00
56) Chlorobenzene-d5	15.061	117	205874	50.00	ug/l	0.00
77) 1,4-Dichlorobenzene-d4	17.024	152	139165	50.00	ug/l	-0.01

## System Monitoring Compounds

35) 1,2-Dichloroethane-d4	12.012	102	16315	51.46	ug/l	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	102.92%
64) Toluene-d8	13.816	98	234627	50.31	ug/l	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.62%
72) 4-Bromofluorobenzene	16.008	95	93561	43.04	ug/l	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.08%

## Target Compounds


					Qvalue
1) TVH-Gasoline	13.006	TIC	-34510m	55.28	ug/l
18) Methylene Chloride	9.386	84	1736	1.34	ug/l # 82
94) Naphthalene	19.502	128	1038	0.98	ug/l 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V5093013.S\  
Data File : 5V29302.D  
Acq On : 30 Sep 2013 12:54 pm  
Operator : BRETD  
Sample : MB  
Misc : MS6465,V5V1762,5.000,,100,5,1  
ALS Vial : 4 Sample Multiplier: 1





Quant Time: Oct 01 08:39:12 2013  
Quant Method : C:\msdchem\1\METHODS\V5AP1728TVH1728.M  
Quant Title : 8260  
QLast Update : Tue Aug 20 09:59:22 2013  
Response via : Initial Calibration








#1  
TVH-Gasoline  
Concen: 55.28 ug/l m  
RT: 13.006 min Scan# 734  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm


Tgt Ion:TIC Resp: -34510



#2  
Pentafluorobenzene  
Concen: 50.00 ug/l  
RT: 11.613 min Scan# 612  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm





Tgt Ion:168 Resp: 156020  
Ion Ratio Lower Upper  
168 100  
99 44.4 41.4 62.2








#18  
Methylene Chloride  
Concen: 1.34 ug/l  
RT: 9.386 min Scan# 417  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm


Tgt Ion: 84 Resp: 1736  
Ion Ratio Lower Upper  
84 100  
49 279.3 224.8 264.8#  
86 55.9 44.5 84.5



#35  
1,2-Dichloroethane-d4  
Concen: 51.46 ug/l  
RT: 12.012 min Scan# 647  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm





Tgt Ion: 102 Resp: 16315








#37  
1,4-Difluorobenzene  
Concen: 50.00 ug/l  
RT: 12.412 min Scan# 682  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm


Tgt Ion:114 Resp: 216024



#56  
Chlorobenzene-d5  
Concen: 50.00 ug/l  
RT: 15.061 min Scan# 914  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm





Tgt Ion:117 Resp: 205874








#64  
Toluene-d8  
Concen: 50.31 ug/l  
RT: 13.816 min Scan# 805  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm


Tgt Ion: 98 Resp: 234627



#72  
4-Bromofluorobenzene  
Concen: 43.04 ug/l  
RT: 16.008 min Scan# 997  
Delta R.T. 0.000 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm





Tgt Ion: 95 Resp: 93561  
Ion Ratio Lower Upper  
95 100  
174 104.2 85.4 125.4  
176 106.6 80.6 120.6








#77  
1,4-Dichlorobenzene-d4  
Concen: 50.00 ug/l  
RT: 17.024 min Scan# 1086  
Delta R.T. -0.011 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm

Tgt Ion:	152	Resp:	139165
Ion Ratio	Lower	Upper	
152	100		
115	51.0	43.4	65.2
150	157.4	142.9	214.3



#94  
Naphthalene  
Concen: 0.98 ug/l  
RT: 19.502 min Scan# 1303  
Delta R.T. -0.011 min  
Lab File: 5V29302.D  
Acq: 30 Sep 2013 12:54 pm

Tgt Ion:	128	Resp:	1038
----------	-----	-------	------



## GC/MS Semi-volatiles

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



**Method Blank Summary**

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP8644-MB	3G16501.D	1	09/27/13	DC	09/27/13	OP8644	E3G816

**The QC reported here applies to the following samples:****Method:** SW846 8270C BY SIM

D51041-1

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	8.3	4.3	ug/kg	
120-12-7	Anthracene	ND	8.3	4.3	ug/kg	
56-55-3	Benzo(a)anthracene	ND	8.3	4.3	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	8.3	4.3	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	8.3	4.3	ug/kg	
50-32-8	Benzo(a)pyrene	ND	8.3	4.3	ug/kg	
218-01-9	Chrysene	ND	8.3	4.3	ug/kg	
53-70-3	Dibenzo(a,h)anthracene	ND	8.3	4.3	ug/kg	
206-44-0	Fluoranthene	ND	8.3	4.3	ug/kg	
86-73-7	Fluorene	ND	8.3	5.0	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	8.3	4.3	ug/kg	
91-20-3	Naphthalene	ND	12	10	ug/kg	
129-00-0	Pyrene	ND	8.3	4.3	ug/kg	

CAS No.	Surrogate Recoveries	Limits
4165-60-0	Nitrobenzene-d5	87% 10-175%
321-60-8	2-Fluorobiphenyl	84% 25-130%
1718-51-0	Terphenyl-d14	111% 41-133%

8.1.1

8

## Blank Spike Summary

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP8644-BS	3G16502.D	1	09/27/13	DC	09/27/13	OP8644	E3G816

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

D51041-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	Limits
83-32-9	Acenaphthene	83.3	64.0	77	55-130
120-12-7	Anthracene	83.3	61.1	73	60-130
56-55-3	Benzo(a)anthracene	83.3	71.0	85	62-130
205-99-2	Benzo(b)fluoranthene	83.3	59.6	72	55-130
207-08-9	Benzo(k)fluoranthene	83.3	81.4	98	59-130
50-32-8	Benzo(a)pyrene	83.3	66.1	79	64-130
218-01-9	Chrysene	83.3	74.1	89	70-130
53-70-3	Dibenzo(a,h)anthracene	83.3	62.1	75	56-130
206-44-0	Fluoranthene	83.3	60.3	72	59-130
86-73-7	Fluorene	83.3	64.6	78	58-130
193-39-5	Indeno(1,2,3-cd)pyrene	83.3	63.1	76	60-130
91-20-3	Naphthalene	83.3	53.4	64	56-130
129-00-0	Pyrene	83.3	73.0	88	65-130

CAS No.	Surrogate Recoveries	BSP	Limits
4165-60-0	Nitrobenzene-d5	78%	10-175%
321-60-8	2-Fluorobiphenyl	86%	25-130%
1718-51-0	Terphenyl-d14	102%	41-133%

\* = Outside of Control Limits.

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP8644-MS	3G16504.D	1	09/27/13	DC	09/27/13	OP8644	E3G816
OP8644-MSD	3G16505.D	1	09/27/13	DC	09/27/13	OP8644	E3G816
D50832-1R	3G16503.D	1	09/27/13	DC	09/27/13	OP8644	E3G816

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

D51041-1

CAS No.	Compound	D50832-1R ug/kg	Spike Q	ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
83-32-9	Acenaphthene	ND		102	74.4	73	75.2	73	1	29-139/30
120-12-7	Anthracene	ND		102	74.3	72	78.7	77	6	10-182/30
56-55-3	Benzo(a)anthracene	ND		102	103	100	109	106	6	35-149/30
205-99-2	Benzo(b)fluoranthene	ND		102	111	108	114	111	3	22-174/30
207-08-9	Benzo(k)fluoranthene	ND		102	76.5	75	84.1	82	9	10-185/30
50-32-8	Benzo(a)pyrene	ND		102	88.9	87	94.2	92	6	10-168/30
218-01-9	Chrysene	15.0		102	97.4	80	103	86	6	10-168/30
53-70-3	Dibenzo(a,h)anthracene	ND		102	87.2	85	93.8	92	7	12-160/30
206-44-0	Fluoranthene	7.6	J	102	86.0	76	90.1	81	5	20-156/30
86-73-7	Fluorene	10.1		102	127	114	124	111	2	10-164/30
193-39-5	Indeno(1,2,3-cd)pyrene	ND		102	87.4	85	94.9	93	8	29-136/30
91-20-3	Naphthalene	29.3		102	98.5	68	91.6	61	7	10-258/30
129-00-0	Pyrene	7.9	J	102	104	94	110	100	6	10-196/30

CAS No.	Surrogate Recoveries	MS	MSD	D50832-1R	Limits
4165-60-0	Nitrobenzene-d5	62%	66%	68%	10-175%
321-60-8	2-Fluorobiphenyl	72%	74%	74%	25-130%
1718-51-0	Terphenyl-d14	90%	98%	87%	41-133%

\* = Outside of Control Limits.

GC/MS Semi-volatiles

Raw Data

6

## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\092713\  
 Data File : 3g16511.D  
 Acq On : 27 Sep 2013 4:56 pm  
 Operator : DONC  
 Sample : D51041-1  
 Misc : OP8644,E3G816,30.08,,,1,1  
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 30 09:23:02 2013  
 Quant Method : C:\msdchem\1\METHODS\SIMPE3G810.M  
 Quant Title : PAHSIM BASE  
 QLast Update : Tue Sep 24 08:29:29 2013  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Naphthalene-d8	5.682	136	221338	4.0000	ug/mL	0.00
6) Acenaphthene-d10	7.398	164	147519	4.0000	ug/mL	0.00
15) Phenanthrene-d10	8.872	188	231325	4.0000	ug/mL	0.00
19) Chrysene-d12	11.501	240	176945	4.0000	ug/mL	0.00
24) Perylene-d12	12.865	264	140476	4.0000	ug/mL	0.00

## System Monitoring Compounds

2) Nitrobenzene-d5	4.996	82	1075863	38.6428	ug/mL	0.00
Spiked Amount 50.000	Range 25 - 135		Recovery =	77.28%		
7) 2-Fluorobiphenyl	6.736	172	1966630	34.2173	ug/mL	0.00
Spiked Amount 50.000	Range 25 - 135		Recovery =	68.44%		
21) Terphenyl-d14	10.463	244	1471738	43.9603	ug/mL	0.00
Spiked Amount 50.000	Range 25 - 135		Recovery =	87.92%		

## Target Compounds


					Qvalue
3) N-Nitrosodimethylamine	2.349	74	88	N.D.	
4) N-Nitrosodi-propylamine	0.000	70	0	N.D. d	
5) Naphthalene	5.707	128	3773	0.0471	ug/mL 83
8) 2-Methylnaphthalene	6.380	142	4044	0.0683	ug/mL 98
9) 1-Methylnaphthalene	6.480	142	1716	0.0341	ug/mL 95
10) Acenaphthylene	7.256	152	208	N.D.	
11) Acenaphthene	7.398	154	481	N.D.	
12) Dibenzofuran	7.611	168	522	N.D.	
13) Fluorene	7.941	166	464	N.D.	
14) Diphenylamine	0.000	169	0	N.D. d	
16) Phenanthrene	8.896	178	3789	0.0403	ug/mL 80
17) Anthracene	0.000	178	0	N.D. d	
18) Fluoranthene	0.000	202	0	N.D. d	
20) Pyrene	10.305	202	1630	N.D.	
22) Benzo(a)anthracene	11.495	228	1836	N.D.	
23) Chrysene	11.521	228	1034	N.D.	
25) Benzo(b)fluoranthene	0.000	252	0	N.D. d	
26) Benzo(k)fluoranthene	0.000	252	0	N.D. d	
27) Benzo(a)pyrene	0.000	252	0	N.D. d	
28) Indeno(1,2,3-cd)pyrene	0.000	276	0	N.D. d	
29) Dibenz(a,h)anthracene	0.000	278	0	N.D. d	
30) Benzo(g,h,i)perylene	0.000	276	0	N.D. d	


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\092713\  
 Data File : 3g16511.D  
 Acq On : 27 Sep 2013 4:56 pm  
 Operator : DONC  
 Sample : D51041-1  
 Misc : OP8644,E3G816,30.08,,,1,1  
 ALS Vial : 14 Sample Multiplier: 1





Quant Time: Sep 30 09:23:02 2013  
 Quant Method : C:\msdchem\1\METHODS\SIMPE3G810.M  
 Quant Title : PAHSIM BASE  
 QLast Update : Tue Sep 24 08:29:29 2013  
 Response via : Initial Calibration








#1  
Naphthalene-d8  
Concen: 4.0000 ug/mL  
RT: 5.682 min Scan# 443  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Ratio	Lower	Upper
136	100		
68	9.3	0.0	21.1



#2  
Nitrobenzene-d5  
Concen: 38.6428 ug/mL  
RT: 4.996 min Scan# 388  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion	Ratio	Lower	Upper
82	100		
128	37.7	36.8	76.8
54	45.1	40.5	80.5





#3  
N-Nitrosodimethylamine  
Concen: Below ug/mL  
RT: 2.349 min Scan# 37  
Delta R.T. -0.051 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion: 74 Resp: 88  
Ion Ratio Lower Upper  
74 100  
42 0.0 58.5 98.5#  
44 98.9 0.0 24.0#




#4  
N-Nitrosodi-propylamine  
Concen: N.D. ug/mL  
Expected RT: 4.85 min

Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm

Tgt Ion: 70  
Sig Exp Ratio  
70 100  
101 11.9  
42 57.4  
130 21.7














#5  
Naphthalene  
Concen: 0.0471 ug/mL  
RT: 5.707 min Scan# 445  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Ratio	Lower	Upper
128	100		
129	19.9	0.0	31.2
127	15.5	0.0	32.4
126	15.4	0.0	27.2



#6  
Acenaphthene-d10  
Concen: 4.0000 ug/mL  
RT: 7.398 min Scan# 584  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion	Ratio	Lower	Upper
164	100		
162	94.6	83.7	123.7
160	42.5	31.9	71.9








#7  
2-Fluorobiphenyl  
Concen: 34.2173 ug/mL  
RT: 6.736 min Scan# 528  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.5	12.2	52.2



#8  
2-Methylnaphthalene  
Concen: 0.0683 ug/mL  
RT: 6.380 min Scan# 499  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion	Ratio	Lower	Upper
142	100		
141	83.1	62.0	102.0
115	29.9	11.3	51.3








#9  
1-Methylnaphthalene  
Concen: 0.0341 ug/mL  
RT: 6.480 min Scan# 507  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Ratio	Lower	Upper
142	100		
141	81.6	67.5	107.5
115	37.3	19.4	59.4



#10  
Acenaphthylene  
Concen: Below ug/mL  
RT: 7.256 min Scan# 572  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion	Ratio	Lower	Upper
152	100		
151	38.9	0.0	39.2
153	69.7	0.0	32.9








#11  
Acenaphthene  
Concen: Below ug/mL  
RT: 7.398 min Scan# 584  
Delta R.T. -0.035 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion:	154	Resp:	481
Ion Ratio	Lower	Upper	
154	100		
153	45.1	82.4	122.4#
152	41.2	30.0	70.0



#12  
Dibenzofuran  
Concen: Below ug/mL  
RT: 7.611 min Scan# 602  
Delta R.T. 0.012 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion:	168	Resp:	522
Ion Ratio	Lower	Upper	
168	100		
139	42.1	13.4	53.4






#13  
Fluorene  
Concen: Below ug/mL  
RT: 7.941 min Scan# 630  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	166	165	167
Resp	464	85.3	24.4
Ratio	100		
Lower		72.0	0.0
Upper		112.0	33.1



#14  
Diphenylamine  
Concen: N.D. ug/mL  
Expected RT: 8.06 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion	169	168	167	167
Sig				
Exp Ratio	100	61.7	34.1	34.1








#15  
Phenanthrene-d10  
Concen: 4.0000 ug/mL  
RT: 8.872 min Scan# 731  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion:188	Resp:	231325
Ion Ratio	Lower	Upper
188	100	
94	16.0	0.0 28.3
80	16.4	0.0 27.8



#16  
Phenanthrene  
Concen: 0.0403 ug/mL  
RT: 8.896 min Scan# 734  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm



Tgt Ion:178	Resp:	3789
Ion Ratio	Lower	Upper
178	100	
179	26.4	0.0 35.2
176	16.8	0.0 38.6
177	24.1	0.0 30.0






#17  
 Anthracene  
 Concen: N.D. ug/mL  
 Expected RT: 8.94 min  
 Lab File: 3g16511.D  
 Acq: 27 Sep 13 4:56 pm


Tgt Ion	Exp Ratio
178	100
179	15.1
176	18.2
177	8.7



#18  
 Fluoranthene  
 Concen: N.D. ug/mL  
 Expected RT: 10.07 min  
 Lab File: 3g16511.D  
 Acq: 27 Sep 13 4:56 pm





Tgt Ion	Exp Ratio
202	100
101	12.6
203	17.4








#19  
Chrysene-d12  
Concen: 4.0000 ug/mL  
RT: 11.501 min Scan# 1068  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm

Tgt Ion	Ratio	Lower	Upper
240	100		
120	14.3	0.2	40.2
236	28.0	8.8	48.8




#20  
Pyrene  
Concen: Below ug/mL  
RT: 10.305 min Scan# 912  
Delta R.T. 0.008 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm

Tgt Ion	Ratio	Lower	Upper
202	100		
200	23.6	0.2	40.2
203	21.3	0.0	37.8
201	26.9	0.0	36.6














#21  
Terphenyl-d14  
Concen: 43.9603 ug/mL  
RT: 10.463 min Scan# 932  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion: 244 Resp: 1471738  
Ion Ratio Lower Upper  
244 100  
122 21.7 7.8 47.8  
212 8.8 0.0 32.8



#22  
Benzo(a)anthracene  
Concen: Below ug/mL  
RT: 11.495 min Scan# 1067  
Delta R.T. 0.007 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm





Tgt Ion: 228 Resp: 1836  
Ion Ratio Lower Upper  
228 100  
229 48.8 0.0 39.4#  
226 33.9 6.6 46.6








#23  
Chrysene  
Concen: Below ug/mL  
RT: 11.521 min Scan# 1071  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Ratio	Lower	Upper
228	100		
226	60.9	8.6	48.6
229	13.3	0.0	39.4



#24  
Perylene-d12  
Concen: 4.0000 ug/mL  
RT: 12.865 min Scan# 1243  
Delta R.T. 0.000 min  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm



Tgt Ion	Ratio	Lower	Upper
264	100		
265	20.6	1.2	41.2
263	20.3	0.7	40.7






#25  
Benzo(b)fluoranthene  
Concen: N.D. ug/mL  
Expected RT: 12.50 min  
  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Exp Ratio
252	100
253	51.5
125	13.2
126	46.9



#26  
Benzo(k)fluoranthene  
Concen: N.D. ug/mL  
Expected RT: 12.52 min  
  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm



Tgt Ion	Exp Ratio
252	100
253	37.3
125	9.6
126	34.1






#27  
Benzo(a)pyrene  
Concen: N.D. ug/mL  
Expected RT: 12.81 min  
  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm


Tgt Ion	Exp Ratio
252	100
253	21.5
126	20.4
125	14.5



#28  
Indeno(1,2,3-cd)pyrene  
Concen: N.D. ug/mL  
Expected RT: 14.06 min  
  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm



Tgt Ion	Exp Ratio
276	100
138	40.0
277	24.8
278	76.2






#29  
Dibenz(a,h)anthracene  
Concen: N.D. ug/mL  
Expected RT: 14.09 min  
  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm

Tgt Ion	Exp Ratio
278	100
139	30.8
279	22.9
276	131.2



#30  
Benzo(g,h,i)perylene  
Concen: N.D. ug/mL  
Expected RT: 14.41 min  
  
Lab File: 3g16511.D  
Acq: 27 Sep 13 4:56 pm

Tgt Ion	Exp Ratio
276	100
138	35.1
277	23.3
274	21.5



## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\092713\  
Data File : 3g16501.D  
Acq On : 27 Sep 2013 11:28 am  
Operator : DONC  
Sample : OP8644-MB  
Misc : OP8644,E3G816,30.00,,,1,1  
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 27 14:53:07 2013  
Quant Method : C:\msdchem\1\METHODS\SIMPE3G810.M  
Quant Title : PAHSIM BASE  
QLast Update : Tue Sep 24 08:29:29 2013  
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Naphthalene-d8	5.682	136	223400	4.0000	ug/mL	0.00
6) Acenaphthene-d10	7.398	164	130658	4.0000	ug/mL	0.00
15) Phenanthrene-d10	8.872	188	204820	4.0000	ug/mL	0.00
19) Chrysene-d12	11.501	240	171928	4.0000	ug/mL	0.00
24) Perylene-d12	12.865	264	129643	4.0000	ug/mL	0.00

## System Monitoring Compounds

2) Nitrobenzene-d5	4.996	82	1226794	43.6573	ug/mL	0.00
Spiked Amount 50.000	Range 25 - 135		Recovery =	87.32%		
7) 2-Fluorobiphenyl	6.736	172	2141276	42.0638	ug/mL	0.00
Spiked Amount 50.000	Range 25 - 135		Recovery =	84.12%		
21) Terphenyl-d14	10.463	244	1798791	55.2971	ug/mL	0.00
Spiked Amount 50.000	Range 25 - 135		Recovery =	110.60%		

## Target Compounds


					Qvalue
3) N-Nitrosodimethylamine	2.385	74	24	N.D.	
4) N-Nitrosodi-propylamine	0.000	70	0	N.D.	d
5) Naphthalene	5.707	128	523	N.D.	
8) 2-Methylnaphthalene	6.380	142	189	N.D.	
9) 1-Methylnaphthalene	6.480	142	118	N.D.	
10) Acenaphthylene	7.256	152	133	N.D.	
11) Acenaphthene	7.398	154	526	N.D.	
12) Dibenzofuran	7.611	168	36	N.D.	
13) Fluorene	7.941	166	52	N.D.	
14) Diphenylamine	0.000	169	0	N.D.	d
16) Phenanthrene	8.872	178	141	N.D.	
17) Anthracene	0.000	178	0	N.D.	d
18) Fluoranthene	10.075	202	157	N.D.	
20) Pyrene	10.297	202	198	N.D.	
22) Benzo(a)anthracene	11.495	228	709	N.D.	
23) Chrysene	11.495	228	709	N.D.	
25) Benzo(b)fluoranthene	12.497	252	299	N.D.	
26) Benzo(k)fluoranthene	12.497	252	299	N.D.	
27) Benzo(a)pyrene	0.000	252	0	N.D.	d
28) Indeno(1,2,3-cd)pyrene	0.000	276	0	N.D.	d
29) Dibenz(a,h)anthracene	0.000	278	0	N.D.	d
30) Benzo(g,h,i)perylene	0.000	276	0	N.D.	d


(#) = qualifier out of range (m) = manual integration (+) = signals summed

## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\092713\  
Data File : 3g16501.D  
Acq On : 27 Sep 2013 11:28 am  
Operator : DONC  
Sample : OP8644-MB  
Misc : OP8644,E3G816,30.00,,,1,1  
ALS Vial : 4 Sample Multiplier: 1





Quant Time: Sep 27 14:53:07 2013  
Quant Method : C:\msdchem\1\METHODS\SIMPE3G810.M  
Quant Title : PAHSIM BASE  
QLast Update : Tue Sep 24 08:29:29 2013  
Response via : Initial Calibration








#1  
Naphthalene-d8  
Concen: 4.0000 ug/mL  
RT: 5.682 min Scan# 443  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion:	136	Resp:	223400
Ion Ratio	Lower	Upper	
136	100		
68	8.5	0.0	21.1




#2  
Nitrobenzene-d5  
Concen: 43.6573 ug/mL  
RT: 4.996 min Scan# 388  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion:	82	Resp:	1226794
Ion Ratio	Lower	Upper	
82	100		
128	33.2	36.8	76.8#
54	39.2	40.5	80.5#











#3  
N-Nitrosodimethylamine  
Concen: Below ug/mL  
RT: 2.385 min Scan# 42  
Delta R.T. -0.014 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion: 74 Resp: 24  
Ion Ratio Lower Upper  
74 100  
42 0.0 58.5 98.5#  
44 0.0 0.0 24.0




#4  
N-Nitrosodi-propylamine  
Concen: N.D. ug/mL  
Expected RT: 4.85 min

Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion: 70  
Sig Exp Ratio  
70 100  
101 11.9  
42 57.4  
130 21.7








#5  
Naphthalene  
Concen: Below ug/mL  
RT: 5.707 min Scan# 445  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion	128	Ratio	100	Lower	Upper
128	100				
129	44.2		0.0	31.2	#
127	12.0		0.0	32.4	
126	22.2		0.0	27.2	



#6  
Acenaphthene-d10  
Concen: 4.0000 ug/mL  
RT: 7.398 min Scan# 584  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion	164	Ratio	100	Lower	Upper
164	100				
162	92.3		83.7	123.7	
160	41.0		31.9	71.9	








#7  
2-Fluorobiphenyl  
Concen: 42.0638 ug/mL  
RT: 6.736 min Scan# 528  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:172 Resp: 2141276  
Ion Ratio Lower Upper  
172 100  
171 35.3 12.2 52.2



#8  
2-Methylnaphthalene  
Concen: Below ug/mL  
RT: 6.380 min Scan# 499  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion:142 Resp: 189  
Ion Ratio Lower Upper  
142 100  
141 55.6 62.0 102.0#  
115 90.5 11.3 51.3#








#9  
1-Methylnaphthalene  
Concen: Below ug/mL  
RT: 6.480 min Scan# 507  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:142 Resp: 118  
Ion Ratio Lower Upper  
142 100  
141 74.6 67.5 107.5  
115 56.8 19.4 59.4



#10  
Acenaphthylene  
Concen: Below ug/mL  
RT: 7.256 min Scan# 572  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion:152 Resp: 133  
Ion Ratio Lower Upper  
152 100  
151 42.1 0.0 39.2#  
153 18.8 0.0 32.9








#11  
Acenaphthene  
Concen: Below ug/mL  
RT: 7.398 min Scan# 584  
Delta R.T. -0.035 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:	154	Resp:	526
Ion Ratio	Lower	Upper	
154	100		
153	26.4	82.4	122.4#
152	14.1	30.0	70.0#



#12  
Dibenzofuran  
Concen: Below ug/mL  
RT: 7.611 min Scan# 602  
Delta R.T. 0.012 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion:	168	Resp:	36
Ion Ratio	Lower	Upper	
168	100		
139	133.3	13.4	53.4#






#13  
Fluorene  
Concen: Below ug/mL  
RT: 7.941 min Scan# 630  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion: 166 Resp: 52  
Ion Ratio Lower Upper  
166 100  
165 76.9 72.0 112.0  
167 55.8 0.0 33.1#



#14  
Diphenylamine  
Concen: N.D. ug/mL  
Expected RT: 8.06 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion: 169  
Sig Exp Ratio  
169 100  
168 61.7  
167 34.1  
167 34.1








#15  
Phenanthrene-d10  
Concen: 4.0000 ug/mL  
RT: 8.872 min Scan# 731  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion	Ratio	Lower	Upper
188	100		
94	18.1	0.0	28.3
80	18.6	0.0	27.8



#16  
Phenanthrene  
Concen: Below ug/mL  
RT: 8.872 min Scan# 731  
Delta R.T. -0.024 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am



Tgt Ion	Ratio	Lower	Upper
178	100		
179	186.5	0.0	35.2#
176	0.0	0.0	38.6
177	18.4	0.0	30.0








#17  
Anthracene  
Concen: N.D. ug/mL  
Expected RT: 8.94 min  
  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion:	178
Sig	Exp Ratio
178	100
179	15.1
176	18.2
177	8.7




#18  
Fluoranthene  
Concen: Below ug/mL  
RT: 10.075 min Scan# 883  
Delta R.T. 0.001 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion:	202	Resp:	157
Ion	Ratio	Lower	Upper
202	100		
101	37.6	0.0	32.6#
203	46.5	0.0	37.4#














#19  
Chrysene-d12  
Concen: 4.0000 ug/mL  
RT: 11.501 min Scan# 1068  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:	240	Resp:	171928
Ion Ratio	Lower	Upper	
240	100		
120	20.7	0.2	40.2
236	26.5	8.8	48.8



#20  
Pyrene  
Concen: Below ug/mL  
RT: 10.297 min Scan# 911  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion:	202	Resp:	198
Ion Ratio	Lower	Upper	
202	100		
200	38.4	0.2	40.2
203	44.9	0.0	37.8#
201	29.8	0.0	36.6








#21  
Terphenyl-d14  
Concen: 55.2971 ug/mL  
RT: 10.463 min Scan# 932  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:244 Resp: 1798791  
Ion Ratio Lower Upper  
244 100  
122 25.5 7.8 47.8  
212 8.1 0.0 32.8



#22  
Benzo(a)anthracene  
Concen: Below ug/mL  
RT: 11.495 min Scan# 1067  
Delta R.T. 0.007 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion:228 Resp: 709  
Ion Ratio Lower Upper  
228 100  
229 47.7 0.0 39.4#  
226 23.6 6.6 46.6








#23  
Chrysene  
Concen: Below ug/mL  
RT: 11.495 min Scan# 1067  
Delta R.T. -0.026 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am




Tgt Ion	228	226	229
Resp	709		
Ratio	100	23.6	48.0
Lower		8.6	0.0
Upper		48.6	39.4



#24  
Perylene-d12  
Concen: 4.0000 ug/mL  
RT: 12.865 min Scan# 1243  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am





Tgt Ion	264	265	263
Resp	129643		
Ratio	100	20.9	20.2
Lower		1.2	0.7
Upper		41.2	40.7






#25  
Benzo(b)fluoranthene  
Concen: Below ug/mL  
RT: 12.497 min Scan# 1208  
Delta R.T. 0.000 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion	Ratio	Lower	Upper
252	100		
253	60.5	31.5	71.5
125	28.8	0.0	33.2
126	0.0	26.9	66.9#



#26  
Benzo(k)fluoranthene  
Concen: Below ug/mL  
RT: 12.497 min Scan# 1208  
Delta R.T. -0.021 min  
Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion	Ratio	Lower	Upper
252	100		
253	60.5	17.3	57.3#
125	27.1	0.0	29.6
126	0.0	14.1	54.1#







#27  
Benzo(a)pyrene  
Concen: N.D. ug/mL  
Expected RT: 12.81 min

Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:	252
Sig	Exp Ratio
252	100
253	21.5
126	20.4
125	14.5




#28  
Indeno(1,2,3-cd)pyrene  
Concen: N.D. ug/mL  
Expected RT: 14.06 min

Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion:	276
Sig	Exp Ratio
276	100
138	40.0
277	24.8
278	76.2







#29  
Dibenz(a,h)anthracene  
Concen: N.D. ug/mL  
Expected RT: 14.09 min

Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am


Tgt Ion:	278
Sig	Exp Ratio
278	100
139	30.8
279	22.9
276	131.2



#30  
Benzo(g,h,i)perylene  
Concen: N.D. ug/mL  
Expected RT: 14.41 min

Lab File: 3g16501.D  
Acq: 27 Sep 13 11:28 am

Tgt Ion:	276
Sig	Exp Ratio
276	100
138	35.1
277	23.3
274	21.5



## GC Volatiles

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: D51041  
Account: XTOKRWR XTO Energy  
Project: FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GGB1229-MB	GB22341.D	1	09/30/13	EV	n/a	n/a	GGB1229

The QC reported here applies to the following samples: Method: SW846 8015B

D51041-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	10	5.0	mg/kg	

CAS No.	Surrogate Recoveries	Limits
120-82-1	1,2,4-Trichlorobenzene	83% 60-140%

10.1.1  
10



Blank Spike Summary

Job Number: D51041  
Account: XTOKRWR XTO Energy  
Project: FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GGB1229-BS	GB22342.D	1	09/30/13	EV	n/a	n/a	GGB1229

The QC reported here applies to the following samples: Method: SW846 8015B

D51041-1

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	Limits
	TPH-GRO (C6-C10)	110	109	99	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
120-82-1	1,2,4-Trichlorobenzene	91%	60-140%

\* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: D51041  
Account: XTOKRWR XTO Energy  
Project: FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D51039-1MS	GB22344.D	1	09/30/13	EV	n/a	n/a	GGB1229
D51039-1MSD	GB22345.D	1	09/30/13	EV	n/a	n/a	GGB1229
D51039-1	GB22343.D	1	09/30/13	EV	n/a	n/a	GGB1229

The QC reported here applies to the following samples: Method: SW846 8015B

D51041-1

CAS No.	Compound	D51039-1 mg/kg	Q	Spike mg/kg	MS mg/kg	MS %	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH-GRO (C6-C10)	ND		159	156	98	149	94	5	70-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D51039-1	Limits
120-82-1	1,2,4-Trichlorobenzene	95%	94%	83%	60-140%

\* = Outside of Control Limits.

GC Volatiles

Raw Data



Jennifer Laidlaw  
10/01/13 15:20

## Quantitation Report (QT Reviewed)

Signal #1 : Y:\1\DATA\2013\09.2013\093013\GB22349.D\FID1A.CH Vial: 12  
Signal #2 : Y:\1\DATA\2013\09.2013\093013\GB22349.D\FID2B.CH  
Acq On : 30 Sep 2013 3:37 pm Operator: ELISEV  
Sample : D51041-1 Inst : GC/MS Ins  
Misc : GC3909,GGB1229,5.005,,100,5,1 Multiplr: 1.00  
IntFile Signal #1: TVH1.E IntFile Signal #2: FB2.E  
Quant Time: Oct 01 09:48:51 2013 Quant Results File: TB1125GB1125SOIL.RES

Quant Method : C:\MSDCHEM\1...\TB1125GB1125SOIL.M (Chemstation Integrator)  
Title : 8015B/8021B TVH/BTEX  
Last Update : Tue Oct 01 09:47:55 2013  
Response via : Initial Calibration  
DataAcq Meth : TVB4.M

Volume Inj. :  
Signal #1 Phase : DB-624 Signal #2 Phase: DB-624  
Signal #1 Info : 0.53 mm Signal #2 Info : 0.53 mm

Compound		R.T.	Response	Conc Units	
-----					
System Monitoring Compounds					
2) S	1,2,4-Trichlorobenzene	14.35	2531042	83.779 %	m
10) S	1,2,4-Trichlorobenzene (P)	14.35	11642983	88.172 %	m
Target Compounds					
1) H	TVH-Gasoline	7.29	3381107	0.048 mg/L	
4) T	Methyl-t-butyl-ether	0.00	0	N.D. ug/L	d
5) T	Benzene	0.00	0	N.D. ug/L	d
6) T	Toluene	7.65	88629	0.239 ug/L	m
7) T	Ethylbenzene	0.00	0	N.D. ug/L	d
8) T	m,p-Xylene	10.46	103404	0.274 ug/L	
9) T	o-Xylene	0.00	0	N.D. ug/L	d
11) T	Naphthalene	14.54	23740	0.138 ug/L	m



(f)=RT Delta > 1/2 Window (m)=manual int.  
GB22349.D TB1125GB1125SOIL.M Tue Oct 01 10:06:08 2013 GC


Quantitation Report (QT Reviewed)

Signal #1 : Y:\1\DATA\2013\09.2013\093013\GB22349.D\FID1A.CH Vial: 12  
 Signal #2 : Y:\1\DATA\2013\09.2013\093013\GB22349.D\FID2B.CH  
 Acq On : 30 Sep 2013 3:37 pm Operator: ELISEV  
 Sample : D51041-1 Inst : GC/MS Ins  
 Misc : GC3909,GGB1229,5.005,,100,5,1 Multiplr: 1.00  
 IntFile Signal #1: TVH1.E IntFile Signal #2: FB2.E  
 Quant Time: Oct 1 10:05 2013 Quant Results File: TB1125GB1125SOIL.RES


Quant Method : C:\MSDCHEM\1...\TB1125GB1125SOIL.M (Chemstation Integrator)  
 Title : 8015B/8021B TVH/BTEX  
 Last Update : Tue Oct 01 09:47:55 2013  
 Response via : Multiple Level Calibration  
 DataAcq Meth : TVB4.M

Volume Inj. :  
 Signal #1 Phase : DB-624 Signal #2 Phase: DB-624  
 Signal #1 Info : 0.53 mm Signal #2 Info : 0.53 mm







#1 TVH-Gasoline  
 R.T.: 7.295 min  
 Delta R.T.: 0.000 min  
 Response: 3381107  
 Conc: 0.05 mg/L m



#2 1,2,4-Trichlorobenzene  
 R.T.: 14.351 min  
 Delta R.T.: -0.009 min  
 Response: 2531042  
 Conc: 83.78 % m




#4 Methyl-t-butyl-ether  
 R.T.: 0.000 min  
 Exp R.T.: 2.229 min  
 Response: 0  
 Conc: N.D.




#5 Benzene  
 R.T.: 0.000 min  
 Exp R.T.: 4.131 min  
 Response: 0  
 Conc: N.D.

11.11




#6 Toluene

R.T.: 7.650 min  
Delta R.T.: -0.005 min  
Response: 88629  
Conc: 0.24 ug/L m




#7 Ethylbenzene

R.T.: 0.000 min  
Exp R.T.: 10.281 min  
Response: 0  
Conc: N.D.




#8 m,p-Xylene

R.T.: 10.458 min  
Delta R.T.: -0.005 min  
Response: 103404  
Conc: 0.27 ug/L




#9 o-Xylene

R.T.: 0.000 min  
Exp R.T.: 10.958 min  
Response: 0  
Conc: N.D.



#10 1,2,4-Trichlorobenzene (P)

R.T.: 14.350 min  
 Delta R.T.: -0.009 min  
 Response: 11642983  
 Conc: 88.17 % m



#11 Naphthalene

R.T.: 14.535 min  
 Delta R.T.: -0.006 min  
 Response: 23740  
 Conc: 0.14 ug/L m

11.1.1  
 11



Jennifer Laidlaw  
10/01/13 15:20

## Quantitation Report (QT Reviewed)

Signal #1 : Y:\1\DATA\2013\09.2013\093013\GB22341.D\FID1A.CH Vial: 4  
Signal #2 : Y:\1\DATA\2013\09.2013\093013\GB22341.D\FID2B.CH  
Acq On : 30 Sep 2013 10:54 am Operator: ELISEV  
Sample : MB, S Inst : GC/MS Ins  
Misc : GC3909,GGB1229,5.000,,100,5,1 Multiplr: 1.00  
IntFile Signal #1: TVH1.E IntFile Signal #2: FB2.E  
Quant Time: Oct 01 09:48:18 2013 Quant Results File: TB1125GB1125SOIL.RES

Quant Method : C:\MSDCHEM\1...\TB1125GB1125SOIL.M (Chemstation Integrator)  
Title : 8015B/8021B TVH/BTEX  
Last Update : Tue Oct 01 09:47:55 2013  
Response via : Initial Calibration  
DataAcq Meth : TVB4.M

Volume Inj. :  
Signal #1 Phase : DB-624 Signal #2 Phase: DB-624  
Signal #1 Info : 0.53 mm Signal #2 Info : 0.53 mm

Compound		R.T.	Response	Conc Units	
-----					
System Monitoring Compounds					
2) S	1,2,4-Trichlorobenzene	14.36	2521538	83.464 %	m
10) S	1,2,4-Trichlorobenzene (P)	14.36	11592646	87.790 %	m
Target Compounds					
1) H	TVH-Gasoline	7.29	4131480	0.059 mg/L	
4) T	Methyl-t-butyl-ether	0.00	0	N.D. ug/L	d
5) T	Benzene	0.00	0	N.D. ug/L	d
6) T	Toluene	7.66	162804	0.440 ug/L	
7) T	Ethylbenzene	0.00	0	N.D. ug/L	d
8) T	m,p-Xylene	10.47	205658	0.545 ug/L	
9) T	o-Xylene	0.00	0	N.D. ug/L	d
11) T	Naphthalene	14.54	39026	0.226 ug/L	m



(f)=RT Delta > 1/2 Window (m)=manual int.  
GB22341.D TB1125GB1125SOIL.M Tue Oct 01 10:05:44 2013 GC


## Quantitation Report (QT Reviewed)

Signal #1 : Y:\1\DATA\2013\09.2013\093013\GB22341.D\FID1A.CH Vial: 4  
Signal #2 : Y:\1\DATA\2013\09.2013\093013\GB22341.D\FID2B.CH  
Acq On : 30 Sep 2013 10:54 am Operator: ELISEV  
Sample : MB, S Inst : GC/MS Ins  
Misc : GC3909,GGB1229,5.000,,100,5,1 Multiplr: 1.00  
IntFile Signal #1: TVH1.E IntFile Signal #2: FB2.E  
Quant Time: Oct 1 9:56 2013 Quant Results File: TB1125GB1125SOIL.RES

Quant Method : C:\MSDCHEM\1...\TB1125GB1125SOIL.M (Chemstation Integrator)  
Title : 8015B/8021B TVH/BTEX  
Last Update : Tue Oct 01 09:47:55 2013  
Response via : Multiple Level Calibration  
DataAcq Meth : TVB4.M


Volume Inj. :  
Signal #1 Phase : DB-624 Signal #2 Phase: DB-624  
Signal #1 Info : 0.53 mm Signal #2 Info : 0.53 mm






#1 TVH-Gasoline

R.T.: 7.295 min  
Delta R.T.: 0.000 min  
Response: 4131480  
Conc: 0.06 mg/L m




#2 1,2,4-Trichlorobenzene

R.T.: 14.358 min  
Delta R.T.: -0.002 min  
Response: 2521538  
Conc: 83.46 % m



#4 Methyl-t-butyl-ether


R.T.: 0.000 min  
Exp R.T.: 2.229 min  
Response: 0  
Conc: N.D.



#5 Benzene


R.T.: 0.000 min  
Exp R.T.: 4.131 min  
Response: 0  
Conc: N.D.

11.21  
11




#6 Toluene

R.T.: 7.656 min  
Delta R.T.: 0.000 min  
Response: 162804  
Conc: 0.44 ug/L




#7 Ethylbenzene

R.T.: 0.000 min  
Exp R.T.: 10.281 min  
Response: 0  
Conc: N.D.



#8 m,p-Xylene


R.T.: 10.466 min  
Delta R.T.: 0.003 min  
Response: 205658  
Conc: 0.54 ug/L



#9 o-Xylene


R.T.: 0.000 min  
Exp R.T.: 10.958 min  
Response: 0  
Conc: N.D.

11.21  
11



#10 1,2,4-Trichlorobenzene (P)

R.T.: 14.357 min  
Delta R.T.: -0.001 min  
Response: 11592646  
Conc: 87.79 % m



#11 Naphthalene

R.T.: 14.540 min  
Delta R.T.: 0.000 min  
Response: 39026  
Conc: 0.23 ug/L m

11.2.1  
11

## GC Semi-volatiles

### QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: D51041  
Account: XTOKRWR XTO Energy  
Project: FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP8643-MB	FH013472.D	1	09/27/13	TU	09/27/13	OP8643	GFH714

The QC reported here applies to the following samples: Method: SW846-8015B

D51041-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	6.7	5.0	mg/kg	

CAS No.	Surrogate Recoveries	Limits
84-15-1	o-Terphenyl	84% 20-130%

12.1.1  
12

Blank Spike Summary

Job Number: D51041  
Account: XTOKRWR XTO Energy  
Project: FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP8643-BS	FH013474.D	1	09/27/13	TU	09/27/13	OP8643	GFH714

The QC reported here applies to the following samples: Method: SW846-8015B

D51041-1

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	Limits
	TPH-DRO (C10-C28)	667	477	72	42-130

CAS No.	Surrogate Recoveries	BSP	Limits
84-15-1	o-Terphenyl	74%	20-130%

\* = Outside of Control Limits.



# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

**Job Number:** D51041  
**Account:** XTOKRWR XTO Energy  
**Project:** FRU 197-31A

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP8643-MS	FH013478.D	1	09/27/13	TU	09/27/13	OP8643	GFH714
OP8643-MSD	FH013480.D	1	09/27/13	TU	09/27/13	OP8643	GFH714
D50939-1	FH013482.D	1	09/27/13	TU	09/27/13	OP8643	GFH714

The QC reported here applies to the following samples:

Method: SW846-8015B

D51041-1

CAS No.	Compound	D50939-1 mg/kg	Q	Spike mg/kg	MS mg/kg	MS %	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH-DRO (C10-C28)	25.9		781	398	48	432	52	8	20-150/30

CAS No.	Surrogate Recoveries	MS	MSD	D50939-1	Limits
84-15-1	o-Terphenyl	54%	60%	68%	20-130%

\* = Outside of Control Limits.

GC Semi-volatiles

Raw Data

## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\FH093013.SEC\  
Data File : FH013522.D  
Signal(s) : FID2B.ch  
Acq On : 30 Sep 2013 2:35 pm  
Operator : TIMU  
Sample : D51041-1  
Misc : OP8643,GFH716,30.05,,,1,1  
ALS Vial : 58 Sample Multiplier: 1

Integration File: events.e  
Quant Time: Oct 02 09:51:16 2013  
Quant Method : C:\msdchem\1\METHODS\DRO-GFH689R.M  
Quant Title : DRO-ORO REAR  
QLast Update : Wed Sep 11 09:58:51 2013  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. :  
Signal Phase :  
Signal Info :

Compound	R.T.	Response	Conc Units
-----			
System Monitoring Compounds			
1) s o-Terphenyl	12.184	2511101601	1447.221 ug/ml
Target Compounds			
2) H TPH-DRO (C10-C28)	9.818	208473632	148.213 ug/ml
-----			

(f)=RT Delta > 1/2 Window


(m)=manual int.


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\FH093013.SEC\  
 Data File : FH013522.D  
 Signal(s) : FID2B.ch  
 Acq On : 30 Sep 2013 2:35 pm  
 Operator : TIMU  
 Sample : D51041-1  
 Misc : OP8643,GFH716,30.05,,,1,1  
 ALS Vial : 58 Sample Multiplier: 1

Integration File: events.e  
 Quant Time: Oct 02 09:51:16 2013  
 Quant Method : C:\msdchem\1\METHODS\DRO-GFH689R.M  
 Quant Title : DRO-ORO REAR  
 QLast Update : Wed Sep 11 09:58:51 2013  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. :  
 Signal Phase :  
 Signal Info :






#1 o-Terphenyl

R.T.: 12.184 min

Delta R.T.: 0.009 min

Response: 2511101601

Conc: 1447.22 ug/ml



#2 TPH-DRO (C10-C28)

R.T.: 9.818 min

Delta R.T.: 0.000 min

Response: 208473632

Conc: 148.21 ug/ml m

## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\FH092713.SEC\  
Data File : FH013472.D  
Signal(s) : FID2B.ch  
Acq On : 27 Sep 2013 12:09 pm  
Operator : TIMU  
Sample : OP8643-MB  
Misc : OP8643,GFH714,30.00,,,1,1  
ALS Vial : 54 Sample Multiplier: 1

Integration File: events.e  
Quant Time: Sep 30 09:07:51 2013  
Quant Method : C:\msdchem\1\METHODS\DRO-GFH689R.M  
Quant Title : DRO-ORO REAR  
QLast Update : Wed Sep 11 09:58:51 2013  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. :  
Signal Phase :  
Signal Info :

Compound	R.T.	Response	Conc Units
-----			
System Monitoring Compounds			
1) s o-Terphenyl	12.185	2901254726	1672.078 ug/ml
Target Compounds			
2) H TPH-DRO (C10-C28)	9.781	63731791	45.310 ug/ml
-----			

(f)=RT Delta > 1/2 Window

(m)=manual int.


13.2.1  
13


## Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\FH092713.SEC\  
Data File : FH013472.D  
Signal(s) : FID2B.ch  
Acq On : 27 Sep 2013 12:09 pm  
Operator : TIMU  
Sample : OP8643-MB  
Misc : OP8643,GFH714,30.00,,,1,1  
ALS Vial : 54 Sample Multiplier: 1

Integration File: events.e  
Quant Time: Sep 30 09:07:51 2013  
Quant Method : C:\msdchem\1\METHODS\DRO-GFH689R.M  
Quant Title : DRO-ORO REAR  
QLast Update : Wed Sep 11 09:58:51 2013  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. :  
Signal Phase :  
Signal Info :





#1 o-Terphenyl

R.T.: 12.185 min  
Delta R.T.: 0.010 min  
Response: 2901254726  
Conc: 1672.08 ug/ml

#2 TPH-DRO (C10-C28)

R.T.: 9.781 min  
Delta R.T.: 0.000 min  
Response: 63731791  
Conc: 45.31 ug/ml m



## Metals Analysis

### QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11247  
Matrix Type: SOLID

Methods: SW846 7471B  
Units: mg/kg

Prep Date: 10/01/13

Metal	RL	IDL	MDL	MB	
				raw	final
Mercury	0.083	.00088	.0067	0.0012	<0.083

Associated samples MP11247: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11247  
Matrix Type: SOLID

Methods: SW846 7471B  
Units: mg/kg

Prep Date: 10/01/13

Metal	D51039-1		Spikelot		QC	
	Original	MS	HGWSR1	% Rec	Limits	
Mercury	0.19	0.47	0.431	65.0N(a)	75-125	

Associated samples MP11247: D51041-1

Results < IDL are shown as zero for calculation purposes

(\*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

(a) Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
 Account: XTOKRWR - XTO Energy  
 Project: FRU 197-31A

QC Batch ID: MP11247  
 Matrix Type: SOLID

Methods: SW846 7471B  
 Units: mg/kg

Prep Date: 10/01/13

Metal	D51039-1 Original MSD	Spikelot HGWSR1	% Rec	MSD RPD	QC Limit
Mercury	0.19	0.63	0.403	109.2	29.1 (a) 20

Associated samples MP11247: D51041-1

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (N) Matrix Spike Rec. outside of QC limits  
 (anr) Analyte not requested  
 (a) High RPD due to possible sample matrix or nonhomogeneity.

14.1.2  
 14

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D51041  
 Account: XTOKRWR - XTO Energy  
 Project: FRU 197-31A

QC Batch ID: MP11247  
 Matrix Type: SOLID

Methods: SW846 7471B  
 Units: mg/kg

Prep Date: 10/01/13

Metal	BSP Result	Spikelot HGWSR1	% Rec	QC Limits
Mercury	0.35	0.333	105.0	80-120

Associated samples MP11247: D51041-1

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (anr) Analyte not requested

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 10/01/13

Metal	RL	IDL	MDL	MB raw	final
Aluminum	10	1.1	1.8		
Antimony	3.0	.21	.5		
Arsenic	2.5	.38	.63		
Barium	1.0	.02	.36	0.050	<1.0
Beryllium	1.0	.09	.06		
Boron	5.0	.08	.16		
Cadmium	1.0	.02	.28	0.0	<1.0
Calcium	40	.24	6.8		
Chromium	1.0	.03	.03	0.030	<1.0
Cobalt	0.50	.05	.039		
Copper	1.0	.08	.13	0.030	<1.0
Iron	7.0	.15	1.8		
Lead	5.0	.21	.25	-0.66	<5.0
Lithium	0.50	.04	.13		
Magnesium	20	.68	1.8		
Manganese	0.50	.05	.038		
Molybdenum	1.0	.04	.13		
Nickel	3.0	.05	.07	-0.070	<3.0
Phosphorus	10	1.5	1.2		
Potassium	200	9.9	12		
Selenium	5.0	.71	1.1	-0.080	<5.0
Silicon	5.0	.47	1.1		
Silver	3.0	.03	.05	0.040	<3.0
Sodium	40	.73	3.7		
Strontium	5.0	.001	.022		
Thallium	1.0	.18	.46		
Tin	5.0	1.2	2.3		
Titanium	1.0	.01	.46		
Uranium	5.0	.29	.31		
Vanadium	1.0	.04	.043		
Zinc	3.0	.04	.16	-0.20	<3.0

Associated samples MP11248: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 10/01/13

Metal	D51041-1 Original MS		Spikelot ICPAL2	% Rec	QC Limits
Aluminum					
Antimony					
Arsenic	anr				
Barium	1970	2430	242	190.4(a)	75-125
Beryllium					
Boron					
Cadmium	0.0	49.4	60.4	81.8	75-125
Calcium					
Chromium	47.2	96.2	60.4	81.1	75-125
Cobalt					
Copper	8.9	61.0	60.4	86.2	75-125
Iron					
Lead	9.5	110	121	83.2	75-125
Lithium					
Magnesium					
Manganese	anr				
Molybdenum					
Nickel	15.4	63.1	60.4	79.0	75-125
Phosphorus					
Potassium					
Selenium	0.0	105	121	86.9	75-125
Silicon					
Silver	0.21	22.3	24.2	91.4	75-125
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc	40.6	83.6	60.4	71.2N(b)	75-125

Associated samples MP11248: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

- (N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested  
(a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.  
(b) Spike recovery indicates possible matrix interference.

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 10/01/13

Metal	D51041-1 Original	MSD	Spikelot ICPAL2	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	anr					
Barium	1970	1550	237	-177.3(a)	44.2 (b)	20
Beryllium						
Boron						
Cadmium	0.0	48.5	59.2	81.9	1.8	20
Calcium						
Chromium	47.2	94.6	59.2	80.0	1.7	20
Cobalt						
Copper	8.9	58.9	59.2	84.4	3.5	20
Iron						
Lead	9.5	107	118	82.3	2.8	20
Lithium						
Magnesium						
Manganese	anr					
Molybdenum						
Nickel	15.4	61.4	59.2	77.7	2.7	20
Phosphorus						
Potassium						
Selenium	0.0	105	118	88.7	0.0	20
Silicon						
Silver	0.21	21.9	23.7	91.6	1.8	20
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc	40.6	84.3	59.2	73.8N(c)	0.8	20

Associated samples MP11248: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested
- (a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.
- (b) High RPD due to possible sample matrix or nonhomogeneity.
- (c) Spike recovery indicates possible matrix interference.

## SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D51041  
 Account: XTOKRWR - XTO Energy  
 Project: FRU 197-31A

QC Batch ID: MP11248  
 Matrix Type: SOLID

Methods: SW846 6010C  
 Units: mg/kg

Prep Date: 10/01/13

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium	197	200	98.5	80-120
Beryllium				
Boron				
Cadmium	44.7	50	89.4	80-120
Calcium				
Chromium	48.4	50	96.8	80-120
Cobalt				
Copper	45.9	50	91.8	80-120
Iron				
Lead	94.8	100	94.8	80-120
Lithium				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel	46.6	50	93.2	80-120
Phosphorus				
Potassium				
Selenium	97.4	100	97.4	80-120
Silicon				
Silver	19.9	20	99.5	80-120
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	44.1	50	88.2	80-120

Associated samples MP11248: D51041-1

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

(anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: ug/l

Prep Date: 10/01/13

Metal	D51041-1 Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium	16600	17800	7.2	0-10
Beryllium				
Boron				
Cadmium	0.00	0.00	NC	0-10
Calcium				
Chromium	398	426	6.9	0-10
Cobalt				
Copper	75.5	69.0	8.6	0-10
Iron				
Lead	79.9	59.5	25.5 (a)	0-10
Lithium				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel	130	143	10.0	0-10
Phosphorus				
Potassium				
Selenium	0.00	0.00	NC	0-10
Silicon				
Silver	1.80	6.00	233.3(a)	0-10
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	342	374	9.2	0-10

Associated samples MP11248: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

14.2.4  
14

SERIAL DILUTION RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11248  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

14.2.4  
14

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11249  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 10/01/13

Metal	RL	IDL	MDL	MB raw	final
Aluminum	25	.55	.75		
Antimony	0.20	.0011	.029		
Arsenic	0.10	.0085	.024	0.011	<0.10
Barium	1.0	.008	.16		
Beryllium	0.10	.008	.049		
Boron	20	.25	.07		
Cadmium	0.050	.018	.038		
Calcium	200	2.8	13		
Chromium	1.0	.027	.11		
Cobalt	0.10	.0025	.0085		
Copper	1.0	.03	.1		
Iron	5.0	1.8	1.8		
Lead	0.25	.004	.0075		
Magnesium	50	.65	.65		
Manganese	0.50	.06	.07		
Molybdenum	0.50	.025	.046		
Nickel	1.0	.0044	.17		
Phosphorus	30	1.3	4.9		
Potassium	100	1.5	2.5		
Selenium	0.20	.03	.13		
Silver	0.050	.00095	.01		
Sodium	250	2.5	5.5		
Strontium	10	.005	.027		
Thallium	0.10	.0012	.0075		
Tin	5.0	.032	2.3		
Titanium	1.0	.03	.085		
Uranium	0.25	.00085	.0015		
Vanadium	2.0	.019	.11		
Zinc	5.0	.11	1.4		

Associated samples MP11249: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested

14.3.1  
14



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11249  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 10/01/13

Metal	D51041-1 Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	3.2	118	121	94.8
Barium				75-125
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP11249: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested

14.3.2  
14

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11249  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 10/01/13

Metal	D51041-1 Original	MSD	Spikelot ICPALL2	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	3.2	113	118	92.5	10.1	20
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP11249: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested

14.3.2  
14

## SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11249  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 10/01/13

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	94.9	100	94.9	80-120
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP11249: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested

14.3.3  
14

SERIAL DILUTION RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11249  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: ug/l

Prep Date: 10/01/13

Metal	D51041-1			QC	
	Original	SDL 5:25	%DIF	Limits	
Aluminum					
Antimony					
Arsenic	26.9	27.3	4.5	0-10	
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silver					
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP11249: D51041-1

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested

14.3.4  
14

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date: 10/01/13

Metal	RL	IDL	MDL	MB raw	final
Aluminum	500	55	210		
Antimony	150	11	95		
Arsenic	130	19	28		
Barium	50	1	7		
Beryllium	50	4.5	6		
Boron	250	4	33		
Cadmium	50	1	1.8		
Calcium	2000	12	210	-4.5	<2000
Chromium	50	1.5	2		
Cobalt	25	2.5	2.9		
Copper	50	4	9.5		
Iron	350	7.5	48		
Lead	250	11	110		
Lithium	25	2	14		
Magnesium	1000	34	95	3.0	<1000
Manganese	25	2.5	2.3		
Molybdenum	50	2	4.2		
Nickel	150	2.5	4.4		
Phosphorus	500	75	100		
Potassium	5000	500	1400		
Selenium	250	36	55		
Silicon	250	24	26		
Silver	150	1.5	3		
Sodium	2000	37	850	-110	<2000
Strontium	25	.05	.6		
Thallium	50	9	20		
Tin	250	60	80		
Titanium	50	.5	11		
Uranium	250	15	28		
Vanadium	50	2	2		
Zinc	150	2	16		

Associated samples MP11259: D51041-1A

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

14.4.1

14

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date: 10/01/13

Metal	D51044-1A Original MS		Spikelot ICPAL2	% Rec	QC Limits
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	2620	131000	125000	102.7	75-125
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	1110	121000	125000	95.9	75-125
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	37800	163000	125000	100.2	75-125
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP11259: D51041-1A

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

14.4.2  
14

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date:

Metal

(N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date: 10/01/13

Metal	D51044-1A Original	MSD	SpikeLot ICPALL2	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic						
Barium						
Beryllium						
Boron						
Cadmium						
Calcium	2620	131000	125000	102.7	0.0	20
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Lithium						
Magnesium	1110	121000	125000	95.9	0.0	20
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silicon						
Silver						
Sodium	37800	166000	125000	102.6	1.8	20
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP11259: D51041-1A

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

14.4.2  
14

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date:

Metal

(N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested

## SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date: 10/01/13

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	127000	125000	101.6	80-120
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	118000	125000	94.4	80-120
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	123000	125000	98.4	80-120
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP11259: D51041-1A

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

14.4.3  
14

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date: 10/01/13

Metal	D51044-1A		QC	
	Original	SDL 1:5	%DIF	Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	524	514	1.9	0-10
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	222	232	4.1	0-10
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	7550	7710	2.1	0-10
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP11259: D51041-1A

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

14.4.4  
14

SERIAL DILUTION RESULTS SUMMARY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

QC Batch ID: MP11259  
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60  
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

14.4.4  
14

## General Chemistry

### QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY  
GENERAL CHEMISTRY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Chromium, Hexavalent	GP11063/GN22129	1.0	0.0	mg/kg	106.4mg/kg	101	94.7	80-120%
Specific Conductivity	GP11068/GN22136			umhos/cm	9979	9840	98.6	90-110%
pH	GN22085			su	8.00	8.01	100.1	99.3-100.7%

Associated Samples:  
Batch GN22085: D51041-1  
Batch GP11063: D51041-1  
Batch GP11068: D51041-1  
(\*) Outside of QC limits



DUPLICATE RESULTS SUMMARY  
GENERAL CHEMISTRY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Chromium, Hexavalent	GP11063/GN22129	D51041-1	mg/kg	0.12	0.0	47.2(a)	0-20%
Redox Potential Vs H2	GN22093	D50832-1R	mv	113	113	0.0	0-20%

Associated Samples:

Batch GN22093: D51041-1

Batch GP11063: D51041-1

(\*) Outside of QC limits

(a) RPD acceptable due to low duplicate and sample concentrations.

MATRIX SPIKE RESULTS SUMMARY  
GENERAL CHEMISTRY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Chromium, Hexavalent	GP11063/GN22129	D51041-1	mg/kg	0.12	40.0	36.3	90.9	75-125%

Associated Samples:

Batch GP11063: D51041-1

(\*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

MATRIX SPIKE DUPLICATE RESULTS SUMMARY  
GENERAL CHEMISTRY

Login Number: D51041  
Account: XTOKRWR - XTO Energy  
Project: FRU 197-31A

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Chromium, Hexavalent	GP11063/GN22129	D51041-1	mg/kg	0.12	40.0	37.6	3.5	20%

Associated Samples:  
Batch GP11063: D51041-1  
(\*) Outside of QC limits  
(N) Matrix Spike Rec. outside of QC limits

15.4  
15