


# BISON OIL WELL CEMENTING, INC.

1547 Gaylord Street  
Denver, Colorado 80206  
Phone: 303-296-3010  
Fax: 303-298-8143  
E-mail: bisonoil1@qwestoffice.net



INVOICE #  
LOCATION  
FOREMAN

12371  
Hwy 66 + Rd 5  
Kirk

## TREATMENT REPORT

|                           |                  |                      |  |                             |        |
|---------------------------|------------------|----------------------|--|-----------------------------|--------|
| DATE                      | WELL NAME        | SECTION              | TWP  | RGE                         | COUNTY |
| 7-7-13                    | Qualls 3B-28H    | 28                   | 3N   | 68W                         | weld   |
| BILL TO                   |                  | CONSULTANT           |  |                             |        |
| <del>Hwy 66</del> Encanta |                  | Chris                |  |                             |        |
| OWNER                     |                  | RIG NAME & NUMBER    |  |                             |        |
|                           |                  | HWP 278 Encanta      |  |                             |        |
| MAILING ADDRESS           |                  | DISTANCE TO LOCATION |  | UNITS ON LOCATION           |        |
|                           |                  |                      |  | 4020 + 4019                 |        |
| CITY                      |                  | TIME REQUESTED       |  | TIME ARRIVED ON LOCATION    |        |
|                           |                  | 100Am                |  | 1130Pm                      |        |
| STATE, ZIP                |                  | TIME LEFT LOCATION   |  |                             |        |
|                           |                  | 5Am                  |  |                             |        |
| WELL DATA                 |                  |                      | Cement Makeup  |                             |        |
| HOLE SIZE                 | TUBING SIZE      | PERFORATIONS         | Cement Blend   | BFN# 390 BCC-1 .25lb BFLA-1 |        |
| 12 1/4                    |                  |                      | Cement - Specs   | lbs                         | Yield  |
|                           |                  |                      |  | 15.2                        | 1.25   |
| TOTAL DEPTH               | TUBING DEPTH     | SHOTS/FT             | Annulus Factor   | Capacity Factor             |        |
| 852                       |                  |                      | 3131   | 10758                       |        |
| CASING SIZE               | TUBING WEIGHT    | OPEN HOLE            |  |                             |        |
| 9 5/8                     |                  |                      |  |                             |        |
| CASING DEPTH              | TUBING CONDITION | TREATMENT VIA        | TYPE OF TREATMENT  |                             |        |
| 844                       |                  |                      | <input checked="" type="checkbox"/> Surface Pipe <input type="checkbox"/> Production <input type="checkbox"/> Squeeze<br><input type="checkbox"/> MISC Pump <input type="checkbox"/> P&A |                             |        |
| CASING WEIGHT             | PACKER DEPTH     |                      |  |                             |        |
| 40 lb                     |                  |                      |  |                             |        |
| CASING CONDITION          | Good             |                      |  |                             |        |
| Max Rate                  |                  |                      |  |                             |        |
| Max Pressure              |                  |                      |  |                             |        |

HYD HHP = RATE X PRESSURE / 40.8

% Excess  
BBL to Pit

40  
20

## DESCRIPTION OF JOB EVENTS

safety meeting Rig up Pressure test Per Company man Circ 30bbls  
KCL H2O dye In 2nd 10 mix + Pump 369 sks @ 40% excess  
drop plug disp 602bbls H2O Bump plug @ 150 Lbs over 1.1ft pressure  
Release Pressure wash up + Rig down

X

Authorization To Proceed

Title


X 7-7-13  
Date

Customers hereby acknowledges and specifically agrees to the terms and conditions on this work order, including, without limitation, the provisions on the reverse side hereof which include the release and indemnity.



# BISON OIL WELL CEMENTING, INC.

1547 Gaylord Street  
Denver, Colorado 80206  
Phone: 303-296-3010  
Fax: 303-298-8143  
E-mail: bisonoil1@qwestoffice.net



INVOICE #  
LOCATION  
FOREMAN

12371  
Hwy 66 + RDS  
KIRK

Treatment Report Page 2

## DESCRIPTION OF JOB EVENTS

| Safety Meeting | MIRU        | Displace 1 |      |     | Displace 2 |      |     | Displace 3 |      |     | Displace 4 |      |     | Displace 5 |      |     |
|----------------|-------------|------------|------|-----|------------|------|-----|------------|------|-----|------------|------|-----|------------|------|-----|
|                |             | BBLS       | Time | PSI | BBLS       | Time | PSI | BBLS       | Time | PSI | BBLS       | Time | PSI | BBLS       | Time | PSI |
| CIRCULATE      | 235 Am      | 0          | 327  | 20  | 0          |      |     | 0          |      |     | 0          |      |     | 0          |      |     |
| Drop Plug      | 200 Am      | 10         | 329  | 220 | 10         |      |     | 10         |      |     | 10         |      |     | 10         |      |     |
|                | 258 Am      | 20         | 331  | 280 | 20         |      |     | 20         |      |     | 20         |      |     | 20         |      |     |
|                |             | 30         | 333  | 360 | 30         |      |     | 30         |      |     | 30         |      |     | 30         |      |     |
|                | 325 Am      | 40         | 335  | 420 | 40         |      |     | 40         |      |     | 40         |      |     | 40         |      |     |
|                |             | 50         | 337  | 450 | 50         |      |     | 50         |      |     | 50         |      |     | 50         |      |     |
| M & P          |             | 60         | 340  | 310 | 60         |      |     | 60         |      |     | 60         |      |     | 60         |      |     |
|                | Time        | Sacks      |      |     |            |      |     |            |      |     |            |      |     |            |      |     |
|                | 305 Am      | 60         | 340  | 560 | 70         |      |     | 70         |      |     | 70         |      |     | 70         |      |     |
|                | 323 Am stop | 80         |      |     | 80         |      |     | 80         |      |     | 80         |      |     | 80         |      |     |
|                |             | 90         |      |     | 90         |      |     | 90         |      |     | 90         |      |     | 90         |      |     |
|                |             | 100        |      |     | 100        |      |     | 100        |      |     | 100        |      |     | 100        |      |     |
|                |             | 110        |      |     | 110        |      |     | 110        |      |     | 110        |      |     | 110        |      |     |
|                |             | 120        |      |     | 120        |      |     | 120        |      |     | 120        |      |     | 120        |      |     |
|                |             | 130        |      |     | 130        |      |     | 130        |      |     | 130        |      |     | 130        |      |     |
|                |             | 140        |      |     | 140        |      |     | 140        |      |     | 140        |      |     | 140        |      |     |
|                |             | 150        |      |     | 150        |      |     | 150        |      |     | 150        |      |     | 150        |      |     |

Notes:

4070 Excess 369 SKS 83.4 bbls slurry 20 bbls to P.T. Bump Plug  
at 340 Am @ 560 PSI

57 SKS top of Qualls 3C-284 12.8 bbls slurry

X

Alvaro H. H.

X

Title

X

Date

7-7-03

Work Performed