

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
01/24/2014

Document Number:
663902695

Overall Inspection:
Satisfactory

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	<u>324080</u>	<u>324080</u>	<u>LONGWORTH, MIKE</u>	2A Doc Num:	

Operator Information:

OGCC Operator Number: _____

Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC

Address: 1001 17TH STREET - SUITE #1200

City: DENVER State: CO Zip: 80202

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Kellerby, Shaun		shaun.kellerby@state.co.us	
Moss, Brad	(970) 285-9377	Brad.Moss@WPXEnergy.com	Production foreman
Gardner, Michael	970/285-9377 ext. 2760	Michael.Gardner@WPXEnergy.com	Principal Environmental Specialist

Compliance Summary:

QtrQtr: SESE Sec: 1 Twp: 7S Range: 96W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
256385	WELL	PR	11/19/1999	GW	045-07448	UNOCAL GM 44-1	PR	<input checked="" type="checkbox"/>
429917	WELL	PR	03/15/2013	LO	045-21682	WPX Energy GM 441-12	PR	<input checked="" type="checkbox"/>
430274	WELL	PR	03/15/2013	LO	045-21712	WPX Energy GM 341-12	PR	<input checked="" type="checkbox"/>
430275	WELL	PR	03/15/2013	LO	045-21713	WPX Energy GM 331-12	PR	<input checked="" type="checkbox"/>
430276	WELL	PR	03/15/2013	LO	045-21714	WPX Energy GM 31-12	PR	<input checked="" type="checkbox"/>
430277	WELL	PR	03/15/2013	LO	045-21715	WPX Energy GM 41-12	PR	<input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>6</u>	Production Pits: _____
Condensate Tanks: <u>1</u>	Water Tanks: <u>2</u>	Separators: <u>6</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Lease Road:				
Type	Satisfactory/Unsatisfactory	comment	Corrective Action	Date
Access	Satisfactory			

Signs/Marker:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	Satisfactory			
WELLHEAD	Satisfactory			
BATTERY	Satisfactory			

Emergency Contact Number: (S/U/V) Satisfactory Corrective Date: _____

Comment: _____

Corrective Action: _____

Good Housekeeping:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
DEBRIS	Satisfactory	Some pieces of wood pallet and old hose by separators.		

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
TANK BATTERY	Satisfactory			
SEPARATOR	Satisfactory			
WELLHEAD	Satisfactory			

Equipment:					
Type	#	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
Ancillary equipment	1	Satisfactory	Chemical tote at well heads		
Plunger Lift	6	Satisfactory			
Bird Protectors	4	Satisfactory			
Horizontal Heated Separator	6	Satisfactory	1 double 1 quad separator		
Emission Control Device	1	Satisfactory	Combustor is lit		

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	300 BBLS	STEEL AST	,
S/U/V:	Satisfactory	Comment:		
Corrective Action:				Corrective Date:

Paint

Condition	Adequate
Other (Content)	_____
Other (Capacity)	_____
Other (Type)	_____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Corrective Action				Corrective Date
Comment				

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	2	300 BBLS	STEEL AST	39.461360,108.052320
S/U/V:	Satisfactory	Comment:		
Corrective Action:				Corrective Date:

Paint

Condition	Adequate
Other (Content)	_____
Other (Capacity)	_____
Other (Type)	_____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action				Corrective Date
Comment				

Venting:

Yes/No	Comment

Flaring:

Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
Ignitor/Combustor	Satisfactory			

Predrill

Location ID: 324080

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/UV: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines. Additional containment shall be required where temporary pumps and other necessary equipment or chemicals are located.</p> <p>Due to the steep slopes to the west, north, and east, this location is in an area of high run off/run on potential; therefore appropriate BMPs need to be in place both during and after well pad construction, as well as during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.</p>	08/08/2012

S/UV: Satisfactory **Comment:** Drilling operation are complete wells are producing.

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Planning	<p>PLANNING BMP's</p> <p>Share/consolidate corridors for pipeline ROWs to the maximum extent possible.</p> <p>Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas.</p> <p>Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river.</p> <p>Avoid constructing any road segment in the channel of an intermittent or perennial stream</p> <p>Minimize the number, length, and footprint of oil and gas development roads</p> <p>Use existing roads where possible</p> <p>Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors</p> <p>Maximize the use of directional drilling to minimize habitat loss/fragmentation</p> <p>Maximize use of remote telemetry for well monitoring to minimize traffic</p>
Construction	<p>CONSTRUCTION BMP's</p> <p>Design road crossings of streams to allow fish passage at all flows and to minimize the generation of sediment.</p>
Interim Reclamation	<p>PRODUCTION/RECLAMATION BMP's</p> <p>Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife</p> <p>WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeded and reclamation of disturbed areas.</p> <p>Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</p> <p>Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.</p>

S/U/V: Satisfactory **Comment:**

CA: **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____
 Request LGD Attendance: _____
LGD Contact Information:
 Name: _____ Phone Number: _____ Agreed to Attend: _____
Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 256385 Type: WELL API Number: 045-07448 Status: PR Insp. Status: PR

Producing Well

 Comment: Producing well

Facility ID: 429917 Type: WELL API Number: 045-21682 Status: PR Insp. Status: PR

Producing Well

 Comment: Producing well

Facility ID: 430274 Type: WELL API Number: 045-21712 Status: PR Insp. Status: PR

Producing Well

 Comment: Producing well

Facility ID: 430275 Type: WELL API Number: 045-21713 Status: PR Insp. Status: PR

Producing Well

 Comment: Producing well

Facility ID: 430276 Type: WELL API Number: 045-21714 Status: PR Insp. Status: PR

Producing Well

 Comment: Producing well

Facility ID: 430277 Type: WELL API Number: 045-21715 Status: PR Insp. Status: PR

Producing Well

 Comment: Producing well

Environmental

Spills/Releases:
 Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well: _____ Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters: _____

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? Pass CM _____

CA _____ CA Date _____

Waste Material Onsite? Pass CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? Pass CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass CM _____

CA _____ CA Date _____

Guy line anchors removed? Pass CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? In Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? Fail

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: Begin reclamation revegetation.

Overall Interim Reclamation Fail

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation

Well Release on Active Location

Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Seeding	Fail	Paving	Pass			No seeding has been started
Gravel	Pass	Gravel	Pass			
Compaction	Pass	Culverts	Pass			
Berms	Pass	Compaction	Pass	MHSP	Pass	Secondary containment for chemical tote
Ditches	Pass	Ditches	Pass			

S/U/V: Satisfactory _____ Corrective Date: _____

Comment: Begin seeding

CA: _____

Pits: NO SURFACE INDICATION OF PIT