

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 400576798			
Date Received: 03/21/2014			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 96850 Contact Name Brandon Danforth
 Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC Phone: (970) 263-2792
 Address: 1001 17TH STREET - SUITE #1200 Fax: ()
 City: DENVER State: CO Zip: 80202 Email: brandon.danforth@wpxenergy.com

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 103 12077 00 OGCC Facility ID Number: 435605
 Well/Facility Name: FEDERAL Well/Facility Number: RGU 534-24-198
 Location QtrQtr: LOT 10 Section: 24 Township: 1S Range: 98W Meridian: 6
 County: RIO BLANCO Field Name: SULPHUR CREEK
 Federal, Indian or State Lease Number: COC60733

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 - 2 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
 - 4 Number of Water Source Exceptions requested per Rule 609.c.
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 2 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

This sundry applies to the following API #s:

05-103-12076
 05-103-12077
 05-103-12078
 05-103-12079
 05-103-12080
 05-103-12081
 05-103-12082
 05-103-12083
 05-103-12084
 05-103-12085

Access request letters were sent to landowners with potential water sources within 1/2 mile radius of the RGU 33-24-198 location (Location ID 335724).

Two potential water sources were identified but could not be sampled because all mailed Access Request Letters were returned to sender. Please find the details in the attached file.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Brandon Danforth
 Title: Env. Specialist Email: brandon.danforth@wpenergy.com Date: 3/21/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 3/24/2014

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

<u>COA Type</u>	<u>Description</u>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental Data	All potential water sources within 1/2 mile of the gas well have been addressed in the attachments.	3/24/2014 9:00:11 AM

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400576798	FORM 4 SUBMITTED
400576808	OTHER

Total Attach: 2 Files