

Document Number:  
400628903

Date Received:

**WELL ABANDONMENT REPORT**

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10112 Contact Name: Rachel Eisterhold

Name of Operator: FOUNDATION ENERGY MANAGEMENT LLC Phone: (918) 5265592

Address: 16000 DALLAS PARKWAY #875 Fax: (918) 585-1660

City: DALLAS State: TX Zip: 75248- Email: regulatory@foundationenergy.com

**For "Intent" 24 hour notice required,** Name: JOHNSON, RANDELL Tel: (303) 815-9641

**COGCC contact:** Email: randell.johnson@state.co.us

API Number 05-013-06289-00

Well Name: DAVISON Well Number: MD 27-4

Location: QtrQtr: NWNW Section: 27 Township: 1S Range: 69W Meridian: 6

County: BOULDER Federal, Indian or State Lease Number: 10264

Field Name: WATTENBERG Field Number: 90750

Notice of Intent to Abandon  Subsequent Report of Abandonment

*Only Complete the Following Background Information for Intent to Abandon*

Latitude: 39.941520 Longitude: -105.106900

GPS Data:  
Date of Measurement: 01/30/2010 PDOP Reading: 1.5 GPS Instrument Operator's Name: Joseph Collins

Reason for Abandonment:  Dry  Production for Sub-economic  Mechanical Problems

Other \_\_\_\_\_

Casing to be pulled:  Yes  No Estimated Depth: \_\_\_\_\_

Fish in Hole:  Yes  No If yes, explain details below

Wellbore has Uncemented Casing leaks:  Yes  No If yes, explain details below

Details: \_\_\_\_\_

**Current and Previously Abandoned Zones**

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
J-NIOBRARA	7998	8136	05/06/2014	B PLUG CEMENT TOP	7958
Total: 1 zone(s)					

**Casing History**

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	24	951	600	951	0	VISU
1ST	7+7/8	3+1/2	7.7	8,535	260	8,535	7,370	CBL

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 7958 with 2 sacks cmt on top. CIBP #2: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 50 sks cmt from 6079 ft. to 5975 ft. Plug Type: STUB PLUG Plug Tagged:   
Set 50 sks cmt from 3498 ft. to 3321 ft. Plug Type: CASING Plug Tagged:   
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged:   
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged:   
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged:

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
(Cast Iron Cement Retainer Depth)

Set 100 sacks half in. half out surface casing from 1008 ft. to 784 ft. Plug Tagged:

Set 55 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker:  Yes  No

Set 6025 sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: 6025 ft. of 3+1/3 inch casing

Plugging Date: 05/05/2014

\*Wireline Contractor: Magna Energy Services

\*Cementing Contractor: Magna Energy Services

Type of Cement and Additives Used: 15.8# Class "G" neat cement

Flowline/Pipeline has been abandoned per Rule 1103  Yes  No

\*ATTACH JOB SUMMARY

Technical Detail/Comments:

See attachments

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Rachel Eisterhold

Title: Regulatory Technician

Date: \_\_\_\_\_

Email: regulatory@foundationenergy.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_

Date: \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

### Attachment Check List

Att Doc Num	Name
400628944	WELLBORE DIAGRAM
400628947	WIRELINER JOB SUMMARY

Total Attach: 2 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)