





Persons Completing Report:										Location: C6 13159 CR 39 Platteville, CO 80651																							
First Shift: <i>Phyl</i>		7-3 2nd Shift: <i>Yarden</i>		3-11		Third Shift: <i>KW</i>		11-7		In case of Emergency dial 911																							
Day <i>Tue</i>		Date <i>7-2-13</i>		Time		Flowmeter Rate		Flowmeter Barrels		Chart Pressure		Discharge Gauge		System Tanks		Dirty Tank		Clean Tank		North Oil Tank		East Oil Tank		West Oil Tank		General Check or Comments		Filter Changes, Time		Meter Hours		Line Walk	
9:00 AM	4543	476169	2150	2150	24.7	19.4	F	MT	MT	13'1"	16'11"	PO.	5:45 <i>KW</i>	Injection: 36957	First Shift 7-3																		
11:00 AM	4552	476548	2150	2150	24.7	20.9	21.6	MT	MT	13'1"	18'10"	PO.	Filter: 19708	N. Unload: 4350	Braiden: <i>Ø</i>																		
1:00 PM	4404	476880	2150	2150	24.4	21.2	23.0	7'11"	13'1"	8'8"	PO.	Oil X-Fer: 2148	System: 15678	Tubing: 2100																			
3:00 PM	4422	477302	2150	24.7	19.3	18.3	8'11"	13'1"	8'13"	PT	2nd Shift 3-11																						
5:00 PM	0	477444	1700	22.9	19.3	19.4	14'7"	13'1"	MT	PT	Time: 3:00pm																						
7:00 PM	4422	477530	2000	2050	18.4	20.1	24.3	14'7"	13'1"	MT	PT	Chemical Levels	961:	Tubing: 2075																			
9:00 PM	4422	477757	2050	2102	17.6	19.9	24.0	14'7"	13'1"	MT	PT	990:	Initials: <i>PT</i>																				
11:00 PM	Ø	477954	1600	1600	15.9"	19.6	20.5	14'7"	13'1"	MT	KW	3rd Shift 11-7	Time: 11:30																				
1:00 AM	4413	478319	2100	2100	14'1"	20.2"	23.2"	14'7"	13'1"	MT	KW	Braiden: <i>Ø</i>	Annulus: <i>Ø</i>																				
3:00 AM	4422	478657	2100	2100	14'4"	20.3	22.7	14'7"	18'1"	MT	KW	Inside: 9000541	Tubing: 2050																				
5:00 AM	4422	479029	2150	2150	14'5"	18'8"	23.3"	14'7"	13'1"	MT	KW	Outside: 27069	Initials: <i>KW</i>																				

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
							<p>Water and 3:20 @ 84°</p> <p>Two pumps of @ 4:30pm for WRP</p> <p>Two Back on @ 6:30pm</p>

Comments:



Persons Completing Report:										Location: C6 13159 CR 39 Platteville, CO 80651	
First Shift:		7-3 2nd Shift:		3-11 Third Shift:		11-7		In case of Emergency dial 911		Line	
Flowmeter		Chart		Discharge		System		Dirty		Clean	
Rate		Barrels		Pressure		Tanks		Tank		Tank	
Time											
Day <b>Wednesday</b>	Date <b>7-3-2013</b>	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check
Time	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	Filter
7:00 AM	4422	479370	2150	2150	14.0	18.8	22.7	12.2	13.1	10.6	Changes
9:00 AM	4413	479781	2150	2150	20.2	21.1	18.5	12.7	13.1	10.6	Time
11:00 AM	4422	480085	2150	2150	24.7	19.6	21.2	12.7	13.1	10.8	Injection: 369783
1:00 PM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	Charge: 371224
3:00 PM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Filter: 14724
5:00 PM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	N. Unload: 04350
7:00 PM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	S. Unload: 02965
9:00 PM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	System: 15087
11:00 PM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Oil X-Fer: 02150
1:00 AM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	Flat Tank: 06243
3:00 AM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Sump: 10461
5:00 AM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	2nd Shift 3-11
7:00 AM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Time: 730pm
9:00 AM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	Braden: 0
11:00 AM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Annulus: 0
1:00 PM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	Tubing: 150
3:00 PM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Initials: PT
5:00 PM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	3rd Shift 11-7
7:00 PM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Time: 1:25A
9:00 PM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	Braden: 0
11:00 PM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Annulus: 0
1:00 AM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	Tubing: 210
3:00 AM	480267	1700	1700	21.6	19.3	21.0	12.2	12.4	10.10	10.10	Initials: KJ
5:00 AM	480267	1650	1650	24.1	19.8	19.6	12.2	13.1	10.8	10.6	

Other items needed or noted

Heater on @ 6:20am 104°

off @ 12:50 PM 150°

EN section pump off at 5:10am Pumped Down















Persons Completing Report:																															
Location: C6 13159 CR 39 Platteville, CO 80651					First Shift: Phil		7-3 2nd Shift		3-11 Third Shift: Paul																						
In case of Emergency dial 911																															
Day Sunday		Date 7-7-13		Flowmeter		Flowmeter		Chart		Discharge		System		Dirty		Clean		North Oil		East Oil		West Oil		General Check		Filter		Meter		Line	
Time		Rate		Barrels		Pressure		Gauge		Tanks		Tank		Tank		Tank		Tank		Tank		Tank		Comments		Changes		Hours		Walk	
7:00 AM		4071		494914		2150		2150		8.5		19.4		23.3		MT		14'2"		9'4"		P.O.		5:34PT		Injection: 37060		First Shift 7-3			
9:00 AM		4071		495510		2150		2150		12.1		20.2		12.1		MT		14'2"		11'1"		P.O.		103055		Charge: 39805		Time: 7:00			
11:00 AM		4031		495829		2150		2150		17.0		19.9		9.5		MT		14'2"		11'3"		SS				Filter: 19778		Braiden: 0			
1:00 PM		0		496013		1750		1750		22.7		19.3		13.1		MT		14'2"		3		P.O.				N. Unload: 4367		Annulus: 0			
3:00 PM		0		496013		1750		1750		22.1		19.6		16.4		MT		14'2"		12'6"		RC				S. Unload: 2990		Tubing: 2100			
5:00 PM		4071		496441		2150		2150		18.5		20.1		11.5		MT		14'2"		12'6"		RC				System: 15720		Initials: P.O.			
7:00 PM		4071		496689		2150		2150		18.4		20.1		10.1		MT		14'2"		12'6"		RC				Oil X-Fer: 2156		Flat Tank: 6263			
9:00 PM		0		496828		1700		1700		17.4		19.8		10.5		MT		14'2"		12'6"		RC				Fiat Tank: 4		Sump: 4			
11:00 PM		0		496828		1600		1600		17.8		19.9		11.3		MT		14'2"		12'6"		RC				Chemical Levels		Annulus:			
1:00 AM		0		496828		1550		1550		18.9		19.5		11.7		MT		14'2"		12'6"		RC				961:		Tubing:			
3:00 AM		0		496828		1500		1500		17.9		19.9		12.1		MT		14'2"		12'6"		RC				990:		Initials:			
5:00 AM		0		496828		1450		1450		19.0		19.6		12.5		MT		14'2"		12'6"		RC				Electric Readings		Annulus: 0			
																										Inside: 902220		Tubing: 2050			
																										Outside: 27205		Initials: PT			



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: *Ph.1* 7-3  
2nd Shift: *Ph.1* 7-3  
3-11  
Third Shift: *Val.1* 11-7

In case of Emergency dial 911

Day	MONDAY	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter	Changes	
Date	7-8-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Time		
Time															
7:00 AM	4080	492003	1950	1950	17.0	20.0	2.9	10.8	2.4	10.4	7.0 P.D.				Inject
9:00 AM	*	0	497003	1700	16.8	19.8	4.4								Char
11:00 AM	*	0	497003	1700	16.8	19.8	4.4								Filter
1:00 PM	*	0	498003	1700	22.1	20.2	10.2								N Ur
3:00 PM	5030	492205	2150	2150	16.0	19.2	23.6	W-N	M/T	W-N	5.5				Syst
5:00 PM	5015	497808	250	250	20.2	24.1	8.6								Oil X
7:00 PM	5042	498009	2150	2150	12.7	19.7	23.0	8.6							Flat
9:00 PM	4950	498503	2150	2150	9.9	20.3	23.5	8.6							Sum
11:00 PM	4950	498981	2150	2150	6.5	20.0	23.5	8.6							
1:00 AM	4941	499203	2150	2150	5.4	18.9	23.9	8.6							
3:00 AM	4941	498612	2150	2150	4.1	10.3	24.3	8.6							
5:00 AM	4922	50047	2150	2150	5.5	7.3	15.7	8.6							

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------	-------------------------------------	-------------	-----------	----------------	-----------------------------

\*Replace filter pump and related PC  
HSE on @ 6:30 AM 12/8  
off @ 8:25 151°

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Ph:1 7-311  
2nd Shift: Rob/Pedra  
3-11  
Third Shift: RW  
11-7

In case of Emergency dial 911

Day	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Changes Time	
Tue	7-9-13													
	7:00 AM	4931	500259	2150	2150	5.7	6.7	11.9	8.6"	MT	MT	P.O. PT	9:22	Injec
	9:00 AM	4950	500510	2110	2100	6.3	7.9"	19.4	8.4"	MT	MT	FS	12:40 P.O.	Char
	11:00 AM	4950	501637	2350	2150	9.7	19.1	24.11	TF	TF	11			N. Ur
	1:00 PM	4756	501328	2150	2150	14.8	19.4	F	MT	10'5"	2'9	P.O.		S. Ur
	3:00 PM	4746 WRP 14	501777	2150	2150	22.16	20.3	19.9	MT	10'5"	3'3	P1	3:00 R	Syst
	5:00 PM	0	501806	1550	1550	23.5	19.5	18.0	MT	10'5"	3'3"	RC/PT	5:00 IT	Oil X
	7:00 PM	0	501804	1450	1400	22.6	19.5	19.6	MT	11'5"	3'3	PT/RC	7:41 IT	Flat
	9:00 PM	0	501808	1450	1450	17.4	13.1	18.3	0'0"	10'5"	3'3"	RC/PT	12:41 RW	Sum
	11:00 PM	4756	502086	2150	2100	10'6"	20'3"	23'14"	9'	10'5"	3'3"	KW		Cher
	1:00 AM	4737	502451	2100	2100	8'7"	20'3"	23'1"	9'	10'5"	3'3"	KW		961:
	3:00 AM	4728	502804	2150	2150	6'4"	18'2"	24'1"	9'	10'5"	3'3"	KW		960:
	5:00 AM	4737	503250	2150	2150	6'2"	12'	23'8"	9'	10'5"	3'3"	KW		Filter

Other items needed or noted July off 6:40 AM  
Hester off @ 8:00 pm @ 9:20  
Hester off @ 12:56 am 1500

Comments:



Location: C6		Persons Completing Report:	
13159 CR 39		First Shift: 7-3	2nd Shift: 3-11
Platteville, CO 80651		3rd Shift: 11-7	11-7
In case of Emergency dial 911			

Date	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Changes, Time
Day <i>Wednesday</i>													
Date <i>7-10-13</i>													
Time													
7:00 AM		4746	503423	2150	2150	5'3"	10'3"	24'2"	9'	10'5"	3'3"	F2	11:40 2309
9:00 AM		4728	504006	2150	2150	5'3"	12'6"	23'5"	9'	10'5"	5'9"	F2	
11:00 AM		4737	504389	2150	2150	7.9	20.3	23.0	9'	10'5"	6'2 1/2	S6	
1:00 PM		4737	504859	2150	2150	19'	20.0	22.3	9'	Selling	6'5"	S6	
3:00 PM		4608 WRP TA	505224	2150	2150	24.4	19.5	22.7	9'	11'4 1/2"	6'7	PT	
5:00 PM		0	505558	1700	1750	24.3	20.0	21.9	N-7E N-7E N-7E	N-7E N-7E N-7E	6'7	PT	5:34PT
7:00 PM		0	505558	1500	1550	22.6	19.4	20.5	MT	12'5	6'7	PT	
9:00 PM		0	505558	1450	1500	20.5	19.6	19.6	MT	12'5	6'7	PT	9:01PT
11:00 PM		4686	505894	2100	2100	16'7"	19.9	22.8	MT	12'5	6'9	KT	1:45AM
1:00 AM		4626	506212	2150	2150	14'1"	18'8"	23'9"	MT	12'5"	6'7	KN	
3:00 AM		4626	506571	2150	2150	10'6"	20'5"	23'6"	MT	12'5"	6'7"	KN	
5:00 AM		4481	507008	2150	2150	8'5"	18'6"	24'3"	MT	12'3"	6'7	KN	

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Jossac  
7-3 2nd Shift: Fulton  
3-11 Third Shift: RC  
11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
7-11-13	4447	507146	2150	2150	8'1"	20'4"	23'	MT	12'3"	6'7"	Comments	Time
9:00 AM	4348	507750	2150	2150	13'7"	19'5"	22'6"	MT	12'3"	9'6"		
11:00 AM	4358	508030	2150	2150	19'	19'8	23'7	MT	12'3"	9'10"		
WRRP RELEASE												
1:00 PM	508259	1600	1650	21.9	19.9	20.3	MT	12'3"	10'2 1/2	36		
3:00 PM	0	506259	1500	1530	22.7	19.3	19.9	MT	12'3	10'11		
5:00 PM	4422	508290	2150	2150	24.6	20.6	22.9	MT	12'3	10'11		
7:00 PM	4422	506721	2150	2150	24.4	19.8	23.4	MT	12'3	13'6		
9:00 PM	4422	509215	2150	2150	24.6	20.2	24.2	W-7N	12'3	W-7N		
11:00 PM	4413	509601	2150	2150	24'6"	20'6"	23'8"	MT	12'3"	MT		
1:00 AM	4413	510065	2150	2150	21'4"	19'6"	23'1"	MT	12'3"	MT		
3:00 AM	510069	1600	1600	14'18"	20'	20'	20'6"	MT	12'3"	MT		
5:00 AM	4413	510271	2100	2100	11'4"	18'6"	23'7"	MT	12'3"	MT		

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------------------------------------------	-------------	-----------	----------------	-----------------------------

Hudson @ 6:30am @ 940  
Heater off @ 1:28am 1500  
1130

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: JESSIE  
7-3 2nd Shift  
3-11  
Third Shift: KC  
11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 7-12-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes.
Time											Comments	Time
7:00 AM	4413	516392	2100	2100	9'8"	20'30"	23'9"	10'6"	12'3"	11'		5:50 KW
	14 WAP											
9:00 AM	0	516840	1050	1650	10'7"	19'9"	21'1"	10'6"	12'3"	1'9"		
11:00 AM	0	516840	1550	1550	12'9"	19'5"	21'4"	10'6"	12'3"	2'6"		
1:00 PM	4561	516862	2000	2000	16'4"	19'	20'4"	10'6"	12'3"	2'21"		
3:00 PM	4552	511269	2150	2150	23.1	20.4	24.1	10'6"	12'3"	2'7"		
	14 WAP											
5:00 PM	0	511485	1550	1500	24.6	19.7	23.1	10'6"	12'3"	2'7"		
7:00 PM	0	511485	1500	1500	24.4	20.4	24.3	10'6"	12'3"	2'7"		
9:00 PM	4561	511978	2150	2150	23.0	19.9	24.3	?	?	2'7"		
11:00 PM	4552	612310	2150	2150	19'8"	20'8"	23'1"	11'7"	10'4"	2'7"		
1:00 AM	0	612442	1600	1600	16'3"	20'21"	15'9"	11'7"	10'4"	2'7"		
3:00 AM	4552	512718	2150	2150	8'8"	20'4"	23'7"	11'7"	10'4"	2'7"		
5:00 AM	4552	512013	2150	2150	6'2"	20'4"	23'5"	11'7"	9'0'4"	2'7"		

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------------------------------------------	-------------	-----------	----------------	-----------------------------

INS pump on @ 1230. @ 692  
HSE on @ 10:42 87°  
Heater off @ 5:00am 150°

Comments:











Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Jesc  
7-312nd Shift: Jesse / Ke  
3-11 Third Shift: Kew  
11-7

In case of Emergency dial 911

Day	MCN	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Changes, Time	
Date	7-15-13													
Time														
7:00 AM		4247	521761	2150	2150	9'1"	19'2"	24'1"	MT	11'5"	1'9"	A2		Inject
9:00 AM		4247	522257	2200	2200	7'7"	18'5"	23'	MT	11'5"	2'2"	A2		Char
11:00 AM		4256	522625	2200	2200	14'2"	20'1"	24'1"	MT	11'5"	2'7"	A2		Filter
1:00 PM		4274	523004	2200	2200	21'4"	20'7"	23'4"	MT	11'5"	5'1"	A2		N Un
3:00 PM		Ø	523273	1800	1800	24'2"	19'3"	23'4"	MT	11'5"	5'6"	A2		Syst
5:00 PM		Ø	523273	1800	1800	18'8"	19'4"	22'2"	MT	11'5"	5'11"	A2		Oil X
7:00 PM		4284	523477	2100	2100	19'8"	17'2"	24'3"	MT	11'8"	5'11"			Flat
9:00 PM		Ø	523888	1750	1750	18'4"	20'5"	20'5"	MT	4"	5'11"	KW		Chen
11:00 PM		4293	523888	2000	2000	11'3"	20'	24'	MT	4"	5'11"	KW		961:
1:00 AM		4274	524143	2100	2100	9'1"	19'8"	21'5"	MT	4"	5'11"	KW		990:
3:00 AM		4265	524480	2150	2150	10'9"	19'9"	22'8"	MT	4"	5'11"	KW		Elect
5:00 AM		4274	524822	2150	2150	5'5"	15'3"	23'3"	MT	4"	5'11"	KW		Inside

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------------------------------------------	-------------	-----------	----------------	-----------------------------

Comments:



Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: Jesse  
 7-3 2nd Shift: Jesse/KC  
 3-11 Third Shift: KC  
 11-7

In case of Emergency dial 911

Day/Time	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 7-16-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4284	525025	2150	2150	5'2"	9'2"	20'9"	MT	1'4"	5'11"	KW	Inject
9:00 AM	4265	525544	2050	2050	5'2"	6'9"	20'5"	MT	1'4"	6'7"	I2	5:10 AM Char
11:00 AM	4293	525814	2000	2000	8'1"	15'5"	23'3"	MT	1'4"	6'10"	I2	145 AK
1:00 PM	4284	526158	2000	2000	12'7"	20'	22'1"	MT	1'4"	6'11"	I2	800 AK
3:00 PM	5116	526648	2150	2150	24'	20'5"	24'1"	MT	1'4"	11'	I2	5:00 PM Flat
5:00 PM	5098	527019	2150	2150	24'7"	19'1"	23'4"	MT	1'4"	11'9"	I2	Suml
7:00 PM	-0	527451	1750	1750	24'2"	11'5"	15'3"	MT	1'4"	11'9"	KV	Cher
9:00 PM	4946	527546	2050	2050	20'6"	17'9"	24'1"	MT	1'4"	MT	KW	961:
11:00 PM	4987	527721	2100	2100	20'	19'4"	23'2"	MT	1'4"	MT	KW	990:
1:00 AM	4987	528057	2100	2100	17'	20'4"	24'	MT	1'4"	MT	KV	Elect
3:00 AM	4986	528490	2100	2100	14'9"	20'3"	22'1"	MT	1'4"	MT	KW	Inside
5:00 AM	4987	528945	2100	2100	13'4"	18'7"	23'9"	MT	1'4"	MT	KW	Outsi

Other items needed or noted  
 Heater on @ 8:30 am 950  
 Heater off @ 1:00 am 1500

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Jesse  
7-3 2nd Shift: Jesse / KC  
3-11 Third Shift: KC  
11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 7-17-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes.
Time											Comments	Time
7:00 AM	4978	529092	2150	2150	12'3"	19'	23'4"	8'4"	1'4"	MT		Inject
9:00 AM	4968	529722	2150	2150	14'4"	20'4"	23'8"	8'4"	1'4"	1"		10:45 AM Char
11:00 AM	4978	530131	2150	2150	23'5"	20'5"	23'3"	8'4"	1'4"	8'11"		3:15 PM N. Un
1:00 PM	4978	530534	2150	2150	24'8"	20'5"	22'9"	8'4"	1'4"	4'2"		Filter
3:00 PM	4978	530989	2150	2150	22'5"	20'5	24'1	MT	9'3"	11'5"		Syst
5:00 PM	4978	531416	2150	2150	20'2	19'6	24'2	8'6"	9'3"	MT		Oil X
7:00 PM	4987	531794	2150	2150	16'	19'1"	24'1"	8'6"	9'3"	MT		Flat 1
9:00 PM	0	531928	1700	1700	14'1"	19'7"	19'8"	8'6"	9'3"	MT		Sum
11:00 PM	4996	531939	2200	2200	11'2"	18'5"	19'9"	8'6"	9'3"	MT		Chen
1:00 AM	4987	532398	2100	2100	5'15"	16'9"	22'7"	8'6"	9'3"	MT		961:
3:00 AM	4987	532825	2100	2100	4'9"	8'1"	20'2"	8'6"	9'3"	MT		990:
5:00 AM	0	533077	1700	1700	5'16"	5'9"	7'8"	8'6"	9'3"	8'4"		Elect

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------	-------------------------------------	-------------	-----------	----------------	-----------------------------

Heater off at 7:15 am 150

Comments:







Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Phil 7-3 2nd Shift

3-11 Third Shift: Phil  
11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 7-8-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes.
Time											Comments	Time
7:00 AM	4931	532803	2100	2100	9.2	20.3	23.0	MT	17'3"	7'11"	P.O.	Injec
9:00 AM	4922	538326	2100	2100	10.7	19.5	23.1	MT	17'3"	8'7"	P.O.	Char
11:00 AM	4913	538799	2100	2100	12.8	19.0	F	MT	17'3"	9'7"	P.O.	Filter
1:00 PM	4913	539205	2150	2150	16.8	20.4	23.6	MT	17'3"	11'5"	P.O.	N.Un
3:00 PM												S.Un
5:00 PM	4830	540018	2100	2100	24.7	19.7	9.1	MT	6'8"	12'6"	P.O.	Syste
7:00 PM	4844	540441	2150	2150	20.1	20.1	24.1	MT	6'4	12'4"	PT	Oil X
9:00 PM	4858	540751	2150	2150	14.0	20.4	23.4	MT	6'8	MT	PT	Flat 1
11:00 PM	4844	541179	2150	2150	14.6	20.4	22.8	MT	6'8	MT	PT	Sumf
1:00 AM	4848	541613	2150	2150	10.8	20.4	23.8	MT	6'8	MT	PT	
3:00 AM	4839	542028	2150	2150	7.8	19.5	23.0	MT	6'8	MT	PT	Elect
5:00 AM	4844	542376	2150	2150	5.0	14.5	23.3	MT	6'8	MT	PT	Inside

Hazard Class

Items Noted

Loss control items noted standard or substandard

Responsible

Abatement

Date Corrected

Other items needed or noted

Heater on @ 7:00pm @ 910  
off @ 11:00pm @ 1510

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Ph.1 7-3  
2nd Shift: 11-7

3-11  
11-7

In case of Emergency dial 911

Day SAT	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 7-20-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes.
Time											Comments	Time
7:00 AM	4848	542594	2150	2150	5.4	11.4	23.4	8'8"	6'8"	MT	P.O.	11:00 RC
9:00 AM	4848	543260	2150	2150	6.3	10.3	19.7	8'8"	6'8"	2'	P.O. R.C.	
11:00 AM	4857	543611	2150	2150	6.2	20.3	23.8	8'8"	6'8"	2'	P.O. R.C.	
1:00 PM	4728	544414	2150	2150	15.1	20.2	24.1	8'8"	6'8"	2'	P.C.	
3:00 PM	4617	544401	2100	2100	20.3	19.4	21.3	7'4"	6'8"	6'5"	P.O. R.C.	
5:00 PM	4608	544777	2150	2150	23.3	20.5	23.5	7'2"	6'8"	6'8"	P.O. R.C.	
7:00 PM	4594	545133	2150	2150	22.4	20.4	23.9	7'2"	15'6"	6'8"	P.T.	7:45 PM
9:00 PM	4594	545498	2150	2150	19.9	20.1	23.6	7'2"	15'6"	6'8"	P.T.	990-
11:00 PM	4594	545930	2150	2150	16.3	20.2	22.9	7'2"	15'6"	6'8"	P.T.	
1:00 AM	4580	546296	2150	2150	13.2	18.7	23.9	7'2"	15'6"	6'8"	P.T.	
3:00 AM	4540	546654	2150	2150	10.3	18.6	23.8	7'2"	15'6"	6'8"	P.T.	
5:00 AM	4540	547084	2150	2150	6.7	19.0	23.6	7'2"	15'6"	6'8"	P.T.	

Other items needed or noted  
Hanton @ 7:30 @ 870  
at @ 12:30 km

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: *P.H.I.* 7-3  
2nd Shift: *CPA* 11-7  
Third Shift: *DFEN*

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
<i>Sunday</i>												
Date <i>7-21-13</i>	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes.
Time											Comments	Time
7:00 AM	<i>4561</i>	<i>547232</i>	<i>2150</i>	<i>2150</i>	<i>5.1</i>	<i>20.3</i>	<i>23.2</i>	<i>7'2"</i>	<i>15'6"</i>	<i>6'11"</i>	<i>P.O. P1</i>	<i>9:10 RC</i>
9:00 AM	<i>571</i>	<i>547207</i>	<i>2150</i>	<i>2150</i>	<i>7.7</i>	<i>19.9</i>	<i>23.1</i>	<i>7'2"</i>	<i>15'6"</i>	<i>6'11"</i>	<i>RC</i>	<i>3:00 P.O. RC</i>
11:00 AM	<i>4871</i>	<i>848218</i>	<i>2150</i>	<i>2150</i>	<i>10.9</i>	<i>20.4</i>	<i>24.0</i>	<i>7'2"</i>	<i>16'6"</i>	<i>6'11"</i>	<i>RC</i>	
1:00 PM	<i>4580</i>	<i>548563</i>	<i>2150</i>	<i>2150</i>	<i>22.2</i>	<i>20.5</i>	<i>24.0</i>	<i>7'2"</i>	<i>15'6"</i>	<i>8'1"</i>	<i>RC</i>	
3:00 PM	<i>4580</i>	<i>548980</i>	<i>2150</i>	<i>2150</i>	<i>22.2</i>	<i>19.0</i>	<i>23.8</i>	<i>7'2"</i>	<i>15'6"</i>	<i>8'16"</i>	<i>P.O.</i>	
5:00 PM	<i>4580</i>	<i>549369</i>	<i>2150</i>	<i>2150</i>	<i>20.4</i>	<i>20.1</i>	<i>23.1</i>	<i>7'2"</i>	<i>15'5"</i>	<i>8'16"</i>	<i>RC</i>	
7:00 PM	<i>4349</i>	<i>549714</i>	<i>2150</i>	<i>2150</i>	<i>17.8</i>	<i>20.0</i>	<i>23.1</i>	<i>7'2"</i>	<i>15'5"</i>	<i>8'16"</i>	<i>PT</i>	
9:00 PM	<i>4580</i>	<i>550080</i>	<i>2150</i>	<i>2150</i>	<i>15.0</i>	<i>18.7</i>	<i>24.1</i>	<i>7'2"</i>	<i>15'5"</i>	<i>8'16"</i>	<i>PT</i>	
11:00 PM	<i>4580</i>	<i>550455</i>	<i>2150</i>	<i>2150</i>	<i>11.9</i>	<i>20.3</i>	<i>23.7</i>	<i>7'2"</i>	<i>15'2"</i>	<i>8'16"</i>	<i>PT</i>	
1:00 AM	<i>4380</i>	<i>550813</i>	<i>2150</i>	<i>2150</i>	<i>9.6</i>	<i>19.1</i>	<i>24.3</i>	<i>7'</i>	<i>8'</i>	<i>W-7N</i>	<i>PT</i>	
3:00 AM	<i>4380</i>	<i>551238</i>	<i>2150</i>	<i>2150</i>	<i>6.0</i>	<i>20.3</i>	<i>23.6</i>	<i>7'</i>	<i>8'</i>	<i>MT</i>	<i>PT</i>	
5:00 AM	<i>4380</i>	<i>551647</i>	<i>2150</i>	<i>2150</i>	<i>5.9</i>	<i>11.4</i>	<i>23.8</i>	<i>7'7"</i>	<i>13'10</i>	<i>MT</i>	<i>PT</i>	

Other items needed or noted  
*Heater on @ 12:30 AM @ 90°F*  
*off @ 4:50 AM*

Comments:











Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Jesse  
7-3 2nd Shift: Jesse  
3-11 Third Shift: Kade  
11-7

In case of Emergency dial 911

Day/Week	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter	Meter	Line
Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes	Hours	Walk
7:24.15	4052	56011	2150	2150	14'1"	19'7"	24'2"	MT	1'4"	5'11"	52	5:01 KC	Injection: 373494	First Shift 7-3
9:00 AM	4062	560577	2150	2150	15.1	20'4	23'4	MT	1'4"	6'1"	52	3:09 52	Charge: 401464	Time: 6:04
11:00 AM	4071	560924	2150	2150	22'9"	20'5"	23'7	MT	1'4"	6'7"	52	6:53 KA	System: 15010	Annulus: 0
1:00 PM	4043	561237	2150	2150	21'9"	20'1"	24'2"	MT	1'4"	6'8"	52		S. Unload: 03043	Tubing: 2050
3:00 PM	4032	561635	2150	2150	21'2"	19'5'	23'	MT	1'4"	7'9"	52	5:00 KA	Flat Tank: 060344	Initials: 52
5:00 PM	4062	561934	2150	2150	19'6"	20'	24'3"	MT	1'4"	8'	52			2nd Shift 3-11
7:00 PM	4071	562046	2100	2100	16'3"	19'4"	21'4"	MT	1'4"	8'	KW			Annulus: 0
9:00 PM	4062	562253	2100	2100	18'3"	19'9"	23'3"	MT	1'4"	8'	KL			Tubing: 2050
11:00 PM	4052	562650	2150	2150	21'6"	20'	23'3"	MT	1'4"	8'	KL			Initials: 961
1:00 AM	4052	562886	2150	2150	23'4"	19'4"	24'3"	?	1'4"	8'	KW			990: /
3:00 AM	4052	56336	2150	2150	21'1"	20'4"	23'2"	?	1'4"	8'	KW			3rd Shift 11-7
5:00 AM	4062	563610	2150	2150	19'8"	19'9"	24'2"	?	1'4"	8'	KW			Time: 7:24

Other items needed or noted  
1. HEATER ON @ 12:33 AM 820  
HEATER OFF @ 5:50 AM 1500

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: *Kiko Jesse*  
7-3 2nd Shift: *Jesse/KC*  
3-11 Third Shift: *KC*  
11-7

In case of Emergency dial 911  
General Check or

Filter Changes, Time

Meter Hours

Line Walk

Date	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	Comments	Filter	Meter	Line
------	----------------	-------------------	----------------	-----------------	--------------	------------	------------	----------------	---------------	---------------	----------	--------	-------	------

7:00 AM	4071	56394	2150	2150	19'5"	18'9"	24'1"	10'3"	1'4"	8'13"	K5	Injection: 314233	First Shift 7-3
---------	------	-------	------	------	-------	-------	-------	-------	------	-------	----	-------------------	-----------------

9:00 AM	3923	564288	2100	2100	24'5"	19'6"	21'7"	10'3"	1'4"	8'13"	K5	Charge: 401703	Time:
---------	------	--------	------	------	-------	-------	-------	-------	------	-------	----	----------------	-------

11:00 AM	3923	564611	2150	2150	24'1"	20'2"	24'1"	10'3"	1'4"	8'13"	K5	Filter: 2001	Braiden:
----------	------	--------	------	------	-------	-------	-------	-------	------	-------	----	--------------	----------

1:00 PM	3922	56484	2150	2150	23'5"	19'9"	24'4"	10'3"	1'4"	8'15"	K2	N. Unload: 4416	Annulus:
---------	------	-------	------	------	-------	-------	-------	-------	------	-------	----	-----------------	----------

3:00 PM	3793	565216	2000	2000	25'1"	20'4"	24'1"	10'5"	1'4"	8'5"	K2	System: 15879	Tubing:
---------	------	--------	------	------	-------	-------	-------	-------	------	------	----	---------------	---------

5:00 PM	3612	565551	2000	2000	25'1"	19'1"	23'3"			11'11"	K2	Oil X-Fer: 2188	Initials:
---------	------	--------	------	------	-------	-------	-------	--	--	--------	----	-----------------	-----------

7:00 PM	6	565884	1800	1800	25'1"	19'6"	23'9"	M+	4'10"	11'11"	KV	Flat Tank: 6371	2nd Shift 3-11
---------	---	--------	------	------	-------	-------	-------	----	-------	--------	----	-----------------	----------------

9:00 PM	3803	565945	2150	2150	22'8"	19'1"	24'1"	M+	4'10"	12'7"	KV	Sump: 29	Time:
---------	------	--------	------	------	-------	-------	-------	----	-------	-------	----	----------	-------

11:00 PM	3830	566367	2150	2150	21'6"	19'6"	24'1"	M+	4'10"	12'7"	KV	Chemical Levels	Annulus:
----------	------	--------	------	------	-------	-------	-------	----	-------	-------	----	-----------------	----------

1:00 AM	3872	566666	2150	2150	19'6"	20'3"	24'1"	M+	4'10"	12'7"	KV	961:	Tubing:
---------	------	--------	------	------	-------	-------	-------	----	-------	-------	----	------	---------

3:00 AM	3803	566983	2150	2150	17'8"	18'6"	23'9"	M+	4'10"	12'7"	KV	990:	Initials:
---------	------	--------	------	------	-------	-------	-------	----	-------	-------	----	------	-----------

5:00 AM	3812	567322	2150	2150	15'2"	19'1"	23'9"	M+	4'10"	12'7"	KV	Filters Used:	
---------	------	--------	------	------	-------	-------	-------	----	-------	-------	----	---------------	--

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------------------------------------------	-------------	-----------	----------------	-----------------------------

Comments:



Location: C6 13159 CR 39 Platteville, CO 80651				Persons Completing Report: First Shift: <i>Phil</i> 7-3 2nd Shift: <i>PA</i> 3-11 Third Shift: <i>DEAN</i> 11-7				In case of Emergency dial 911				Line Walk		
Flowmeter		Flowmeter		Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter	Meter

Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	Comments	Changes	Hours	Time
7-26-13	3691	567409	2150	2150	14.7	20.3	23.7	MT	9'9"	11'4"	P.O.			
9:00 AM	3691	567902	2150	2150	24.6	20.4	23.9	MT	9'9"	10'5"	RC			
11:00 AM	3691	568177	2175	2150	23.9	20.4	21.4	8'5"	9'9"	10'3"	RC			
1:00 PM	3682	568501	2175	2150	24.6	19.9	18.1	8'5"	9'9"	MT	P.O.			
3:00 PM	4450	568841	2150	2150	25	5'2	21'8	8'5"	9'9"	MT	P.O.			
5:00 PM	4598	569214	2100	2100	23.7	20.5	23.0	8'5"	9'9"	1' -	P.O.			
7:00 PM	4783	569545	2150	2150	25.1	20.4	23.0	8'5"	9'9"	1' -	PT			
9:00 PM	4783	570032	2150	2150	25.2	19.7	23.4	8'5"	9'9"	1' -	PT			
11:00 PM	4783	570432	2150	2150	23.7	19.8	22.9	8'5"	9'9"	1' -	PT			
1:00 AM	4783	570759	2130	2130	21.5	19.6	23.7	2	9'9"	2	PT			
3:00 AM	4783	571170	2150	2150	18.5	19.9	22.9	2	9'9"	2	PT			
5:00 AM	4783	571539	2150	2150	15.8	19.8	23.0	2	9'9"	2	PT			

Other items needed or noted  
H3E on @ 10:28 AM 81°  
H3E off @ 5:00 PM 75°

Comments:



Persons Completing Report:										Location: C6 13159 CR 39 Platteville, CO 80651				
First Shift: 7-3		2nd Shift: 7-3		3-11		11-7		In case of Emergency dial 911		Line Walk				
Date	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check	Filter Changes	Meter Hours
7-27-13	7:00 AM	4793	571726	2100	2100	14.4	19.3	23.4	8'3"	9'9"	1'11"	PO, PT		
	9:00 AM	4793	572413	2150	2150	18.7	20.4	F	8'3"	9'9"	1'11"	PO.		
	11:00 AM	4802	5722788	2500	2150	25.0	20.4	23.8	N-4+E 1'3"	1'13"	3'9"	RC		
	1:00 PM	4802	573136	2150	2150	24.9	19.3	23.9	1'3"	1'13"	3'9"	RC		
	3:00 PM	4802	573598	2150	2150	25.1	19.0	23.6	1'3"	1'13"	3'11"	P.O.		
	5:00 PM	4783	573936	2150	2150	25.1	19.6	23.8	1'3"	1'13"	4'	RC	5:20 RC	
	7:00 PM	4783	574345	2150	2150	22.0	20.4	23.2	1'3"	1'13"	4'	P-1		
	9:00 PM	4763	574722	2150	2150	20.5	20.4	20.6	1'3"	1'13"	4'	PT		
	11:00 PM	4783	575214	2150	2150	17.1	18.8	23.5	1'3"	1'13"	4'	PT		
	1:00 AM	4783	575550	2150	2150	14.3	20.3	23.3	1'3"	1'13"	4'	PT		
	3:00 AM	4783	575947	2150	2150	12.5	20.1	21.5	1'3"	1'13"	4'	PT		
	5:00 AM	4743	576316	2150	2150	4.7	20.2	22.4	1'3"	1'13"	4'	PT		
Other items needed or noted														
<div> <div> <div>Hazard Class</div> <div>Items Noted</div> <div>Loss control items noted standard or substandard</div> </div> <div> <div>Responsible</div> <div>Abatement</div> <div>Date Corrected</div> </div> </div>														



Persons Completing Report:										Location: C6 13159 CR 39 Platteville, CO 80651				
First Shift: 7-3		2nd Shift: 7-3		3rd Shift: 11-7		In case of Emergency dial 911		Line						
System Tanks		Dirty Tank		Clean Tank		North Oil Tank		East Oil Tank						
West Oil Tank		Comments		Filter Changes		Meter Hours		Walk						
7:00 AM	4774	576554	2150	2150	7.8	18.5	23.9	1'3"	17'3"	4'	P.O. PT	5:40 PT	Injection: 37439	First Shift 7-3 Time: 7:00
9:00 AM	4793	577155	2150	2150	10.7	20.3	23.1	1'3"	17'3"	4'	P.O.	1:00 AM PT	Filter: 20029	Braiden: 0
11:00 AM	4774	577515	2150	2150	18.5	20.4	23.4	1'3"	17'3"	4'	RC		S. Unload: 3119	Annulus: 0
1:00 PM	4774	5777971	2150	2150	25.0	20.0	23.9	1'3"	17'3"	4'3"	P.O.		System: 15901	Tubing: 2100
3:00 PM	4783	578340	2150	2150	29.4	20.4	23.0	1'3"	17'3"	4'3"	RC		Oil X-Fer: 2193	Initials: P.O.
5:00 PM	4774	578787	2150	2150	25.1	20.4	23.5	1'3"	17'3"	4'4"	P.O.		Flat Tank: 6383	2nd Shift 3-11 Time: 6:00 PM
7:00 PM	4783	579137	2150	2150	24.3	18.4	24.2	1'3"	17'3"	4'4	PT		Sump: 33	Braiden: 0
9:00 PM	4802	579496	2150	2150	22.7	19.5	24.2	1'3"	17'3"	4'4	PT		Chemical Levels	Annulus: 0
11:00 PM	4783	579969	2150	2150	19.3	20.2	24.2	1'3"	17'3"	4'	PT		961:	Tubing: 2050
1:00 AM	4774	580348	2150	2150	16.5	20.2	24.2	1'3"	17'3"	4'	PT		960:	Initials: PT
3:00 AM	4774	580722	2150	2150	15.1	20.3	23.2	1'3"	17'3"	4'	PT		Electric Readings	Annulus: 0
5:00 AM	4743	581164	2050	2050	12.3	20.3	23.1	1'3"	17'3"	4'6	PT		Inside: 9117145	Tubing: 2100
													Outside: 27798	Initials: PT
													Filters Used:	

**Comments:**



Location: C6 13159 CR 39 Platteville, CO 80651				Persons Completing Report: First Shift: Jesse 7-3 2nd Shift: Jesse / KC 3-11 Third Shift: KC				11-7				In case of Emergency dial 911				Line	
Date	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Changes, Time	Meter Hours		Walk	
7-29-13	7:00 AM	4738	581367	2150	2150	11'	19'4"	23'2"	1'3"	17'	4'6"		5:36:52				First Shift 7-3 Time: 6:13
	9:00 AM	4774	581939	2150	2150	15'	18'8"	23'6"	1'3"	17'	5'4"						Braiden: 0 Annulus: 0 Tubing: 2100 Initials: SV
	11:00 AM	4783	582337	2150	2150	20'4"	26'4"	24'3"	1'3"	17'	5'4"						Oil X-Fer: 2193 Flat Tank: 653043 Sump: 60034 Time: 2nd Shift 3-11 Braiden: Annulus: Tubing: Initials:
	1:00 PM	4774	582779	2150	2150	24'6"	19'6"	23'1"	1'3"	17'	5'4"						2nd Shift 3-11 Time: Braiden: Annulus: Tubing: Initials:
	3:00 PM	4793	583078	2150	2150	23'8"	19'8"	24'3"	1'3"	17'	5'6"						Time: Braiden: Annulus: Tubing: Initials:
	5:00 PM	4783	583604	2150	1250	21'7"	20'	23'4"	1'3"	17'	5'8"						Time: Braiden: Annulus: Tubing: Initials:
	7:00 PM	4774	583925	2150	2150	22'4"	19'7"	23'1"	1'3"	17'	5'6"						Time: Braiden: Annulus: Tubing: Initials:
	8:00 PM	4783	583999	2100	2100	16'4"	20'4"	24'2"	1'3"	17'	5'6"						Time: Braiden: Annulus: Tubing: Initials:
	11:00 PM	4765	584580	2150	2150	12'7"	20'2"	22'8"	1'3"	17'	5'6"						Time: Braiden: Annulus: Tubing: Initials:
	1:00 AM	4765	584866	2150	2150	10'7"	19'5"	23'2"	1'3"	5'14"	5'5"						Time: Braiden: Annulus: Tubing: Initials:
	3:00 AM	4756	585248	2150	2150	8'9"	18'6"	23'4"	1'3"	5'4"	5'5"						Time: Braiden: Annulus: Tubing: Initials:
	5:00 AM	4774	585575	2150	2150	5'9"	20'2"	23'4"	1'3"	5'4"	5'5"						Time: Braiden: Annulus: Tubing: Initials:
<div> <div>Hazard Class</div> <div>Items Noted</div> <div>Loss control items noted standard or substandard</div> <div>Responsible</div> <div>Abatement</div> <div>Date Corrected</div> <div>Other items needed or noted</div> </div>																	

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: JCSA  
7-3 Second Shift: JCSA / KC  
3-11 Third Shift: KC  
11-7

In case of Emergency dial 911

General Check	Filter	Meter	Line
or	Changes:	Hours	Walk

Date	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	Comments	Filter	Meter	Line
Time	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank		Time	Hours	
7:00 AM	4774	585761	2150	2150	5'1"	18'1"	22'4"	1'3"	5'4"	5'5"	52	4:16 PM	375388	First Shift 7-3 Time: 6:13
9:00 AM	4651	586505	2150	2150	11'5	20'5	20'9	1'3	5'4	5'5	52	7:53 PM	375388	First Shift 7-3 Time: 6:13
11:00 AM	4635	586744	2150	2150	16'4"	20'4"	23'8"	1'3"	5'4"	6'2"	52	4:42 PM	375388	First Shift 7-3 Time: 6:13
1:00 PM	4543	587080	2150	2150	22'7"	20'5"	23'2"	1'3"	5'4"	4'3"	52		375388	First Shift 7-3 Time: 6:13
3:00 PM	4524	587505	2150	2150	22'2"	20'	24'3"	1'3"	5'4"	10'1"	52		375388	First Shift 7-3 Time: 6:13
5:00 PM	4534	587902	2150	2150	22'2"	19'6"	23'7"	1'3"	5'4"	10'6"	52		375388	First Shift 7-3 Time: 6:13
7:00 PM	0	588148	1750	1750	22'5"	19'5"	22'5"	1'3"	5'4"	10'6"	KW		375388	First Shift 7-3 Time: 6:13
9:00 PM	4534	588194	2000	2000	16'2"	18'7"	23'4"	1'3"	5'4"	10'6"	KW		375388	First Shift 7-3 Time: 6:13
11:00 PM	4543	588242	2100	2100	14'3"	18'6"	23'7"	?	5'4"	10'6"	KW		375388	First Shift 7-3 Time: 6:13
1:00 AM	4524	588398	2100	2100	11'	18'8"	24'1"	?	5'4"	10'6"	KW		375388	First Shift 7-3 Time: 6:13
3:00 AM	4543	589106	2150	2150	8'9"	19'2"	24'3"	?	5'4"	10'6"	KW		375388	First Shift 7-3 Time: 6:13
5:00 AM	4524	589457	2150	2150	6'3"	19'7"	23'	10'4"	5'4"	11'1"	KW		375388	First Shift 7-3 Time: 6:13

Other items needed or noted  
6:30pm WRP tracking water  
Heater on @ 11:15pm 830  
Heater off @ 4:43am 150

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80851

Persons Completing Report:  
First Shift: Jesse  
7-3 2nd Shift: Jesse  
3-11 Third Shift: KC  
11-7

In case of Emergency dial 911

General Check

or

Comments

Filter

Changes

Time

Injection: 375591

Change: 403061

Filter: 20063

N. Unload: 03137

S. Unload: 04434

System: 15930

Oil X-Fer: 62195

Flat Tank: 06407

Sump: 00035

Chemical Levels

961: /

990: /

3rd Shift 11-7

Time: 4:05pm

Braiden: /

Annulus: /

Tubing: 1600

Initials: KC

Filters Used: 18

Other items needed or noted  
Please on @ 5:16pm 42° Heater off @ 11:05pm 1500

WRP tracking water @ 3:30pm

Date	Flowmeter	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check	Filter	Meter	Line
7-31-13	Rate													Walk
Time														
7:00 AM	4534	589703	2150	2150	5'2"	17'2"	23'1"	10'4"	5'4"	11'1"		1:28 PM		First Shift 7-3
														Time: 6:15
														Braiden: 0
9:00 AM	4534	590274	2150	2150	8'5"	20'3"	23'3"	10'4"	5'4"	11'6"		6:49 PM		Annulus: 0
														Tubing: 2:50
														Initials: J2
11:00 AM	4413	590037	2050	2150	18'4"	18'9"	23'8"	10'4"	5'4"	11'10"		4:51 PM		
1:00 PM	4395	590966	2150	2150	24'7"	14'2"	23'7	10'4"	5'4"	12'				
3:00 PM	4395	591366	2150	2150	25'1"	19'3"	22'9"	10'4"	5'4"	12'3"				
5:00 PM	4404	591783	2150	2150	22'6"	19'6"	23'9"	11'7"	14'8"	MT				
7:00 PM	4	591983	1750	1750	24'9"	20'	21'6"	11'7"	14'8"	MT				
9:00 PM	4	591983	1650	1650	24'3"	19'8"	21'	11'7"	14'8"	MT				
11:00 PM	4404	592225	2100	2100	17'5"	20'4"	23'	11'7"	14'8"	MT				
1:00 AM	4413	592596	2100	2100	14'6"	19'8"	24'2"	11'7"	14'8"	MT				
3:00 AM	4395	592999	2150	2150	11'7"	18'8"	24'4"	11'7"	14'8"	MT				
5:00 AM	4376	593261	2150	2150	10'4"	20'3"	23'9"	11'7"	14'8"	MT				

Comments: