


Conoco Phillips Company



Well: State Harvard 1H


Real-Time LWD Data - Field Copy

Scale 1:240 MD

Plot Time: 27-May-14 13:27








2550


2600

2650


2700


2750





2750
2800
2850
2900
2950






3000

3050

3100

3150




R15PC

R39PC

EWXT

C39PC




3200



3250


3300

3350

3400







3650

3700

3750



3800

DGCC

R15PC



R39PC



3850




EWXT

C39PC









4300


4350

4400

4450

4500





4550


R15PC


R39PC

4600

4650

4700





4750

4800


4850

4900

4950


DGCC

ROPA




R39PC

R15PC




EWXT

C39PC



4950
5000
5050
5100
5150






5200

5250

5300

5350




R39PC

R15PC

EWXT

C39PC



5400


5450

5500

5550

5600





5650

5700

5750

5800




R39PC

R15PC

EWXT

C39PC




5850


5900

5950

6000

6050






6050


6100

6150

6200

6250






6300

6350

6400



6450


DGCC



R39PC

EWXT






6750

6800


6850

6900




R39PC

R15PC



EWXT

C39PC




6950


7000

7050


7100

7150






7150
7200
7250
7300
7350



R39PC
R15PC

EWXT

C39PC





7400

7450

7500

7550






7600

7650

7700

7750

7800




R39PC

R15PC

EWXT

C39PC





7850

7900

7950

8000





DGR Comb Gamma Ray BCorr (DGRCC) api	Depth		39in Phase Conductivity BC (C39PC) mmho/m
0200			10000
Avg Rate of Penetration (ROPA) feet per hr		15in Phase Resistivity BC (R15PC) ohm-m	EWR Formation Exp Time (EWXT) hours
5000		0.22K	05
		39in Phase Resistivity BC	

	(R39PC)	
	ohm-m	
	0.2	2K