

FORM  
2

Rev  
08/13

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400627211

APPLICATION FOR PERMIT TO:

Drill  Deepen  Re-enter  Recomplete and Operate

Date Received:

06/18/2014

TYPE OF WELL OIL  GAS  COALBED  OTHER \_\_\_\_\_

Refilling

ZONE TYPE SINGLE ZONE  MULTIPLE ZONES  COMMINGLE ZONES

Sidetrack

Well Name: HRMU Well Number: 12  
Name of Operator: MID-CON ENERGY OPERATING LLC COGCC Operator Number: 10142  
Address: 2431 E 61ST ST STE 850  
City: TULSA State: OK Zip: 74136  
Contact Name: Ellen McElrath Phone: (918)748-3378 Fax: (918)743-8859  
Email: emcelrath@midcon-energy.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20050131

WELL LOCATION INFORMATION

QtrQtr: NWSE Sec: 1 Twp: 13S Rng: 43W Meridian: 6

Latitude: 38.948940 Longitude: -102.173070

Footage at Surface: 1690 feet <sup>FNL/FSL</sup> FSL 2020 feet <sup>FEL/FWL</sup> FEL

Field Name: HARKER RANCH Field Number: 33557

Ground Elevation: 3999.61 County: CHEYENNE

GPS Data:

Date of Measurement: 04/02/2014 PDOP Reading: 1.8 Instrument Operator's Name: Elijah Frane

If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: <sup>FNL/FSL</sup> \_\_\_\_\_ <sup>FEL/FWL</sup> \_\_\_\_\_ Bottom Hole: <sup>FNL/FSL</sup> \_\_\_\_\_ <sup>FEL/FWL</sup> \_\_\_\_\_

Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_ Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_

LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT

Surface Ownership:  Fee  State  Federal  Indian

The Surface Owner is:  is the mineral owner beneath the location.

(check all that apply)  is committed to an Oil and Gas Lease.

has signed the Oil and Gas Lease.

is the applicant.

The Mineral Owner beneath this Oil and Gas Location is:  Fee  State  Federal  Indian

The Minerals beneath this Oil and Gas Location will be developed by this Well: Yes

The right to construct the Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

**LEASE INFORMATION**

Using standard QtrQtr, Sec, Twp, Rng format, describe one entire mineral lease that will be produced by this well (Describe lease beneath surface location if produced. Attach separate description page or map if necessary.)

Sec 1-13S-43W W/2 SE/4 & Sec 13-13S-43W N/2 NW/4

Total Acres in Described Lease: 160 Described Mineral Lease is:  Fee  State  Federal  Indian

Federal or State Lease # \_\_\_\_\_

Distance from Completed Portion of Wellbore to Nearest Lease Line of described lease: 620 Feet

**CULTURAL DISTANCE INFORMATION**

Distance to nearest:

Building: 1620 Feet

Building Unit: 1620 Feet

High Occupancy Building Unit: 5280 Feet

Designated Outside Activity Area: 5280 Feet

Public Road: 1690 Feet

Above Ground Utility: 1670 Feet

Railroad: 5280 Feet

Property Line: 620 Feet

**INSTRUCTIONS:**

- All measurements shall be provided from center of the Proposed Well to nearest of each cultural feature as described in Rule 303.a.(5).

- Enter 5280 for distance greater than 1 mile.

- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.

- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

**DESIGNATED SETBACK LOCATION INFORMATION**

Check all that apply. This location is within a:  Buffer Zone  
 Exception Zone  
 Urban Mitigation Area

- Buffer Zone – as described in Rule 604.a.(2), within 1,000' of a Building Unit

- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.

- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

**SPACING and UNIT INFORMATION**

Distance from Completed Portion of Wellbore to Nearest Wellbore Permitted or Completed in the same formation: 1250 Feet

Distance from Completed Portion of Wellbore to Nearest Unit Boundary 957 Feet (Enter 5280 for distance greater than 1 mile.)

Federal or State Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

**SPACING & FORMATIONS COMMENTS**

Order 477-4 specifies unit configuration: 13S 43W, S/2 Section 1, All Section 12, N/2 Section 13

**OBJECTIVE FORMATIONS**

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
MORROW	MRRW	477-4	1280	See Comments

**DRILLING PROGRAM**

Proposed Total Measured Depth: 5450 Feet

Distance to nearest permitted or existing wellbore penetrating objective formation: 1170 Feet (Including plugged wells)

Will a closed-loop drilling system be used? No

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No (If Yes, attach an H<sub>2</sub>S Drilling Operations Plan)

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type:  Annular Preventor  Double Ram  Rotating Head  None

### GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

### DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: ONSITE Drilling Fluids Disposal Methods: Evaporation

Cuttings Disposal: ONSITE Cuttings Disposal Method: Drilling pit

Other Disposal Description:

Beneficial reuse or land application plan submitted?                     

Reuse Facility ID:                      or Document Number:                     

### CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24	0	400	275	400	0
1ST	7+7/8	5+1/2	15.5	0	5450	575	5450	1500

Conductor Casing is NOT planned

### DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

### GREATER WATTENBERG AREA LOCATION EXCEPTIONS

Check all that apply:

- Rule 318A.a. Exception Location (GWA Windows).
- Rule 318A.c. Exception Location (GWA Twinning).

### RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number                     

### OTHER LOCATION EXCEPTIONS

Check all that apply:

- Rule 318.c. Exception Location from Rule or Spacing Order Number
- Rule 603.a.(2) Exception Location (Property Line Setback).

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

### OPERATOR COMMENTS AND SUBMITTAL

Comments

This application is in a Comprehensive Drilling Plan \_\_\_\_\_ CDP #: \_\_\_\_\_

Location ID: \_\_\_\_\_

Is this application being submitted with an Oil and Gas Location Assessment application? Yes

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Ellen McElrath

Title: Production Engineer Date: 6/18/2014 Email: emcelrath@midcon-energy.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: *Matthew Lee* Director of COGCC Date: 7/30/2014

Expiration Date: 07/29/2016

**API NUMBER**  
05 017 07792 00

### Conditions Of Approval

**All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.**

**COA Type**

**Description**

	1) Provide 48 hour notice prior to spud via Form 42. 2) If production casing is set provide cement coverage from TD to at least 200' above Morrow and across Cheyenne/Dakota (2450' – 1850'). Verify with CBL. 3) If well is a dry hole set the following plugs: 40 sks cement +/- 50' above the Morrow, 40 sks cement across any DST w/ show, 40 sks cement at 2450', 40 sks cement at 1850', 50 sks cement from 50' below surface casing shoe up into surface casing, 10 sks cement in top of surface csg, cut 4 ft below GL, weld on plate, 5 sks cement each in rat hole and mouse hole.
	Open hole resistivity and gamma logs shall be run to describe the stratigraphy of the entire well bore and to adequately verify the setting depth of surface casing and aquifer coverage. On a multi-well pad, these open hole logs are only required on one of the first wells drilled on the pad and the Drilling Completion Report - Form 5 for every well on the pad shall identify which well was logged.

### Best Management Practices

**No BMP/COA Type**

**Description**

--	--

### Applicable Policies and Notices to Operators

Notice Concerning Operating Requirements for Wildlife Protection.

### Attachment Check List

<b>Att Doc Num</b>	<b>Name</b>
2519198	SURFACE AGRMT/SURETY
400627211	FORM 2 SUBMITTED
400627236	WELL LOCATION PLAT
400627237	TOPO MAP
400627239	30 DAY NOTICE LETTER

Total Attach: 5 Files

### General Comments

<b>User Group</b>	<b>Comment</b>	<b>Comment Date</b>
Permit	Final review completed; no LGD or public comment received.	7/30/2014 11:26:31 AM
Permit	Overhead utility line is 20' north of the public road.	7/30/2014 11:23:33 AM
Permit	Attached Revised SUA without dollar amounts.	7/1/2014 11:34:14 AM
Permit	Well location is closer to unit boundary than reported on this form. The well is 957 feet from boundary (not 2020')	6/20/2014 8:06:33 AM
Permit	Passed completeness. Box unchecked that the surface owner is committed to an oil and gas lease. Distance of completed wellbore to nearest lease line is now filled in.	6/19/2014 3:12:14 PM
Permit	Return to draft: 1. Marked that the surface owner is committed to an oil and gas lease, but has SUA selected as the right to construct. 2. Has FEE selected as both surface and mineral owner and committed to an oil and gas lease, but it is not marked that the surface owner is the mineral owner. 3. Distance of completed wellbore to nearest lease line is blank	6/19/2014 1:18:19 PM

Total: 6 comment(s)