



STATE OF  
COLORADO

EnviroScan - DNR, OGCC <dnr\_ogcc.enviroscan@state.co.us>

---

## Fwd: FW: Drilling Fluid Management Facility - Strear Farm

1 message

---

**Fischer - DNR, Alex** <alex.fischer@state.co.us>

Wed, Aug 13, 2014 at 2:42 PM

To: OGCC EnviroScan - DNR <ogcc.enviroscan@state.co.us>

Cc: Steve Jenkins - DNR <steve.jenkins@state.co.us>

Please upload email chain to Facility ID: 437129.

——— Forwarded message ———

From: **Dinkel, Mike** <Mike.Dinkel@anadarko.com>

Date: Wed, Aug 13, 2014 at 2:00 PM

Subject: FW: Drilling Fluid Management Facility - Strear Farm

To: "Fischer - DNR, Alex" <alex.fischer@state.co.us>

Here is a the email message as a forward. Please let me know if you have any questions.

---

**From:** Michelle Martin [mailto:mmartin@co.weld.co.us]

**Sent:** Wednesday, August 13, 2014 11:28 AM

**To:** Colling, Tracy

**Cc:** Dinkel, Mike; Tom Parko Jr.

**Subject:** RE: Drilling Fluid Management Facility - Strear Farm

Hi Tracy,

After talking to Tom the policy came down from Weld County Environmental Health originally, but as long as the drill mud farm (or facility) is not a commercial facility it's a Use by Right. A commercial facility is when multiple operators bring their waste to the site.

Let me know if you have any other questions.

Michelle Martin  
Planning Manager  
1555 N 17th Ave  
Greeley, CO 80631  
mmartin@co.weld.co.us  
PHONE: (970) 353-6100 x 3540

FAX: (970) 304-6498



Confidentiality Notice: This electronic transmission and any attached documents or other writings are intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. If you have received this communication in error, please immediately notify sender by return e-mail and destroy the communication. Any disclosure, copying, distribution or the taking of any action concerning the contents of this communication or any attachments by anyone other than the named recipient is strictly prohibited.

---

**From:** Colling, Tracy [mailto:Tracy.Colling@anadarko.com]  
**Sent:** Monday, August 11, 2014 7:40 AM  
**To:** Michelle Martin  
**Cc:** Dinkel, Mike  
**Subject:** Drilling Fluid Management Facility - Strear Farm

Hi Michelle,

I know we spoke about this drilling fluid management facility DFMF#2 - Strear Farm (T2N R67W SW1/4 Section 23) and you told me that we did not need a USR, as long as we were using only for our drilling mud, however the COGCC will not issue our permit unless they receive something from you in writing. If you could just confirm with a response to this email I would really appreciate it.

Thank you,

Tracy Colling

---

**From:** Colling, Tracy  
**Sent:** Wednesday, July 23, 2014 2:06 PM  
**To:** 'mmartin@weldgov.com'  
**Cc:** Dinkel, Mike  
**Subject:** DFMF2 Strear Farm

Michelle,

It was nice to see you at the hearing this morning. I meant to talk to you about your voice message yesterday regarding the Drilling Fluid Management Facility – Strear Farm. To answer your question, “Is this facility will be used to process any third parties mud”, no, it will only be used for Anadarko/Kerr-McGee, so I guess then it is not considered a commercial facility, so we do not need a special review.

Thanks for clearing this up for us,

Tracy

**Tracy Colling** | Municipal Planning Analyst  
Wattenberg Land

Anadarko Petroleum Corp. | 1099 18th Street | Denver, CO 80202  
Office: 720-929-6160

Tracy.Colling@Anadarko.com



 Please consider the environment before printing this email.



[www.cred.org](http://www.cred.org)

[www.studyfracking.com](http://www.studyfracking.com)

<https://www.facebook.com/#!/CREDorg>

[Click here for Anadarko's Electronic Mail Disclaimer](#)

**Alex Fischer, P.G.**

## Environmental Supervisor, Western Colorado



**COLORADO**

**Oil & Gas Conservation  
Commission**

Department of Natural Resources

P 303.894.2100 x5138 | F 303.894.2109

1120 Lincoln Street, Suite 801, Denver, CO 80203

| alex.fischer@state.co.us [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)